

PRIAMUS

Serial Publication of the Centre for Entomological Studies Ankara

Volume 11, Part 5

10 03 2007

ISSN 1015-8243

Contents/İçindekiler: A. Ö. Koçak, A.Ö. & M. Kemal, Synonymical and distributional List of the species of Bursa Province (North West Turkey) (Lepidoptera), p.81; editorial p.112.

Synonymical and distributional List of the species of Bursa Province (North West Turkey) (Lepidoptera)¹

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Koçak,A.Ö. & M.Kemal, Synonymical and distributional List of the species of Bursa Province (North West Turkey) (Lepidoptera). *Priamus* 11 (5): 81-111.

This paper deals with the Lepidoptera species hitherto recorded in the Bursa Province in the North West Turkey. Totally 1298 species are listed alphabetically under the relevant families. For each species, the scientific name, author, date of publication, synonyms, and distributional information in Turkey as provincial codes are given.

Key Words: *Lepidoptera*, fauna, checklist, Turkey, Bursa Province.

This article is based upon the information of the Databank and the Collection of the Cesa. The aim is to inform the readers about the present situation of the Lepidoptera fauna of the Province Bursa. This province is currently under investigation within the Project Lepidoptera of Turkey (LTR) carried out by the authors (Cesa) for the period 2007-2010. The publications on the Lepidoptera of Turkey used are listed in Memoirs vol.2 (1991) and 3-4 [under preparation]. In the list mentioned below, all the species known from the related province are given as current scientific name combination, author(s), date of publication. Totally 1298 species are arranged alphabetically under the related families. Synonymous names are given with the author(s) and date of publication in the chronological order. Distributional information of each species indicates that the Turkish provinces in codes².

In the next issues of this serials you will find similar faunistic lists of the various provinces of Turkey, under investigation within the frame of the research Project of the Cesa.³

- 1) **Adela croesella** (Scopoli,1763) (Adelidae) *croesella* Scopoli,1763; *podaella* Linnaeus,1767; *sultzella* Linnaeus,1767; *malletella* Fourcroy,1785; *fasciata* Esper,1791; *sultzii* Haworth,1828; *sulzeriella* Zeller,1839; *laqueatella* Zeller,1850. 05 16
- 2) **Adela reaumurella** (Linnaeus,1758) (Adelidae) *reaumurella* Linnaeus,1758; *viridella* Scopoli,1763; *sphingiella* Hübner,1793; *viridis* Haworth,1828; *#nigra* Zeller,1853; *speyeri* Zeller,1853; *vernella* Bruand,1859 16
- 3) **Cauchas fibulella** ([Denis & Schiffermüller],1775) (Adelidae) *fibulella* [Denis & Schiffermüller],1775; *pulchella* Eversmann,1844; *immaculata* Wocke,1877 16
- 4) **Cauchas rufifrontella** (Treitschke,1833) (Adelidae) *rufifrontella* Treitschke,1833 05 16 35 42
- 5) **Nematopogon pilella** ([Denis & Schiffermüller],1775) (Adelidae) *pilella* [Denis & Schiffermüller],1775; *pilea* Haworth,1828; *minutella* Snellen,1884; *submetallica* Caradja,1920; *flavicomella* Müller-Rutz,1927 16
- 6) **Nematopogon swammerdamella** (Linnaeus,1758) (Adelidae) *swammerdamella* Linnaeus,1758; *reamurella* Peyerimhoff,1877. 16
- 7) **Nemophora barbatellus** (Zeller,1847) (Adelidae) *barbatellus* Zeller,1847; *chalcocorysellus* Mann,1855; *constantinella* Baker,1888; *demaïsoni* Ragonot,1889; *#padrejusto* Agenjo,1965 16
- 8) **Nemophora chrysochraon** (Razowski,1978) (Adelidae) *pfeifferella* Hübner,[1813] (fig.422) *nec* Hbn,[1813] (fig.398); *chrysochraon* Razowski,1978; *#chrysochraon* Razowski,1978; *huebneri* Koçak,1980. 16
- 9) **Nemophora fasciella** (Fabricius,1775) (Adelidae) *fasciella* Fabricius,1775; *schiffermüllerella* [Denis & Schiffermüller],1775; *fascia* Haworth,1828; *schiffermüllerella* Treitschke,1833; *annae* Zeller,1853; *purpureus* Stainton,1867 05 16 33 44 46
- 10) **Nemophora istrianella** (Heydenreich,1851) (Adelidae) *istrianella* Heydenreich,1851; *dalmatinellus* Zeller,1853; *beyruthella* Bruand,1858; *chlorista* Meyrick,1912 16

¹ This faunal list is the preliminary results based upon the Databank of the Cesa, and a part the Project entitled "Lepidoptera of Turkey (LTR)" See: Koçak,A.Ö. & M.Kemal, 2007, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: [in preparation].

² The explanations of the codes are obtainable in the following internet address: <http://www.members.tripod.com/Cesa88/CODE.doc>

³ see also Miscellaneous Papers of the Cesa.

- 11) **Nemophora metallica** (Poda,1761) (Adelidae) *metallica* Poda,1761; *scabiosella* Scopoli,1763; *viridella* Hübner,1796; *aerosellus* Zeller,1850; *rebelellus* Turati,1924 05 16
- 12) **Nemophora mollella** (Hübner,[1813]) (Adelidae) *mollella* Hübner,[1813]; *glabrata* Meyrick,1922 05 16 45
- 13) **Nemophora prodigellus** (Zeller,1853) (Adelidae) *prodigellus* Zeller,1853; *auricellus* Ragonot,1874; *splendidus* Staudinger,1880 05 16 44
- 14) **Alucita grammodyctyla** Zeller,1841 (Alucitidae) *grammodyctyla* Zeller,1841 01 05 06 16 29 42 44 45 58 61 71
- 15) **Alucita palodactyla** Zeller,1847 (Alucitidae) *palodactyla* Zeller,1847; *perittodactyla* Staudinger,1859; *parthenodactyla* Chrétien,1915 05 16 34
- 16) **Arctia (Epicallia) villica** (Linnaeus,1758) (Arctiidae) *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923. 03 05 06 07 10 13 14 15 16 17 19 22 30 32 33 34 37 42 46 60 64 65 66 71
- 17) **Arctia (Eucharia) festiva** (Hufnagel,1766) (Arctiidae) *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétériés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928. 05 06 16 17 24 25 27 32 36 38 40 42 44 58 60 63 64 65 71
- 18) **Atolmis rubricollis** (Linnaeus,1758) (Arctiidae) *rubricollis* Linnaeus,1758 14 16
- 19) **Callimorpha dominula** (Linnaeus,1758) (Arctiidae) *dominula* Linnaeus,1758; *insubrica* Wackerzapp,1890; *rhodanica* Kettlewell,1943. 04 08 14 16 25 30 36 43 73 75
- 20) **Coscinia cribraria** (Linnaeus,1758) (Arctiidae) *cribraria* Linnaeus,1758; *cribrum* Linnaeus,1761; *chrysocephala* Hübner,[1804]; *punctigera* Freyer,1834; *sibirica* Staudinger,1892; *bivittata* South,1900; *fumidaria* O.Bang-Haas,1927; *arenaria* Lempke,1937; *nikitini* O.Bang-Haas,1938; *pannonica* Daniel,1955;... 16
- 21) **Cybosia mesomella** (Linnaeus,1758) (Arctiidae) *mesomella* Linnaeus,1758; *eborina* Denis & Schiffermüller,1775; *quatrilis* Fourcroy,1785; *eremella* Vorbrodt,1914 16
- 22) **Diaphora mendica** (Linnaeus,1761) (Arctiidae) *mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791]; *syra* Daniel,1933; *malatiana* Bytinski-Salz,1936. 05 07 10 12 16 24 31 33 35 36 44 46 51 60
- 23) **Eilema caniola** (Hübner,[1808]) (Arctiidae) *caniola* Hübner,[1808] 05 07 10 16 17 28 30 42 48 55 57 62 71
- 24) **Eilema complana** (Linnaeus,1758) (Arctiidae) *complanata* Linnaeus,1758; *ochrocephala* Fourcroy,1785; *sericea* Gregson,1860; *molybdeola* Guenée,1861; *balcanica* Daniel,1939. 05 06 14 16 25 34 36 46
- 25) **Eilema costalis** (Zeller,1847) (Arctiidae) *morosina* Herrich-Schäffer,1847; *costalis* Zeller,1847 06 07 08 10 16 25 33 34 36 42 45 46 53 56 75
- 26) **Eilema lurideola** (Zincken,1817) (Arctiidae) *lurideolum* Zincken,1817; *complanula* Boisduval,1834; *plumbeolana* Herrich-Schäffer,1852. 05 14 16 25 36 53 60
- 27) **Eilema pseudocomplana** (Daniel,1939) (Arctiidae) *pseudocomplana* Daniel,1939 06 16 25 36 42 46 62
- 28) **Epatolmis caesarea** (Goeze,1781) (Arctiidae) *fluctifera* [Denis & Schiffermüller],1775; *caesarea* Goeze,1781; *japonica* Walker,[1865]. 06 16
- 29) **Euplagia quadripunctaria** (Poda,1761) (Arctiidae) *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 *nec* Hol.,1897; *latefasciata* Bubacek,1915. 01 05 07 08 09 14 16 25 29 33 35 45 46 52 53 62 65
- 30) **Nudaria mundana** (Linnaeus,1761) (Arctiidae) *mundana* Linnaeus,1761 16
- 31) **Paidia (s.str.) cinerascens** (Herrich-Schäffer,[1847]) (Arctiidae) *cinerascens* Herrich-Schäffer,[1847] 03 05 06 16 42 46 71
- 32) **Parasemia plantaginis** (Linnaeus,1758) (Arctiidae) *plantaginis* Linnaeus,1758; *hospita* [Denis & Schiffermüller],1775. 16 30 53 73
- 33) **Phragmatobia fuliginosa** (Linnaeus,1758) (Arctiidae) *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 *nec* Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 *nec* Reiss.,1934 01 05 06 07 12 14 16 19 22 32 33 34 35 36 42 44 46 50 52 53 55 56 65 71 76
- 34) **Rhyparia purpurata** (Linnaeus,1758) (Arctiidae) *purpurata* Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909. 05 06 08 16 30 36 60 73
- 35) **Setina roscida** ([Denis & Schiffermüller],1775) (Arctiidae) *roscida* [Denis & Schiffermüller],1775; *roscidella* Fabricius,1794; *melanomos* Nickerl,1845; *bosniaca* Rebel,1910; *baltica* Wahlgren,1913; *subalpina* Thomann,1951; *rubeni* Viidalepp,1979 16
- 36) **Spilosoma lubricipeda** (Linnaeus,1758) (Arctiidae) *lubricipeda* Linnaeus,1758; *menthastris* [Denis & Schiffermüller],1775; ? *sangaica* Walker,[1865]; *chishimana* Matsumura,1929; *masuensis* Matsumura,1930; *elegans* Bryk,1938; *sotiriadis* Koutsafikis,1973; *lubricipeda* De Freina,1981. 14 16 22 53 61
- 37) **Spiris striata** (Linnaeus,1758) (Arctiidae) *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandi* Obratsov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948. 05 06 08 10 14 16 25 26 28 45 60 66 69
- 38) **Tyria jacobaeae** (Linnaeus,1758) (Arctiidae) *jacobaeae* Linnaeus,1758; *senecionis* Godart,1823; *confluens* Schultz,1908. 04 05 06 07 16 19 25 30 36 48 65 71
- 39) **Utetheisa (s.str.) pulchella** (Linnaeus,1758) (Arctiidae) *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyer* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969. 01 05 07 13 16 21 30 33 44 46 47 48 56 58 63 65
- 40) **Aglais urticae** (Linnaeus,1758) (Argynnididae) *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandi* Verity,1936. 01 02 03 04 05 06 07 08 10 11 12 13 14 16 17 18 19 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 69 70 73 74 76 78 81
- 41) **Argynnis (Fabriciana) adippe** (Rottemburg,1775) (Argynnididae) *cydippe* Linnaeus,1761 (*rejected*); *berecynthia* Poda,1761 (*rejected*); *adippe* Rottemburg,1775; *phryxa* Bergsträsser,1780; *margaritacea* Retzius,1783; *syrinx* Borkhausen,1788; *aspasia* Borkhausen,1788; *liriope* Borkhausen,1788; *baiuvarica* Spuler,1901, etc. 01 05 06 07 08 10 11 14 16 25 31 32 33 34 37 39 42 43 46 53 58 67 74 76 77 78
- 42) **Argynnis (Fabriciana) niobe** (Linnaeus,1758) (Argynnididae) *niobe* Linnaeus,1758. 01 03 04 05 06 07 08 11 12 13 14 15 16 18 23 24 25 27 29 30 31 32 33 35 36 38 39 42 43 44 46 47 48 49 50 51 53 56 58 60 61 62 65 66 69 71 70 73 74 76 80
- 43) **Argynnis (Pandoriana) pandora** ([Denis & Schiffermüller],1775) (Argynnididae) *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 *nec* Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 46 47 48 49 50 51 52 53 55 56 58 60 61 62 63 65 66 67 69 70 71 72 73 74 76 77 78 80 81
- 44) **Argynnis (Speyeria) aglaja** (Linnaeus,1758) (Argynnididae) *aglaja* Linnaeus,1758; *charlotta* Haworth,1802; *emilia* Acerbi,1802 *nec* Cr.,1779; *caroletta* Jermyn,1827; *locuples* Verity,1919 *nec* Butler,1879; *emilocuples* Verity,1919; *locupletata* Verity,1922; *montesignum* Sagarra,1926. 01 03 04 05 06 07 08 10 11 13 14 16 18 24 25 26 28 29 30 31 32 33 34 36 37 39 42 43 46 50 51 53 57 58 60 61 62 65 66 67 69 74 76
- 45) **Argynnis (s.str.) paphia** (Linnaeus,1758) (Argynnididae) *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950. 01 02 05 06 07 08 09 10 11 13 14 16 17 24 25 29 30 31 32 33 34 35 36 37 39 41 42 43 46 48 53 55 60 61 62 65 67 74 76 77 78 81
- 46) **Boloria (Clossiana) dia** (Linnaeus,1767) (Argynnididae) *dia* Linnaeus,1767; *diniensis* Fruhstorfer,1909; *leonina* Fruhstorfer,1909; *disconota* Krulikowsky,1909; *laetior* Verity,1919. 05 08 14 16 34 41 53 55 61 67 76
- 47) **Boloria (Clossiana) euphrosyne** (Linnaeus,1758) (Argynnididae) *euphrosyne* Linnaeus,1758; *argenticollis* Retzius,1783; *figal* Herbst,1800; *densoi* Fruhstorfer,1909; *apennina* Fruhstorfer,1916; *cynosoma* Fruhstorfer,1916; *nestonclara* Verity,1932; *eminens* Verity,1932; *varianana* Verity,1932; *austremiensis* Verity,1950, etc. 01 03 05 06 08 14 16 18 22 25 26 29 30 36 37 43 52 57 60 61 66 74 78 81
- 48) **Brenthis daphne** (Bergsträsser,1780) (Argynnididae) *daphne* Bergsträsser,1780; *chloris* Esper,1778 *nec* Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935. 01 03 05 07 08 10 11 13 15 16 17 20 22 23 24 25 29 30 31 32 33 34 36 37 39 42 43 44 45 46 48 49 59 60 62 69 73 76

- 49) **Brenthis hecate** ([Denis & Schiffermüller,1775) (Argynnididae) *hecate* [Denis & Schiffermüller,1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933. 03 05 06 08 10 13 16 23 24 25 29 30 34 36 37 39 42 44 49 58 60 62 65 66 69 70 73 74 76
- 50) **Cynthia cardui** (Linnaeus,1758) (Argynnididae) *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 67 68 69 70 71 72 73 74 76 78 80 81
- 51) **Euphydryas (Eurodryas) aurinia** (Rottemburg,1775) (Argynnididae) *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller,1775; *lye* Bergsträßer,1779]; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917. 05 06 08 14 16 18 25 29 30 34 36 46 53 59 62 65 69 73 75 76
- 52) **Euphydryas (Eurodryas) orientalis** (Herrich-Schäffer,1845) (Argynnididae) *orientalis* Herrich-Schäffer,1845; *amasina* Seitz,1908. 05 06 16 18 23 42 43 44 71
- 53) **Inachis io** (Linnaeus,1758) (Argynnididae) *io* Linnaeus,1758; *ioides* Ochsenheimer,1808; *caucasica* Jachontov,1911. 05 06 08 10 11 14 16 17 21 24 25 28 29 34 37 39 43 52 53 55 57 58 60 61 66 69 74 78 81
- 54) **Issoria lathonia** (Linnaeus,1758) (Argynnididae) *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 48 49 50 51 52 53 55 57 58 59 60 61 62 65 66 67 69 70 71 73 74 76 77 80 81
- 55) **Limenitis (Azuritis) reducta** Staudinger,1901 (Argynnididae) *reducta* Staudinger,1901. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 62 65 66 67 71 73 75 76 77 78
- 56) **Melitaea (Cinlidia) (phoebe) phoebe** (Goeze,1779) (Argynnididae) *#phoebe* [Denis & Schiffermüller,1775; *phoebe* Goeze,1779; *paedotropos* Bergsträßer,1780]; *tremulae* Piller & Mitterpacher,1783. 01 04 05 06 08 10 11 13 14 16 17 22 23 24 25 26 27 30 33 34 36 39 41 42 44 46 50 51 55 58 59 61 62 65 66 69 71 73 74 77 78 80
- 57) **Melitaea (Cinlidia) (phoebe) punica** Oberthür,1876 (Argynnididae) *punica* Oberthür,1876 01 02 03 05 06 07 08 10 12 13 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 41 42 43 44 46 48 49 50 51 55 58 60 62 65 66 68 69 70 71 73 76 80
- 58) **Melitaea (Didymaeformis) didyma** (Esper,1779) (Argynnididae) *didyma* Esper,1779; *armoricana* Oberthür,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 58 60 61 62 63 64 65 66 67 68 69 70 71 73 74 76 78 80
- 59) **Melitaea (Didymaeformis) fascelis** (Fabricius,1787) (Argynnididae) *#trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (*praec.*); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803 01 02 03 05 06 07 08 09 10 11 12 13 15 16 17 18 19 20 22 23 25 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 69 70 71 73 76 77 80 81
- 60) **Melitaea (s.str.) cinxia** (Linnaeus,1758) (Argynnididae) *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791. 01 02 03 04 05 06 07 08 12 13 14 16 17 18 20 21 23 24 25 26 27 28 29 30 31 32 33 34 36 37 38 39 41 42 43 44 46 47 48 49 50 51 52 55 56 58 60 61 62 65 66 69 70 71 73 74 76 80
- 61) **Mellicta athalia** (Rottemburg,1775) (Argynnididae) *athalia* Rottemburg,1775; *eos* Rossi,1803 *nec* Rossi,1794; *pyronia* Hübner,1804; *aphaea* Hübner,1816; *tessellata* Stephens,1827; *britannia* Verity,1914; *luciflua* Fruhstorfer,1916; *vidior* Gouin,1922; *subluciflua* Verity,1935; *mixta* *aceladussa* Verity,1940; *neglecta* Pfau,1962 01 03 05 06 08 10 11 16 17 18 19 24 25 29 30 31 34 36 37 39 42 52 53 54 55 58 60 61 62 66 69 73 74
- 62) **Nymphalis antiopa** (Linnaeus,1758) (Argynnididae) *antiopa* Linnaeus,1758; *pompador* Pollich,1783; *morio* Retzius,1783; *borealis* Wnukowsky,1927. 03 05 06 08 09 10 11 14 16 17 22 24 26 28 29 32 33 34 35 36 37 38 42 45 53 58 60 62 66 71 74
- 63) **Nymphalis polychloros** (Linnaeus,1758) (Argynnididae) *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896. 01 03 05 06 07 08 09 10 11 13 14 16 17 18 19 20 21 22 23 25 26 30 31 32 33 34 35 36 40 41 42 43 44 45 46 47 48 50 51 52 56 58 60 62 65 71 73
- 64) **Nymphalis xanthomelas** (Esper,1781) (Argynnididae) *#xanthomelas* [Denis & Schiffermüller,1775; *xanthomelas* Esper,1781] 01 05 06 08 12 13 16 24 25 30 31 33 34 36 42 46 49 51 62 69 72 73 76
- 65) **Polygonia (Comma) c-album** (Linnaeus,1758) (Argynnididae) *c-album* Linnaeus,1758; *g-album* Fourcroy,1785. 03 05 06 08 11 13 14 16 17 18 20 22 24 25 27 29 30 31 32 33 34 36 37 39 41 42 43 44 46 48 49 50 52 53 55 59 60 61 62 65 66 73 74 76 78 81
- 66) **Polygonia (Comma) egea** (Cramer,1775) (Argynnididae) *egea* Cramer,1775 (*junior* homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932. 01 02 04 05 06 07 08 09 13 14 16 17 20 21 23 24 25 26 27 29 30 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 53 58 60 62 63 65 66 68 71 72 73 76 78
- 67) **Vanessa atalanta** (Linnaeus,1758) (Argynnididae) *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewicz* Schille,1896; *#klimene* Fischer,1896; *italica* Stichel,1900. 01 03 05 06 07 08 10 11 13 14 16 17 18 21 22 23 24 25 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 61 62 63 65 66 71 74 78 80 81
- 68) **Aprominta bifasciata** (Staudinger,1870) (Autostichidae) *bifasciata* Staudinger,1870; *virginella* Rebel,1902. 01 16 31 33 35? 42 46 51
- 69) **Aprominta designatella** (Herrich-Schäffer,1855) (Autostichidae) *designatella* Herrich-Schäffer,1855 16
- 70) **Doroxena venosulella** (Möschler,1862) (Autostichidae) *venosulella* Möschler,1862; *neglectella* Lederer,1863. 05 16 33
- 71) **Dyspastus undecimpunctella** (Mann,1864) (Autostichidae) *undecimpunctellus* Mann,1864 16
- 72) **Holcopogon bubulcellus** (Staudinger,1859) (Autostichidae) *bubulcellus* Staudinger,1859; *pulverulellus* Constant,1865; *barbata* Walsingham,1900. 01 05 16 42 46 65 70
- 73) **Blastobasis phycidella** (Zeller,1839) (Blastobasidae) *phycidella* Zeller,1839 05 16
- 74) **Bombyx mori** (Linnaeus,1758) (Bombycidae) *mori* Linnaeus,1758; *sinensis* Moore & Hutton,1862; *croesi* Moore & Hutton,1862; *fortunatus* Moore & Hutton,1862; *arracanensis* Moore & Hutton,1862; *textor* Moore & Hutton,1862. 16 46
- 75) **Bucculatrix albedinella** (Zeller,1839) (Bucculatricidae) *albedinella* Zeller,1839; *boyerella* Duponchel,1840. 16
- 76) **Bucculatrix bechsteinella** (Bechstein & Scharfenberg,1805) (Bucculatricidae) *bechsteinella* Bechstein & Scharfenberg,1805; *crataegi* Zeller,1839; *crataegifoliella* Duponchel,1842; *crataegella* Herrich-Schäffer,1862. 16
- 77) **Bucculatrix nigricomella** (Zeller,1839) (Bucculatricidae) *nigricomella* Zeller,1839; *aurimaculella* Stainton,1849 16
- 78) **Bucculatrix ulmella** Zeller,1848 (Bucculatricidae) *ulmella* Zeller,1848; *sircomella* Stainton,1848; *venustella* Stainton,1849. 16
- 79) **Carposina scirrhosella** Herrich-Schäffer,1854 (Carposinidae) *scirrhosella* Herrich-Schäffer,1854; *orientella* Stanioiu & Nemeş,1968. 06 16
- 80) **Anthophila fabriciana** (Linnaeus,1767) (Choreutidae) *fabriciana* Linnaeus,1767; *oxyacanthella* Linnaeus,1767; *urticana* Denis & Schiffermüller,1775; *excisum* Retzius,1783; *gilibertiana* Villers,1789; *oxyacanthae* Fabricius,1798; *dentana* Hübner,1799; *fabricii* Haworth,1811; *dentanal* Treitschke,1829; *parietariae* Stainton,1853; *fabriciella* Herrich-Schäffer,1862; *parietariella* Herrich-Schäffer,1862 05 16
- 81) **Choreutis nemorana** (Hübner,1799) (Choreutidae) *nemorana* Hübner,1799; *incisalis* Treitschke,1828; *nemoranal* Treitschke,1829; *nemorella* Herrich-Schäffer,1862 05 16 17 46 47 48
- 82) **Choreutis pariana** (Clerck,1759) (Choreutidae) *#pariana* Clerck,1759; *lutosa* Haworth,1811; *parialis* Treitschke,1828; *pariella* Herrich-Schäffer,1862 16
- 83) **Millieria dolosana** (Herrich-Schäffer,1854) (Choreutidae) *#dolosalis* Heydenreich,1851; *dolosana* Herrich-Schäffer,1854; *#dolosana* Desmarest,1857 05 16 42

- 84) **Prochoreutis myllerana (Fabricius,1794)** (Choreutidae) *myllerana Fabricius,1794; mylleri Haworth,1811; augustana Hübner,[1813]; scintilulana Hübner,[1825]; scintilulalis Treitschke,1835; albipunctalis Zetterstedt,1839; müllerana Heyden,1865* 05 16
- 85) **Prochoreutis stellaris (Zeller,1847)** (Choreutidae) *stellaris Zeller,1847* 16
- 86) **Tebenna bjerckandrella (Borgström,1784)** (Choreutidae) *cardui Ström,1783; bjerckandrella Borgström,1784; prunnerella Rossi,1794; vibrana Hübner,[1813]; vibralis Treitschke,1835; kawabei Arita,1975* 16 46 76
- 87) **Coleophora albella (Thunberg,1788)** (Coleophoridae) *albella Thunberg,1788; leucapennella Hübner,1796* 16
- 88) **Coleophora albicostella (Duponchel,1842)** (Coleophoridae) *albicostella Duponchel,1842; albimarginella Herrich-Schäffer,1855* 16 46
- 89) **Coleophora alcyonipennella (Kollar,1832)** (Coleophoridae) *alcyonipennella Kollar,1832; cuprariella Zeller,1847; praticolella Zeller,1849; cuprifulgella Toll,1962* 05 06 12 14 16 33 34 41 46 53 55 76
- 90) **Coleophora astragalella Zeller,1849** (Coleophoridae) *astragalella Zeller,1849; fimbriosa Herrich-Schäffer,1861; plusiella Constant,1865; persimilis Rebel,1904* 04 05 06 16 42 50 58
- 91) **Coleophora ballotella (Fischer v. Röslerstamm,1839)** (Coleophoridae) *ballotella Fischer v. Röslerstamm,1839; alexinschiella Nemeş,2004* 16 71
- 92) **Coleophora basimaculella Mann,1864** (Coleophoridae) *basimaculella Mann,1864* 16
- 93) **Coleophora caelebipennella Zeller,1839** (Coleophoridae) *caelebipennella Zeller,1839; bifurcella Turati,1930* 16 42
- 94) **Coleophora coracipennella (Hübner,1796)** (Coleophoridae) *coracipennella Hübner,1796; coracipennis Haworth,[1828]; nigricella Stephens,1834; occidentis Zeller,1873; varii Patzak,1969* 16
- 95) **Coleophora currucipennella Zeller,1839** (Coleophoridae) *currucipennella Zeller,1839* 14 16 34 55
- 96) **Coleophora flavipennella (Duponchel,1843)** (Coleophoridae) *flavipennella Duponchel,1843* 06 16 55
- 97) **Coleophora fretella Zeller,1847** (Coleophoridae) *fretella Zeller,1847; gilveolella Toll,1953* 09 16 35
- 98) **Coleophora fuscicornis Zeller,1847** (Coleophoridae) *fuscicornis Zeller,1847* 16 42 77
- 99) **Coleophora fuscociliella Zeller,1849** (Coleophoridae) *fuscociliella Zeller,1849; bucovinae Nemeş,2004* 06 16
- 100) **Coleophora gallipennella (Hübner,1796)** (Coleophoridae) *gallipennella Hübner,1796* 05 16 71
- 101) **Coleophora hieronella Zeller,1849** (Coleophoridae) *hieronella Zeller,1849* 06 16 41 55
- 102) **Coleophora kuehnella (Goeze,1783)** (Coleophoridae) *kuehnella Goeze,1783; palliatella Zincken,1813* 06 16
- 103) **Coleophora laticostella Mann,1859** (Coleophoridae) *laticostella Mann,1859* 05 16
- 104) **Coleophora limosipennella (Duponchel,1843)** (Coleophoridae) *limosipennella Duponchel,1843* 16
- 105) **Coleophora lineariella Zeller,1849** (Coleophoridae) *lineariella Zeller,1849* 05 16
- 106) **Coleophora lutipennella (Zeller,1838)** (Coleophoridae) *lutipennella Zeller,1838* 16
- 107) **Coleophora mayrella (Hübner,[1813])** (Coleophoridae) *fabriciella Villers,1789 nec Swed.,1787; mayrella Hübner,[1813]; spissicornis Haworth,[1828]; moldaviella Nemeş,2004* 05 16 34 46 53
- 108) **Coleophora onobrychiella Zeller,1849** (Coleophoridae) *onobrychiella Zeller,1849; arenariella Zeller,1865* 06 16 29 42 50 55 58
- 109) **Coleophora ornatipennella (Hübner,1796)** (Coleophoridae) *ornatipennella Hübner,1796; #agrammella Rebel,1935* 05 14 16 33 42 46 76
- 110) **Coleophora partitella Zeller,1849** (Coleophoridae) *partitella Zeller,1849; davidii Nemeş,2003* 16 29
- 111) **Coleophora pennella ([Denis & Schiffermüller],1775)** (Coleophoridae) *pennella [Denis & Schiffermüller],1775; borowskiella Goeze,1783; mucosa Fourcroy,1785; mucosella Villers,1789; onosmella Brahm,1791; struthionipennella Hübner,1796; cornuum Vallot,1818; hispanicella Möschler,1866; diffinis Staudinger,1880; nervosella Müller-Rutz,1927; flavilineella Toll,1952; gogovi Capuse,1971* 05 06 16 29 33 46 50 58
- 112) **Coleophora pyrrhulipennella Zeller,1839** (Coleophoridae) *pyrrhulipennella Zeller,1839* 16 77
- 113) **Coleophora stramentella Zeller,1849** (Coleophoridae) *stramentella Zeller,1849* 06 07 16 29 38 58 71
- 114) **Coleophora taygeti Baldizzone,1983** (Coleophoridae) *taygeti Baldizzone,1983* 06 16
- 115) **Coleophora therinella Tengström,1848** (Coleophoridae) *therinella Tengström,1848* 16
- 116) **Coleophora vibicella (Hübner,[1813])** (Coleophoridae) *vibicella Hübner,[1813]; vibicipennella Treitschke,1833; brunneella Müller-Rutz,1922* 16
- 117) **Coleophora virgatella Zeller,1849** (Coleophoridae) *virgatella Zeller,1849* 16
- 118) **Coleophora wockeella Zeller,1849** (Coleophoridae) *wockeella Zeller,1849; fumigatella Caradja,1920; italiae Toll,1960* 05 06 16 45 46
- 119) **Cosmopterix scribaiella Zeller,1850** (Cosmopterigidae) *scribaiella Zeller,1850; hermsiella Hering,1889* 16
- 120) **Eteobalea albiapicella (Duponchel,1843)** (Cosmopterigidae) *albiapicella Duponchel,1843* 05 07 16
- 121) **Eteobalea serratella (Treitschke,1833)** (Cosmopterigidae) *serratella Treitschke,1833; sareptensis Walsingham,1907; cinereocapitella Caradja,1920* 05 06 16 38 42 46 76
- 122) **Pancalia leuwenhoekella (Linnaeus,1761)** (Cosmopterigidae) *leuwenhoekella Linnaeus,1761; schmidtella Treitschke,1833* 05 16 44 46
- 123) **Pancalia schwarzella (Fabricius,1798)** (Cosmopterigidae) *schwarzella Fabricius,1798; latreillella Curtis,1830* 16
- 124) **Pyroderces argyrogrammos (Zeller,1847)** (Cosmopterigidae) *argyrogrammos Zeller,1847; goldegiella Herrich-Schäffer,[1853]* 05 16 22
- 125) **Cossus cossus (Linnaeus,1758)** (Cossidae) *cossus Linnaeus,1758; unguiculatus Fabricius,1794; ligniperda Fabricius,1794* 01 05 06 12 13 14 16 17 19 23 25 30 36 42 46 49 53 55 58 60 61 65 73
- 126) **Dyspessa ulula (Borkhausen,1790)** (Cossidae) *ulula Borkhausen,1790; hepialica Borkhausen,1790; hepialina Hübner,1792; marmorata Rambur,1858; fuscus Staudinger,1892; affinis Rothschild,1917; maroccana Rothschild,1917; pallida Rothschild,1917 nec Roth.,1912* 05 06 07 14 16 17 20 21 26 33 36 42 45 46 58 60 66
- 127) **Amata rossica (Turati,1917)** (Ctenuchidae) *#nigricornis Alpheraky,1883; rossica Turati,1917; anatolica Zerny,1931; bithynica Schwingenschuss,1940; #osthelderi Obraztsov,1966* 01 05 06 07 08 14 16 24 28 33 37 38 55 58 60 64 71 75 76
- 128) **Dysauxes famula (Freyer,1836)** (Ctenuchidae) *famula Freyer,1836; hyalina Freyer,1845; ragusaria Zickert,1904; kaschmirensis Rothschild,1910; semidiaphana Stauder,1921; herthina Stauder,1921; burgeffi Draudt,1931; pseudoservula Naufock,1933; pontica Friese,1959; sofata De Laever,1983; lucana De Laever,1983* 01 06 07 08 10 11 12 14 16 17 21 23 25 30 31 33 34 36 42 44 45 46 50 56 59 60 65 71 73
- 129) **Klimeschia vibratoriella (Mann,1862)** (Douglasiidae) *vibratoriella Mann,1862* 16
- 130) **Tinagma ocnorostomellum (Stainton,1850)** (Douglasiidae) *ocnorostomellum Stainton,1850; echii Herrich-Schäffer,1854* 05 06 16 33
- 131) **Drepana falcatoria (Linnaeus,1758)** (Drepanidae) *falcatoria Linnaeus,1758; sicala [Denis & Schiffermüller],1775; falcata Retzius,1783 nec Fabr.,1775; falcatorialis Haworth,1802; infernalis Bytinski-Salz,1939* 16
- 132) **Watsonalla binaria (Hufnagel,1767)** (Drepanidae) *binaria Hufnagel,1767; falcata Fabricius,1775; falcularia Villers,1789; falcatalis Haworth,1802; uncula Hübner,[1802]* 05 06 08 10 12 14 16 30 42 46 50 53 62 65 71 73
- 133) **Watsonalla cultararia (Fabricius,1775)** (Drepanidae) *cultararia Fabricius,1775; hamula [Denis & Schiffermüller],1775; cultarialis Haworth,1802; unguicula Hübner,[1803]; fasciata Stephens,1829* 16 39
- 134) **Elachista adscitella Stainton,1851** (Elachistidae) *cinctella auct.; adscitella Stainton,1851* 16
- 135) **Elachista albifrontella (Hübner,[1817])** (Elachistidae) *albifrontella Hübner,[1817]* 16
- 136) **Elachista anserinella Zeller,1839** (Elachistidae) *anserinella Zeller,1839; disertella Herrich-Schäffer,[1855]* 16
- 137) **Elachista argentella (Clerck,1759)** (Elachistidae) *argentella Clerck,1759* 05 06 16 33 42 46

- 138) *Elachista bisulcella* (Duponchel,1843) (Elachistidae) *bisulcella* Duponchel,1843; *zonariella* Tensgröm,1847 16
- 139) *Elachista canapennella* (Hübner,[1813]) (Elachistidae) *canapennella* Hübner,[1813]; *pulchella* Haworth,[1828] *nec* Fabricius,1794; *obscura* Stainton,1849; *incanella* Herrich-Schäffer,[1855], etc. 05 16 46
- 140) *Elachista cingillella* (Herrich-Schäffer,[1855]) (Elachistidae) *cingillella* Herrich-Schäffer,[1855]; *densicornuella* Hodgkinson,1879 16 46
- 141) *Elachista dispilella* Zeller,1839 (Elachistidae) *dispilella* Zeller,1839 16
- 142) *Elachista gangabella* Zeller,1850 (Elachistidae) *gangabella* Zeller,1850; *taeniata* Stainton,1857; *ursinella* Chrétien,1896 16
- 143) *Elachista griseella* (Duponchel,1843) (Elachistidae) *griseella* Duponchel,1843; *dispositella* Frey,1859 05 16
- 144) *Elachista incanella* Herrich-Schäffer,[1855] (Elachistidae) *incanella* Herrich-Schäffer,[1855] 05 16 46
- 145) *Elachista maculicerusella* Bruand,1849 (Elachistidae) *cerusella* Hübner,1796 *nec* [Denis & Schiff.],1775; *maculicerusella* Bruand,1849; *monosemiella* auct. 16
- 146) *Elachista melancholica* Frey,1859 (Elachistidae) *melancholica* Frey,1859 05 16
- 147) *Elachista pollinariella* Zeller,1839 (Elachistidae) *pollinariella* Zeller,1839 16
- 148) *Elachista revinctella* Zeller,1850 (Elachistidae) *revinctella* Zeller,1850 16
- 149) *Elachista rudectella* Stainton,1851 (Elachistidae) *rudectella* Stainton,1851 05 16
- 150) *Elachista rufocinerea* (Haworth,[1828]) (Elachistidae) *rufocinerea* Haworth,[1828]; *oleae* Haworth,[1828]; *floslactis* Haworth,[1828]; *rufocinereella* Herrich-Schäffer,1855; *rufocinereella* Bruand,1859 16
- 151) *Stephensia brunnichella* (Linnaeus,1767) (Elachistidae) *brunnichella* Linnaeus,1767. 16
- 152) *Epermenia* (Calotropis) *chaerophyllella* (Goeze,1783) (Epermeniidae) *chaerophyllella* Goeze,1783; *testaceella* Hübner,[1813]; *fasciculellus* Stephens,1834; *nigrostriatellus* Heylaerts,1883; *turatiella* Constantini,1923. 16 46
- 153) *Epermenia* (s.str.) *pontificella* (Hübner,1796) (Epermeniidae) *pontificella* Hübner,1796 14 16
- 154) *Ochromolopis ictella* (Hübner,[1813]) (Epermeniidae) *ictella* Hübner,[1813]; *ictipennella* Treitschke,1833. 16
- 155) *Phaulernis fulviguttella* (Zeller,1839) (Epermeniidae) *fulviguttella* Zeller,1839; *flavimaculella* Stainton,1849; *auromaculata* Frey,1865. 16
- 156) *Eriocottis fuscanellella* Zeller,1847 (Eriocottidae) *fuscanellella* Zeller,1847 05 16 45
- 157) *Dyseriocrania subpurpurella* (Haworth,[1828]) (Eriocranidae) *subpurpurella* Haworth,[1828]; *fastuosella* Zeller,1839; *donzelella* Duponchel,[1839]. 05 16 34 59 71
- 158) *Ethmia aurifluella* (Hübner,[1810]) (Ethmiidae) *aurifluella* Hübner,[1810]; *albarracinella* Ragonot,1882. 16 35 42 44 48 65
- 159) *Ethmia bipunctella* (Fabricius,1775) (Ethmiidae) *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenwartiella* Rossi,1790; *griseicostella* Wiltshire,1947. 05 06 16 35 42 46 56 71
- 160) *Ethmia candidella* (Alpheraky,1908) (Ethmiidae) *candidella* Alpheraky,1908; *orientella* Caradja,1931. 16 42 46 65 71
- 161) *Ethmia chrysopyga* (Zeller,1844) (Ethmiidae) *chrysopyga* Zeller,1844; *callidella* Walsingham,1910. 05 16 33 42
- 162) *Ethmia flavianella* (Treitschke,1832) (Ethmiidae) *flavianella* Treitschke,1832 16?
- 163) *Ethmia fumidella* (Wocke,1850) (Ethmiidae) *fumidella* Wocke,1850; *ardosiella* Caradja,1931. 16 35 45 46
- 164) *Ethmia haemorrhoidella* (Eversmann,1844) (Ethmiidae) *haemorrhoidella* Eversmann,1844; *anatolica* Amsel,1953. 01 05 16
- 165) *Ethmia pusiella* (Linnaeus,1758) (Ethmiidae) *pusiella* Linnaeus,1758; *scalella* Scopoli,1763; *sequella* [Denis & Schiffermüller],1775; *lithosperma* Hübner,1796. 05 16 35 42 44 45 46
- 166) *Ethmia quadrillella* (Goeze,1783) (Ethmiidae) *quadrillella* Goeze,1783; *inversella* Fourcroy,1785; *funerella* Fabricius,1787; *funerea* Haworth,1828; *afflatella* Fuchs,1903. 16 53
- 167) *Ethmia terminella* T.B.Fletcher,1938 (Ethmiidae) *sempunctella* Hübner,[1810] *nec* Fabr.,1794; *terminella* T.B.Fletcher,1938. 16 34
- 168) *Acompsia cinerella* (Clerck,1759) (Gelechiidae) *cinerella* Clerck,1759 05 16
- 169) *Anacamptis obscura* (Denis & Schiffermüller,[1775]) (Gelechiidae) *obscura* [Denis & Schiffermüller],1775; *subsequella* Hübner,1796. 05 16 46
- 170) *Anacamptis panormitella* (Caradja,1920) (Gelechiidae) *panormitella* Caradja,1920 16
- 171) *Anacamptis scintillella* (Fischer v. Röslerstamm,1841) (Gelechiidae) *scintillella* Fischer v. Röslerstamm,1841; *brunneella* Herrich-Schäffer,1854; *contuberniella* Staudinger,1859 05 16
- 172) *Anarsia* (Ananarsia) *lineatella* Zeller,1839 (Gelechiidae) *lineatella* Zeller,1839; *heratella* Amsel,1967; *tauricella* Amsel,1967. 05 06 16 46 71
- 173) *Anarsia* (s.str.) *spartiella* (Schränk,1802) (Gelechiidae) *spartiella* Schränk,1802; *genistae* Stainton,1854; *ragonotella* Réal,1994; *krausei* Réal,1994; *lhommeella* Réal,1994; *acutiloba* Réal,1994; *pseudospartiella* Réal,1994 *ungemachi* Réal,1994 16 71
- 174) *Apodia bifractella* (Duponchel,1843) (Gelechiidae) *bifractella* Duponchel,[1843] 05 16
- 175) *Aproaerema anthyllidella* (Hübner,[1813]) (Gelechiidae) *anthyllidella* Hübner,[1813]; *caliginosella* Duponchel,1843; *psoralella* Millièr,1865; *sparsiciliella* Barrett,1891; *alfalfella* Amsel,1958; *aureliana* Capuse,1964 05 16 42 46 71 76
- 176) *Aristotelia fervidella* Mann,1864 (Gelechiidae) *fervidella* Mann,1864; *heroidella* Staudinger,1880. 05 16
- 177) *Aroga velocella* (Zeller,1839) (Gelechiidae) *velocella* Zeller,1839; *affiniella* Zetterstedt,[1839]; *tesserella* Zetterstedt,[1839]; *brunnea* Schöyen,1882; *aterrimella* Rebel,1889; *rupicolella* Müller-Rutz,1934 06 16
- 178) *Athrips nigricostella* (Duponchel,1842) (Gelechiidae) *nigricostella* Duponchel,1842 16
- 179) *Bryotropha azovica* Bidzilya,1996 (Gelechiidae) *azovica* Bidzilya,1996 16 41 33 63 77
- 180) *Bryotropha desertella* (Douglas,1850) (Gelechiidae) *desertella* Douglas,1850; *decrepidella* Herrich-Schäffer,1854. 05 06 16
- 181) *Bryotropha dryadella* (Zeller,1850) (Gelechiidae) *dryadella* Zeller,1850; *saralella* Amsel,1952 16 38 46
- 182) *Bryotropha sutteri* Karsholt & Rutten,2005 (Gelechiidae) *sutteri* Karsholt & Rutten,2005 16 59
- 183) *Bryotropha terrella* ([Denis & Schiffermüller],1775) (Gelechiidae) *terrella* [Denis & Schiffermüller],1775; *inulella* Hübner,[1825]; *pauperella* Hübner,[1825]; *latella* Herrich-Schäffer,1854; *lutescens* Constant,1865; *suspectella* Heinemann,1870; *alpicolella* Heinemann,1870; *tenebrosella* Teich,1886; *sardoterrella* Schawerda,1936 05 16 42
- 184) *Carpatolechia humeralis* (Zeller,1839) (Gelechiidae) *decorella* Haworth,1812 *nec* Hübn.,[1810]; *humeralis* Zeller,1839; *lyellella* Humpreys & Westwood,1845; *incretella* Duponchel,[1854]; *pisticella* Nowicki,1860; *scabra* Staudinger,1870; *erschoffii* Frey,1880; *buckwelli* Lucas,1956; *dumitrescui* Capuse,1964. 16 33 35
- 185) *Chionodes distinctella* (Zeller,1839) (Gelechiidae) *distinctella* Zeller,1839; *striolatella* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *laticolor* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979. 06 13 16 24 25 38 76
- 186) *Chrysoesthia drurella* (Fabricius,1775) (Gelechiidae) *drurella* Fabricius,1775; *myllerella* Fabricius,1794; *zinckeella* Hübner,[1813]; *zinckenella* Hübner,[1825]; *druryella* Zeller,1850; *hermannella* auct. 05 16
- 187) *Chrysoesthia sexguttella* (Thunberg,1794) (Gelechiidae) *sexguttella* Thunberg,1794; *auropunctella* Thunberg,1794; *stipella* sensu Hübner,1796; *aurofasciella* Stephens,1834; *naeviferella* Duponchel,[1843]. 05 16
- 188) *Dichomeris barbella* ([Denis & Schiffermüller],1775) (Gelechiidae) *barbella* [Denis & Schiffermüller],1775 16
- 189) *Dichomeris derasella* ([Denis & Schiffermüller],1775) (Gelechiidae) *derasella* [Denis & Schiffermüller],1775; *fasciella* Hübner,1796; *unguiculatus* Fabricius,1798; *coreana* Matsumura,1931. 05 16
- 190) *Dichomeris juniperella* (Linnaeus,1761) (Gelechiidae) *juniperella* Linnaeus,1761; *juniperi* Haworth,1828. 16
- 191) *Dichomeris lamprostoma* (Zeller,1847) (Gelechiidae) *lamprostoma* Zeller,1847; *zulu* Walsingham,1881; *scutata* Meyrick,1894. 16
- 192) *Dichomeris limosellus* (Schläger,1849) (Gelechiidae) *limosella* Schläger,1849; *deflectivella* Reutti,1853. 16

- 193) **Dichomeris pudicella** (Mann,1861) (Gelechiidae) *pudicella* Mann,1861 05 16
 194) **Dirhinosis cervinella** (Eversmann,1844) (Gelechiidae) *cervinella* Eversmann,1844; *trifasciella* Rebel,1905 16
 195) **Eulamprotes wilkella** (Linnaeus,1758) (Gelechiidae) *wilkella* Linnaeus,1758; *merianella* Linnaeus,1758; *pictella* Zeller,1839; *tarquiniella* Stainton,1862. 16
 196) **Filatima spurcella** (Duponchel,1843) (Gelechiidae) *spurcella* Duponchel,1843; *fuscantella* Heinemann,1870. 05 06 16
 197) **Gelechia sabinella** (Zeller,1839) (Gelechiidae) *sabinella* Zeller,1839; *hoffmanniella* Strand,1901; *kalevalella* Kanerva,1936. 16 46
 198) **Harpagidia magnetella** (Staudinger,[1871]) (Gelechiidae) *magnetella* Staudinger,[1871]; *pallidibasella* Ragonot,1895 16 45 46 65
 199) **Isohrictis kefersteiniellus** (Zeller,1850) (Gelechiidae) *kefersteiniella* Zeller,1850; *senicula* Meyrick,1913; *leptidella* Turati,1924 16
 200) **Isohrictis lineatellus** (Zeller,1850) (Gelechiidae) *lineatellus* Zeller,1850; *albilineella* Bruand,1859 16
 201) **Isohrictis striatella** ([Denis & Schiffermüller],1775) (Gelechiidae) *striatella* [Denis & Schiffermüller],1775; *tanacetella* Schrank,1802 16 48
 202) **Istrianis brucinella** (Mann,1872) (Gelechiidae) *brucinella* Mann,1872 16
 203) **Iwaruna biguttella** (Duponchel,1843) (Gelechiidae) *biguttella* Duponchel,1843 05 16 46
 204) **Megacraspedus imparellus** (Fischer v. Röslerstamm,1843) (Gelechiidae) *imparellus* Fischer v. Röslerstamm,1843 16
 205) **Megacraspedus separatellus** (Fischer v. Röslerstamm,1843) (Gelechiidae) *separatellus* Fischer v. Röslerstamm,1843 16
 206) **Mesophleps silacella** (Hübner,1796) (Gelechiidae) ? *pyropella* Hübner,1793; *silacella* Hübner,1796; *silacea* Haworth,1828 05 16
 207) **Metzneria aestivella** (Zeller,1839) (Gelechiidae) *aestivella* Zeller,1839; *carlinella* Stainton,1851; *selaginella* Mann,1855; *torridella* Mann. 05 16
 208) **Metzneria aprilella** (Herrich-Schäffer,[1854]) (Gelechiidae) *aprilella* Herrich-Schäffer,[1854] 05 06 16 33 42 46
 209) **Metzneria intestinella** (Mann,1864) (Gelechiidae) *intestinella* Mann,1864 05 06 16 23 46
 210) **Metzneria tenuiella** (Mann,1864) (Gelechiidae) *tenuiella* Mann,1864; *infelix* Walsingham,1908; *insignificans* Walsingham,1908. 16
 211) **Mirificarma (s.str. (s.str.)) eburnella** ([Denis & Schiffermüller],1775) (Gelechiidae) *eburnella* [Denis & Schiffermüller],1775; *formosella* Hübner,1796 nec [Denis & Schiffermüller],1775; *flammella* Hübner,[1825]; *rufeformosella* Bruand,1859. 16 33
 212) **Mirificarma (s.str. (s.str.)) flavella** (Duponchel,[1844]) (Gelechiidae) *flavella* Duponchel,[1844]; *segetella* Zeller,1847. 16 35
 213) **Neofaculta ericetella** (Geyer,[1832]) (Gelechiidae) *ericetella* Geyer,[1832]; *gallinella* Treitschke,1833; *lanceolella* Stephens,1834; *fuscella* Duponchel,1844; *atlanticella* Amsel,1938; *#amseli* Dufrene,1955 16
 214) **Nothris verbascella** (Brahm,1791) (Gelechiidae) *#verbascella* [Denis & Schiffermüller],1775; *verbascella* Brahm,1791; *lutarea* Haworth,1828 05 06 16 38 42 46
 215) **Onebala lamprostoma** (Zeller,1847) (Gelechiidae) *lamprostoma* Zeller,1847 16
 216) **Parastenolechia nigrinotella** (Zeller,1847) (Gelechiidae) *nigrinotella* Zeller,1847; *nigralbella* Herrich-Schäffer,[1854]. 16
 217) **Platyedra subcinerea** (Haworth,[1828]) (Gelechiidae) *subcinerea* Haworth,[1828]; *vilella* Zeller,1847. 05 06 16 33 35 46 76
 218) **Prolita sexpunctella** (Fabricius,1794) (Gelechiidae) *sexpunctella* Fabricius,1794; *virgella* Thunberg,1784; *longicornis* Curtis,1827; *histrionella* Geyer,[1832]; *zebrella* Treitschke,1833; *alpicola* Frey,1867; *alternella* Keafott,1908; *petulans* Braun,1925. 16
 219) **Prolita solutella** (Zeller,1839) (Gelechiidae) *solutella* Zeller,1839; *fumosella* Douglas,1852; *pribitzeri* Rebel,1889; *nigrobipunctella* Lucas,1932. 05 06 16 46
 220) **Pseudotelphusa paripunctella** (Thunberg,1794) (Gelechiidae) *paripunctella* Thunberg,1794; *triparella* Zeller,1839; *trijugella* Erschoff,1877; *sultanella* Caradja,1920; *arenicolella* Caradja,1920. 16 42
 221) **Pseudotelphusa scalella** (Scopoli,1763) (Gelechiidae) *scalella* Scopoli,1763; *aleella* Fabricius,1794; *alternella* Hübner,1796 nec Den. & Schiff.,1775; *alterna* Haworth,1828; *bicolorella* Treitschke,1832 16
 222) **Ptocheuusa campicolella** (Mann,1857) (Gelechiidae) *campicolella* Mann,1857 16
 223) **Ptocheuusa inopella** (Zeller,1839) (Gelechiidae) *inopella* Zeller,1839 16
 224) **Ptocheuusa paupella** (Zeller,1847) (Gelechiidae) *paupella* Zeller,1847 16
 225) **Recurvaria leucatella** (Linnaeus,1761) (Gelechiidae) *#leucatella* Clerck,1759; *leucatella* Linnaeus,1761; *leucatea* Haworth,1828. 06 16
 226) **Scrobipalpa (Ilseopsis) acuminatella** (Sircom,1850) (Gelechiidae) *acuminatella* Sircom,1850 05 16 71
 227) **Sophronia illustrella** (Hübner,1796) (Gelechiidae) *illustrella* Hübner,1796 16
 228) **Stomopteryx detersella** (Zeller,1847) (Gelechiidae) *detersella* Zeller,1847 05 06 16 33 42 45 46 65 71 76
 229) **Stomopteryx remissella** (Zeller,1847) (Gelechiidae) *remissella* Zeller,1847 06 16 46
 230) **Syncopacma cinctella** (Clerck,1759) (Gelechiidae) *cinctella* Clerck,1759; *vorticella* Scopoli,1763; *ligulella* [Denis & Schiffermüller],1775; *vittata* Fourcroy,1785; *vittatella* Villers,1789; *albigistrigella* Stephens,1834; *cincticullella* Heydenreich,1851 nec Br.,1850; *sircomella* Stainton,1854; *finlandica* Gozmany,1957 05 16
 231) **Syncopacma taeniolella** (Zeller,1839) (Gelechiidae) *taeniolella* Zeller,1839 16
 232) **Teleiopsis diffinis** (Haworth,[1828]) (Gelechiidae) *diffinis* Haworth,[1828]; *tristis* Staudinger,1879. 05 06 16
 233) **Teleiopsis terebinthinella** (Herrich-Schäffer,[1856]) (Gelechiidae) *terebinthinella* Herrich-Schäffer,[1856] 01 05 16 27 46
 234) **Xystophora carchariella** (Zeller,1839) (Gelechiidae) *carchariella* Zeller,1839 16
 235) **Alcis repandata** (Linnaeus,1758) (Geometridae) *repandata* Linnaeus,1758; *consobrinaria* Scriba,1790; *repandaria* Borkhausen,1794; *histortae* Valtot,1802; *destrigaria* Haworth,1809; *conversaria* Hübner,[1809]; *muraria* Curtis,1826; *dealbata* Turati & Verity,1911; *fasciata* Albers,1949 nec Wrnk.,1941 14 16 34 61
 236) **Angerona prunaria** (Linnaeus,1758) (Geometridae) *prunaria* Linnaeus,1758 16
 237) **Anticlea derivata** ([Denis & Schiffermüller],1775) (Geometridae) *derivata* [Denis & Schiffermüller],1775; *nigrofasciaria* Goeze,1781; *separata* Thunberg,1788. 06 14 16 39 42
 238) **Aplasta ononaria** (Fuessly,1783) (Geometridae) *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicapraria* Hübner,1793; *sudataria* Hübner,[1817] 05 06 09 13 16 17 23 31 33 39 40 41 42 46 48 59 65 71
 239) **Aplocera annexata** (Freyer,[1830]) (Geometridae) *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831 05 06 16 24 31 33 36 38 42 46 58 60 61 65 69 76
 240) **Aplocera columbata** (Metzner,1845) (Geometridae) *columbata* Metzner,1845; *nomadaria* Herrich-Schäffer,1848 05 06 13 14 16 24 25 42 58 76
 241) **Aplocera fraternata** (Herrich-Schäffer,1861) (Geometridae) *fraternata* Herrich-Schäffer,1861 16 33 42 46 51
 242) **Aplocera fraudulentata** (Herrich-Schäffer,1861) (Geometridae) *fraudulentata* Herrich-Schäffer,1861 16 67
 243) **Aplocera plagiata** (Linnaeus,1758) (Geometridae) *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879. 01 05 06 14 16 17 22 23 24 30 31 33 34 35 38 39 42 45 46 58 60 62 65 71
 244) **Ascotis selenaria** ([Denis & Schiffermüller],1775) (Geometridae) *#selenaria* [Denis & Schiffermüller],1775; *dianaria* Hübner,[1817]; *#selenaris* Okyar & Aytac,1999 05 10 14 16 17 22 31 33 34 45 46
 245) **Aspitates ochrearia** (Rossi,1794) (Geometridae) *ochrearia* Rossi,1794; *sulphuraria* Fabricius,1794; *trifoliaria* Haworth,1809; *citraria* Hübner,[1826]; *laetula* Hulst,1896; *parvularia* Lempke,1953 05 06 16 17 22 31 33 34 39 41 45 46 59 64 71 79
 246) **Cabera exanthemata** (Scopoli,1763) (Geometridae) *exanthemata* Scopoli,1763; *exanthemaria* Borkhausen,1794; *striaria* Hübner,[1799]; *approximaria* Haworth,1809; *arenosaria* Haworth,1809; *suprapunctata* Wehrli,1935. 09 16 22
 247) **Campogramma bilineatum** (Linnaeus,1758) (Geometridae) *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilinearia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871 05 06 14 16 17 22 23 31 33 34 35 36 38 39 42 45 46 59 65

- 248) *Casilda antophilaria* (Hübner,[1813]) (Geometridae) *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911. 06 07 16 33 42
- 249) *Catocala riguata* (Hübner,[1813]) (Geometridae) *riguata* Hübner,[1813]; *subtilisparsata* Wehrli,1932. 05 06 14 16 23 38 42 46 58 71 76
- 250) *Catarhoe permixtaria* (Guenée,[1858]) (Geometridae) *#permixtaria* Herrich-Schäffer,1851; *permixtaria* Guenée,[1858] 05 06 14 16 17 31 42 46 65 71
- 251) *Catarhoe rubidata* ([Denis & Schiffermüller],1775) (Geometridae) *rubidata* [Denis & Schiffermüller],1775 05 16 22 34 39
- 252) *Chesias rufata* (Fabricius,1775) (Geometridae) *rufata* Fabricius,1775; *obliquaria* [Denis & Schiffermüller],1775; *bombycata* Donovan,1806; *occidentalis* Delahaye,1900; *cinerea* Staudinger,1901; *plumbeata* Staudinger,1901; *ornata* Heydemann,1933; *scotica* Richardson,1952 16
- 253) *Chiasmia (Godonella) aestimaria* (Hübner,[1809]) (Geometridae) *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949. 16 42 46 65
- 254) *Chiasmia clathrata* (Linnaeus,1758) (Geometridae) *clathrata* Linnaeus,1758; *alacola* Wehrli,1934. 05 06 14 16 22 31 33 34 42 46 50 65 71
- 255) *Chlorissa viridata* (Linnaeus,1758) (Geometridae) *viridata* Linnaeus,1758; *volutata* Fabricius,1775; *sirene* Villers,1789 06 14 16 17 37
- 256) *Cleora cinctaria* ([Denis & Schiffermüller],1775) (Geometridae) *cinctaria* [Denis & Schiffermüller],1775; *pascuaria* Brahm,1791; *consimilaria* Duponchel,1829. 06 16
- 257) *Cosmorhoe ocellata* (Linnaeus,1758) (Geometridae) *ocellata* Linnaeus,1758; *lynca* Fabricius,1775; *lynceata* Fabricius,1781; *ocellaria* Boisduval,1840 01 05 06 14 16 22 33 34 35 59 61
- 258) *Cyclophora albiocellaria* (Hübner,1789) (Geometridae) *albiocellaria* Hübner,1789; *ocellaria* Hübner,1799; *argusaria* Boisduval,1840 05 16
- 259) *Cyclophora annularia* (Fabricius,1775) (Geometridae) *annularia* Fabricius,1775; *annulata* Schulze,1775 14 16 34 46
- 260) *Cyclophora porata* (Linnaeus,1767) (Geometridae) *porata* Linnaeus,1767; *huebneraria* Haworth,1809; *poraria* Latreille,1825 05 14 16 22 39 46 59
- 261) *Cyclophora punctaria* (Linnaeus,1758) (Geometridae) *punctaria* Linnaeus,1758; *amata* Linnaeus,1758; *teutonaria* Linnaeus,1758; *amataria* Linnaeus,1761; *fultaria* Villers,1789; *communifasciata* Donovan,1808; *unifasciata* Donovan,1808; *subangularia* Haworth,1809; *acutaria* Roquette,1857; *naevata* Bastelberger,1900 01 05 08 16 17 34 42 46 55
- 262) *Cyclophora pupillaria* (Hübner,[1799]) (Geometridae) *pupillaria* Hübner,[1799]. 06 07 14 16 17 31 33 34 42 45 46 58
- 263) *Cyclophora ruficiliaria* (Herrich-Schäffer,[1855]) (Geometridae) *ruficiliaria* Herrich-Schäffer,[1855] 01 16 22 34 39 59
- 264) *Dyscia (Calodyscia) innocentaria* (Christoph,1885) (Geometridae) *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923 05 06 16 17 35 38 42 45 46 50 71
- 265) *Dyscia (s.str.) conspersaria* ([Denis & Schiffermüller],1775) (Geometridae) *conspersaria* [Denis & Schiffermüller],1775; *cuniculina* Hübner,1790; *cunicularia* Esper,1803; *turturaria* Boisduval,1840 05 16 17 22 34 39 42 50 65 75
- 266) *Ectropis bistortata* (Goeze,1781) (Geometridae) *#crepuscularia* [Denis & Schiffermüller],1775; *virginaria* Cramer,[1780]; *bistortata* Goeze,1781; *biundulata* Villers,1789; *biundularia* Borkhausen,1794; *baeticaria* Scharfenberg,1805; *strigularia* Stephens,1831; *defessaria* Freyer,1847; *occiduararia* Guenée,[1858]; *divisaria* Walker,1860 *nec* Wlk.,1860; *intrataria* Walker,1860; *signaria* Walker,1860; *spatiosaria* Walker,1860; *abraxaria* Walker,1860; *cineraria* Walker,1860; *crepusculata* Herrich-Schäffer,1863; *fumataria* Minot,1869; *tristis* Riesen,1897 16
- 267) *Ellicrinia cordiaria* (Hübner,1790) (Geometridae) *cordiaria* Hübner,1790 06 16 22 42 45 46 58 59 65 71
- 268) *Ellicrinia trinotata* (Metzner,1845) (Geometridae) *trinotata* Metzner,1845 05 06 16 22 38 39 42 45 59 71
- 269) *Ematurga atomaria* (Linnaeus,1758) (Geometridae) *atomaria* Linnaeus,1758; *isoscelata* Scopoli,1763; *pennata* Scopoli,1763; *aceraria* Hufnagel,1767; *artemisaria* Herbst,1782; *picta*, *microcosa* Fourcroy,1785; *glarearia* Hübner,[1799]; *obsoletaria* Zett.,1839; *minuta* Heydemann,1925; *arenaria* Candeze,1926. 05 06 11 14 16 22 33 34 37 39 41 45 52 54 58 67
- 270) *Enanthyperythra legataria* (Herrich-Schäffer,[1852]) (Geometridae) *legataria* Herrich-Schäffer,[1852] 05 06 16 32 44 65
- 271) *Epilobophora sabinata* (Geyer,[1831]) (Geometridae) *sabinata* Geyer,[1831] 16
- 272) *Epirrhoe alternata* (Müller,1764) (Geometridae) *alternata* Müller,1764; *sociata* Borkhausen,1794; *degenerata* Haworth,1809; *subtristata* Haworth,1809; *contristata* Donovan,1811; *aparinata* Hübner,[1825]. 11 14 16 53 61 71
- 273) *Epirrhoe galiata* ([Denis & Schiffermüller],1775) (Geometridae) *galiata* [Denis & Schiffermüller],1775; *quadriannulata* Haworth,1809; *unilobata* Haworth,1809; *chalybeata* Hübner,[1813]; *eophanata* Krulikowsky,1906; *emina* Schawerda,1912 05 06 16 29 31 34 42 46 48 51
- 274) *Epirrhoe rivata* (Hübner,[1813]) (Geometridae) *rivata* Hübner,[1813] 16 22 39 59
- 275) *Epirrhoe tristata* (Linnaeus,1758) (Geometridae) *tristata* Linnaeus,1758 16
- 276) *Eucrostes indigenata* (Villers,1789) (Geometridae) *indigenata* Villers,1789 07 16
- 277) *Eulithis populata* (Linnaeus,1758) (Geometridae) *populata* Linnaeus,1758; *dotata* Linnaeus,1758; *popularia* Boisduval,1840. 16
- 278) *Eupithecia adscriptaria* Staudinger,1871 (Geometridae) *adscriptaria* Staudinger,1871 16 42 76
- 279) *Eupithecia breviculata* (Donzel,1837) (Geometridae) *breviculata* Donzel,1837; *anatolica* Schwingenschuss,1939; *georgica* Vojnits,1977. 05 06 16 17 31 35 39 42 46 65 71
- 280) *Eupithecia gemellata* Herrich-Schäffer,1861 (Geometridae) *gemellata* Herrich-Schäffer,1861 16 46
- 281) *Eupithecia gratiosata* Herrich-Schäffer,1861 (Geometridae) *gratiosata* Herrich-Schäffer,1861; *subseparata* Christoph,1885 16 31 45 58 65
- 282) *Eupithecia innotata* (Hufnagel,1767) (Geometridae) *innotata* Hufnagel,1767; *tamarisciata* Freyer,1836; *suspectata* Dietze,1871; *uliatia* Staudinger,1897; *ulicada* Dietze,1910; *alexandriana* Vardikjan,1972; *sergiana* Vardikjan,1972. 05 16 17 58
- 283) *Eupithecia oblongata* (Thunberg,1784) (Geometridae) *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1875; *centralisata* Staudinger,1892. 05 06 16 17 42 46 58 65 71
- 284) *Eupithecia oxycedrata* (Rambur,1833) (Geometridae) *oxycedrata* Rambur,1833; *oxycedrararia* Boisduval,1840; *provinciata* Millière,1872 01 05 16
- 285) *Eupithecia scopariata* (Rambur,1833) (Geometridae) *scopariata* Rambur,1833; *scoparia* Boisduval,1840; *tenebrosaria* Herrich-Schäffer,1848; *multiflorata* Millière,1866 16 67
- 286) *Eupithecia subumbrata* ([Denis & Schiffermüller],1775) (Geometridae) *subumbrata* [Denis & Schiffermüller],1775; *scabiosata* Borkhausen,1794; *piperata* Stephens,1831; *subumbraria* Boisduval,1840; *obrutaria* Doubleday,1849; *majoraria* De La Harpe,1855. 16
- 287) *Eupithecia succenturiata* (Linnaeus,1758) (Geometridae) *succenturiata* Linnaeus,1758; *disparata* Hübner,[1799] 08 14 16
- 288) *Eupithecia ultimaria* Boisduval,1840 (Geometridae) *ultimaria* Boisduval,1840; *tornifascia* Rothschild,1913 16
- 289) *Eupithecia variostrigata* Alpheraky,1876 (Geometridae) *variostrigata* Alpheraky,1876; *littorata* Constant,1884; *artemesiata* Constant,1884 04 16 71
- 290) *Eupithecia venosata* (Fabricius,1787) (Geometridae) *venosata* Fabricius,1787; *insignata* Hübner,1789; *decussata* Donovan,1799 05 16 65
- 291) *Glossotrophia (s.str.) confinaria* (Herrich-Schäffer,[1847]) (Geometridae) *confinaria* Herrich-Schäffer,[1847] 01 16 38 58
- 292) *Gnophos (Dicognophos) sartatus* (Treitschke,1827) (Geometridae) *sartata* Treitschke,1827; *syriaca* Thierry-Mieg,1916. 05 16 17 20 31 34 35 42 45 46

- 293) **Gymnoscelis rufifasciata (Haworth,[1809])** (Geometridae) *rufifasciata* Haworth,[1809]; *pumilata* Hübner,[1813]. 05 14 16 17 22 31 34 35 42 47 71 76
- 294) **Gypsochroa renitidata (Hübner,[1817])** (Geometridae) *renitidata* Hübner,[1817]. 05 16 38
- 295) **Heliomata glarearia (Brahm,1791)** (Geometridae) *#glarearia* [Denis & Schiffermüller],1775; *glarearia* Brahm,1791. 05 06 14 16 39 43 65 71 76
- 296) **Hemithea aestivaria (Hübner,1789)** (Geometridae) *strigata* Müller,1764 nec Sc.,1763; *herbacea* Fourcroy,1785; *aestivaria* Hübner,[1799]; *alboundulata* Hedemann,1879 05 14 16 34 52
- 297) **Heterolocha laminaria (Herrich-Schäffer,[1852])** (Geometridae) *laminaria* Herrich-Schäffer,[1852] 16 61
- 298) **Horisme corticata (Treitschke,1835)** (Geometridae) *corticata* Treitschke,1835 05 06 14 16 34 46
- 299) **Horisme tersata (Denis & Schiffermüller,1775)** (Geometridae) *tersata* [Denis & Schiffermüller],1775; *singulariata* Villers,1789; *testacea* Hübner,[1809]; *tersaria* Boisduval,1840; *testacearia* Boisduval,1840; *tersulata* Staudinger,1871 05 16 34
- 300) **Horisme vitalbata (Hübner,[1799])** (Geometridae) *#vitalbata* [Denis & Schiffermüller],1775; *nebulata* Villers,1789 nec Thunb.,1784; *vitalbata* Hübner,[1799]; *vitalbaria* Boisduval,1840; *detersata* Püngeler,1900; *repadata* Prout,1938 05 16 17 22
- 301) **Hypomecis punctinalis (Scopoli,1763)** (Geometridae) *punctinalis* Scopoli,1763; *urticaria* Hufnagel,1767; *turcaria* Fabricius,1775; *griseonigra* Goetz,1781; *bandevillaea* Fourcroy,1785; *consortaria* Fabricius,1787; *convexata* Villers,1789; *leucopheataria* Villers,1789 16 39
- 302) **Hyposcotis (Charissa) obscurata (Denis & Schiffermüller,1775)** (Geometridae) *#obscurata* [Denis & Schiffermüller],1775; *lividata* Fabricius,1787 nec Cl.,1759; *obscuraria* Hübner,1799; *anthracinaria* Esper,1801; *quadripustulata* Donovan,1808 05 16 22 42
- 303) **Hyposcotis (Euchrognophos) variegata (Duponchel,1830)** (Geometridae) *variegatus* Duponchel,1830; *#subtaurica* Wehrli,1932. 05 16 31 33 42 46 65
- 304) **Hyposcotis (Kemtrognophos) onustaria (Herrich-Schäffer,[1852])** (Geometridae) *onustaria* Herrich-Schäffer,[1852] 05 14 16 31 33 46 61 67
- 305) **Idaea aureolaria (Denis & Schiffermüller,1775)** (Geometridae) *trilineata* Scopoli,1772 nec Hufn.,1767; *aureolaria* [Denis & Schiffermüller],1775; *bicincta* Fourcroy,1875; *trilineararia* Hübner,[1787]. 05 06 16 18 46
- 306) **Idaea aversata (Linnaeus,1758)** (Geometridae) *aversata* Linnaeus,1758; *remutata* Linnaeus,1758; *lividata* Clerck,1759; *trilineata* Hufnagel,1767; *grisata* Fabricius,[1776]; *murinata* Fabricius,1794; *aversaria* Hübner,[1799]; *fuliginata* Haworth,1809; *latifasciaria* Heydenreich,1851. 05 14 16 22 34 39 42 54 59 61 65
- 307) **Idaea camparia (Herrich-Schäffer,[1852])** (Geometridae) *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934. 01 05 07 16 17 22 30 33 35 45 46 59
- 308) **Idaea consanguinaria (Lederer,1853)** (Geometridae) *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929 05 16 17 31 33 34 35 38 42 46
- 309) **Idaea consolidata (Lederer,1853)** (Geometridae) *consolidata* Lederer,1853 05 06 07 16 34 46
- 310) **Idaea degeneraria (Hübner,[1799])** (Geometridae) *degeneraria* Hübner,[1799]; *degenerata* Treitschke,1828; *floridaria* Turati,1913 05 06 07 16 17 22 31 33 34 39 42 46 58 65 71
- 311) **Idaea dilutaria (Hübner,[1799])** (Geometridae) *dilutaria* Hübner,[1799]; *holosericata* Duponchel,1842; *holosericiaria* Bruand,1846; *holosericearia* De La Harpe,1853; *praeustaria* De La Harpe,1853. 05 16 22 34 39 75
- 312) **Idaea dimidiata (Hufnagel,1767)** (Geometridae) *dimidiata* Hufnagel,1767; *scutulata* [Denis & Schiffermüller],1775; *antitaurica* Wehrli,1931 nec Wehrli,1931; *tauricola* Wehrli,1934. 01 05 16 31 34 39 45 46
- 313) **Idaea elongaria (Rambur,1833)** (Geometridae) *elongaria* Rambur,1833; *aridata* Zeller,1847; *aridaria* Heydenreich,1851; *monadaria* Guenée,[1858]; *confusaria* Lederer,1863; *infernata* Staudinger,1871; *zephyrata* Millière,1872; *ludovicata* Lucas,1942. 01 07 16 17 31 34 46 71
- 314) **Idaea filicata (Hübner,[1799])** (Geometridae) *filicata* Hübner,[1799]; *filicaria* Duponchel,1830 05 14 16 17 22 33 34 42 45 46 58 59 65 71
- 315) **Idaea humiliata (Hufnagel,1767)** (Geometridae) *humiliata* Hufnagel,1767; *osseata* [Denis & Schiffermüller],1775; *ossearia* Hübner,[1799] 05 06 14 16 22 39 71
- 316) **Idaea inquinata (Scopoli,1763)** (Geometridae) *inquinata* Scopoli,1763; *herbariata* Fabricius,1798; *pusillaria* Hübner,[1799]; *microsaria* Boisduval,1840; *incomptaria* Boisduval,1840 05 16 22 34 46
- 317) **Idaea laevigata (Scopoli,1763)** (Geometridae) *laevigata* Scopoli,1763; *laevigaria* Hübner,[1799]; *renularia* Hübner,[1809]; *lividellaria* Peyerimhoff,1863; *renulata* Rambur,1866; *couloniata* Balestre,1907; *storiae* Andreas,1928 16
- 318) **Idaea leipnitzii Hausmann,2004** (Geometridae) *leipnitzii* Hausmann,2004 16
- 319) **Idaea maritima (Bruand,1846)** (Geometridae) *maritima* Bruand,1846; *deversaria* Herrich-Schäffer,[1847]; *hyalinata* Christoph,1885 05 06 07 14 16 29 33 34 39 42
- 320) **Idaea moniliata (Denis & Schiffermüller,1775)** (Geometridae) *moniliata* [Denis & Schiffermüller],1775; *?pentilineata* De Villers,1789; *omicata* Fabricius,1794; *#moniliaria* Hübner,[1799]; *pluripunctata* Scharfenberg,1805 01 05 06 14 16 22 33 34 39 42
- 321) **Idaea obsoletaria (Rambur,1833)** (Geometridae) *obsoletaria* Rambur,1833; *violacearia* Staudinger,1901; *distans* Hausmann,1991; *violacearia* Hausmann,1991 nec Wlk.,1861 05 07 16 35 39 42 45 58 59 71
- 322) **Idaea ochrata (Scopoli,1763)** (Geometridae) *ochrata* Scopoli,1763; *#ochreatea* [Denis & Schiffermüller],1775; *corrigitaria* Fabricius,1781; *ochreatea* Schrank,1802 nec Ross.,1794; *sicula* Zeller,1847; *accretata* Fuchs,1901 05 16 22 34 39 46 59 76
- 323) **Idaea ostrinaria (Hübner,[1813])** (Geometridae) *ostrinaria* Hübner,[1813]; *demarginata* Schwingenschuss,1938. 01 07 16 17 31 33 42 46 59 71
- 324) **Idaea politaria (Hübner,[1799])** (Geometridae) *politata* Hübner,1793 nec Fabr.,1781; *politaria* Hübner,[1799]; *#abmarginata* Bohatsch,1885; *mundipennis* W.Warren,1898; *abmarginata* Staudinger,1901 01 05 07 14 16 22 31 33 34 39 45
- 325) **Idaea rufaria (Hübner,[1799])** (Geometridae) *rufaria* Hübner,[1799]; *ochridana* Silbernagel,1944 05 16 17 22 31 33 34 39 42 58 76
- 326) **Idaea rusticata (Denis & Schiffermüller,1775)** (Geometridae) *rusticata* [Denis & Schiffermüller],1775; *mustelata* Rambur,1866. 05 06 13 16 22 38 39 42 58
- 327) **Idaea seriata (Schrank,1802)** (Geometridae) *albulata* Hufnagel,1767; *seriata* Schrank,1802; *cubicularia* Peyerimhoff,1862 16 35 42
- 328) **Idaea serpentata (Hufnagel,1767)** (Geometridae) *serpentata* Hufnagel,1767; *trifasciata* Scopoli,1772; *similata* Thunberg,1784; *perochraria* Fischer von Rösslerstamm,1836. 16 58
- 329) **Idaea straminata (Borkhausen,1794)** (Geometridae) *straminata* Borkhausen,1794; *inornata* Haworth,1809; *suffusaria* Boisduval,1840; *inornaria* Doubleday,1849; *agrostemmata* Guenée,[1858] 05 16 36 42
- 330) **Idaea subsericeata (Haworth,[1809])** (Geometridae) *subsericeata* Haworth,[1809]; *perfluaria* Boisduval,1840; *pinguedinata* Zeller,1847; *asbestaria* Zeller,1849; *puraria* Heydenreich,1851; *pinguedinaria* Herrich-Schäffer,1852; *oloraria* Rössler,1857; *mancuniata* Knaggs,1865; *veterata* Gregson,1866; *diaphanaria* A.Bang-Haas,1910; *zernyi* D.Lucas,1934 01 05 07 16 17 22 31 33 34 46 59
- 331) **Idaea trigeminata (Haworth,[1809])** (Geometridae) *trigeminata* Haworth,[1809]; *reversata* Treitschke,1828; *reversaria* Duponchel,1830. 01 05 07 16 17 31 33 34 46 65
- 332) **Jodis lactearia (Linnaeus,1758)** (Geometridae) *lactearia* Linnaeus,1758; *vernaria* Linnaeus,1761; *aeruginaria* [Denis & Schiffermüller],1775; *semipunctinata* Retzius,1783; *syrene* Fourcroy,1785; *syrene* Villers,1789; *syrena* Geoffroy,1799 14 16 59 61

- 333) **Ligdia adustata (Fabricius,1787)** (Geometridae) *#adustata* [Denis & Schiffermüller],1775; *adustata* Fabricius,1787; *adustaria* Boisduval,1840 05 16 22 33 39 53
- 334) **Lithostege farinata (Hufnagel,1767)** (Geometridae) *farinata* Hufnagel,1767; *illibata* [Denis & Schiffermüller],1775; *nivearia* Hübner,[1799]; *albaria* Turton,1802; *bachmutensis* Prout,1938 05 16 34 38 42 47 50 51 56 58 65
- 335) **Lithostege flavicornata (Zeller,1847)** (Geometridae) *flavicornata* Zeller,1847 05 16 42 48 58
- 336) **Lithostege griseata ([Denis & Schiffermüller],1775)** (Geometridae) *incanata* Hufnagel,1767; *griseata* [Denis & Schiffermüller],1775; *asinata* Fabricius,1794; *duplicaria* Hübner,[1799]; *grisearia* Hübner,[1799]; *clarkiata* Stephens,1850 03 05 06 16 26 38 42 46 71
- 337) **Lomographa bimaculata (Fabricius,1775)** (Geometridae) *bimaculata* Fabricius,1775; *taminata* [Denis & Schiffermüller],1775; *taminaria* Hübner,1799 16
- 338) **Lycia hirtaria (Linnaeus,1761)** (Geometridae) *#hirtaria* Clerck,1759; *hirtaria* Linnaeus,1761; *eremita* Scopoli,1763; *atomaria* Hufnagel,1767 *nec* Linn.,1758; *hirtipennis* Retzius,1783; *congeneraria* Hübner,1799; *fumaria* Haworth,1809; *hanoviensis* Heymons,1891 05 16
- 339) **Lythria cruentaria (Hufnagel,1767)** (Geometridae) *purpurata* Linnaeus,1761 *nec* Linn.,1758; *cruentaria* Hufnagel,1767; *rotaria* Fabricius,1798; *sordidaria* Zetterstedt,1839. 03 06 16 22 34 38 41 42 60 65 71
- 340) **Lythria purpuraria (Linnaeus,1758)** (Geometridae) *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 *nec* Sc.,1763; *sanguinolenta* Fourcroy,1785 *nec* Linn.,1767 05 06 14 16 17 22 31 33 34 38 39 42 46 58 60 69 71
- 341) **Macaria alternata ([Denis & Schiffermüller],1775)** (Geometridae) *alternata* [Denis & Schiffermüller],1775; *alternaria* Hübner,[1805]; *prae-notata* Haworth,1809 16
- 342) **Menopha abruptaria (Thunberg,1792)** (Geometridae) *abruptaria* Thunberg,1792; *strigata* Fabricius,1794; *petrificata* Hübner,[1799]; *suberaria* Donovan,1808; *petrificaria* Duponchel,1829; *barcinonaria* Bellier,1862; *theobromaria* Turati,1909 16 17
- 343) **Microloxia herbaria (Hübner,[1813])** (Geometridae) *herbaria* Hübner,[1813]; *advolata* Eversmann,1837; *graminaria* Zeller,1849; *bruandaria* Millière,1860. 05 16 17 42 71
- 344) **Minoa murinata (Scopoli,1763)** (Geometridae) *murinata* Scopoli,1763; *sordata* Linnaeus,1767; *fusca* Hufnagel,1767; *euphorbiata* [Denis & Schiffermüller],1775; *unicolorata* Hübner,1787; *euphorbiaria* Hübner,1799; *limburgia* Lempke,1969 05 16 17 33 34 39
- 345) **Narraga fasciolaria (Hufnagel,1767)** (Geometridae) *fasciolaria* Hufnagel,1767; *cebraria* Hübner,[1799]; *zebraria* Duponchel,1829. 05 16 42
- 346) **Nebula salicata ([Denis & Schiffermüller],1775)** (Geometridae) *#salicata* [Denis & Schiffermüller],1775 01 05 16 17 29 34 35 36 42 46
- 347) **Neognopharmia stevernaria (Boisduval,1840)** (Geometridae) *stevernaria* Boisduval,1840; *lapidaria* Freyer,1841 05 06 14 16 17 31 42 44 46 47
- 348) **Nychiodes (Eunychiodes) amygdalaria (Herrich-Schäffer,[1848])** (Geometridae) *amygdalaria* Herrich-Schäffer,[1848] 06 16 21 31 33 44 45 46
- 349) **Nychiodes (s.str.) obscuraria (Villers,1789)** (Geometridae) *obscuraria* Villers,1789; *lividaria* Hübner,[1799]. 05 16 17 21 22 31 33 39 45 65
- 350) **Opisthographis luteolata (Linnaeus,1758)** (Geometridae) *luteolata* Linnaeus,1758; *crataegata* Linnaeus,1761; *crataegaria* Hübner,[1823]; *#maculata* Graeser,1892; *impunctata* Osthelder,1931. 05 06 08 14 16 17 34 39 45
- 351) **Orthonama obstipata (Fabricius,1794)** (Geometridae) *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemmata* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905 05 06 07 14 16 17 22 31 33 34 42 46 65 71
- 352) **Orthonama vittata (Borkhausen,1794)** (Geometridae) *vittata* Borkhausen,1794; *lignata* Hübner,[1799]; *areolaria* Haworth,1809; *lineataria* Donovan,1810; *lignaria* Boisduval,1840 05 16
- 353) **Orthostixis cribraria (Hübner,[1799])** (Geometridae) *cribraria* Hübner,[1799]. 05 06 16 17 31 33 42 46 65
- 354) **Oulobophora externata Freyer,1846** (Geometridae) *#externata* Herrich-Schäffer,1843; *externata* Freyer,1846; *turcosyricea* Wehrli,1934. 05 16 31 33 34 35 42 46 56 65
- 355) **Ourapteryx sambucaria (Linnaeus,1758)** (Geometridae) *sambucaria* Linnaeus,1758. 06 16 45 58
- 356) **Pachynemina hippocastanaria (Hübner,[1799])** (Geometridae) *hippocastanaria* Hübner,[1799]; *anomalata* Haworth,1812; *degenerata* Hübner,[1813]; *difformaria* Hübner,[1825]; *hippocastanata* Treitschke,1827; *modestaria* Lempke,1970 05 16 17
- 357) **Pareulype berberata (Fabricius,1787)** (Geometridae) *#berberata* [Denis & Schiffermüller],1775; *berberata* Fabricius,1787; *berberaria* Boisduval,1840 16 24 42 51 58
- 358) **Perconia strigillaria (Hübner,1787)** (Geometridae) *strigillaria* Hübner,1787; *respersaria* Hübner,[1799]; *inaequaria* Haworth,1809; *herpeticaria* Rambur,1866; *grisearia* Lempke,1952; *fuscosignaria* Lempke,1953 05 06 14 16 17 22 31 33 34 52 59
- 359) **Peribatodes correptarius (Zeller,1847)** (Geometridae) *correptaria* Zeller,1847. 05 16 34 35
- 360) **Peribatodes ilicarius (Geyer,1833)** (Geometridae) *ilicaria* Geyer,1833; *manuelarius* Herrich-Schäffer,1852. 05 16
- 361) **Peribatodes inaequalis (Goeze,1781)** (Geometridae) *#rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goeze,1781; *gemmaria* Brahm,1791; *ichnusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *syritaurica* Wehrli,1931 05 16 17 22 31 33 34 36 42 45 46 59 65
- 362) **Perizoma alchemillata (Linnaeus,1758)** (Geometridae) *alchemillata* Linnaeus,1758; *rivulata* [Denis & Schiffermüller],1775; *nassata* Fabricius,1794; *alchemillaria* Borkhausen,1794; *aparinata* Hübner,[1825]; *silenata* Stephens,1850; *fennica* Reuter,1893 05 16 53 61
- 363) **Perizoma blandiata ([Denis & Schiffermüller],1775)** (Geometridae) *blandiata* [Denis & Schiffermüller],1775; *adaequata* Borkhausen,1794; *derasata* Schrank,1802; *trigonata* Haworth,1809; *dilacerata* Zetterstedt,1839; *blandiaria* Boisduval,1840; *jucundaria* Boisduval,1840; *albidata* Eversmann,1842. 16
- 364) **Perizoma flavofasciata (Thunberg,1792)** (Geometridae) *flavofasciata* Thunberg,1792; *decolorata* Thunberg,[1799] *nec* Villers,1789. 06 16
- 365) **Phaiogramma etruscaria (Zeller,1849)** (Geometridae) *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903. 05 16 17 31 33 39 42 46 65
- 366) **Phibalapteryx virgata (Hufnagel,1767)** (Geometridae) *virgata* Hufnagel,1767; *lineolata* [Denis & Schiffermüller],1775; *obliquata* Thunberg,1784; *lineolaria* Boisduval,1840 05 16 76
- 367) **Philereme transversata (Hufnagel,1767)** (Geometridae) *transversata* Hufnagel,1767; *rhamnata* [Denis & Schiffermüller],1775. 05 06 16 33 38 46 71
- 368) **Plemyria rubiginata ([Denis & Schiffermüller],1775)** (Geometridae) *bicolorata* Hufnagel,1767 *nec* Hufn.,1766; *rubiginata* [Denis & Schiffermüller],1775. 16
- 369) **Proteuchloris neriaria (Herrich-Schäffer,[1852])** (Geometridae) *neriaria* Herrich-Schäffer,[1852]. 05 14 16 17 31 33 46
- 370) **Pseudopanthera macularia (Linnaeus,1758)** (Geometridae) *macularia* Linnaeus,1758; *maculata* Scopoli,1763; *panthera* Fourcroy,1785; *quadrimaculata* Haworth,1809; *meridionalis* Galvagni,1908 05 06 16 54
- 371) **Pseudoterpnina pruinata (Hufnagel,1767)** (Geometridae) *pruinata* Hufnagel,1767; *prasinaria* Fabricius,1775 *nec* Hufnagel,1767; *cythisaria* [Denis & Schiffermüller],1775; *genistaria* Villers,1789. 06 14 16 48
- 372) **Rhodometra sacraria (Linnaeus,1767)** (Geometridae) *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858]; 01 05 06 07 09 16 17 22 27 33 34 42 45 46 51 58 59 63 65

- 373) *Rhodostrophia discopunctata* Amsel, 1935 (Geometridae) *tabidaria* auct. nec Zell., 1847; *discopunctata* Amsel, 1935 05 06 14 16 17 31 33 38 42 46 50 58 65
- 374) *Rhoptria asperaria* (Hübner, [1817]) (Geometridae) *asperaria* Hübner, [1817]; *collata* Hübner, [1826]; *pityata* Rambur, 1829; *esteparentis* Agenjo, 1933; *aspersaria* Zukowsky, 1941. 16 17 42 46
- 375) *Scopula decorata* (Denis & Schiffermüller, 1775) (Geometridae) *decorata* [Denis & Schiffermüller], 1775; *cinerata* Fabricius, 1781; *violata* Thunberg, 1784; *caerulata* Gmelin, 1790; *decoraria* Hübner, [1799]; *ornataria* Esper, [1806]. 03 05 06 14 16 29 30 38 39 42 43 45 46 51 58 60 71 76
- 376) *Scopula flaccidaria* (Zeller, 1852) (Geometridae) *flaccidaria* Zeller, 1852 01 05 16 22 31 33 39 46 59
- 377) *Scopula imitaria* (Hübner, [1799]) (Geometridae) *fimbriata* Fourcroy, 1785 nec Schreb., 1759; *imitaria* Hübner, [1799] 05 07 09 10 14 16 22 31 34 35 45 59 76
- 378) *Scopula immorata* (Linnaeus, 1758) (Geometridae) *immorata* Linnaeus, 1758; *contaminata* Scopoli, 1763; *graminata* Hufnagel, 1767; *festucaria* Brahm, 1791 nec Hbn., 1790; *fuscata* Fabricius, 1794 nec Hfn., 1767; *immoraria* Hübner, [1799]; *serenata* Turati, 1905; *myrtillata* Dadd, 1911 16 18 33
- 379) *Scopula immutata* (Linnaeus, 1758) (Geometridae) *immutata* Linnaeus, 1758; *pallidata* Borkhausen, 1794. 16
- 380) *Scopula incanata* (Linnaeus, 1758) (Geometridae) *incanata* Linnaeus, 1758; *variegata* Scopoli, 1763; *mediata* Fabricius, 1777; *planata* Villers, 1789; *incanaria* Hübner, [1825]; *mutata* Treitschke, 1828; *mutataria* Duponchel, 1830; *adjunctaria* Boisduval, 1840; *demutaria* Bruand, 1846 05 08 16 25 29 30 36 53 76
- 381) *Scopula marginepunctata* (Goeze, 1781) (Geometridae) *marginepunctata* Goeze, 1781; *conjugata* Borkhausen, 1794; *aniculosata* Rambur, 1829; *puellaria* Boisduval, 1840; *mutaria* Heydenreich, 1851; *promutata* Guenée, [1858]; *promutaria* Morris, 1861; *apertaria* Walker, [1863]; *madoniata* Fuchs, 1901; *pastoraria* De Joannis, 1891 01 05 14 16 17 22 24 31 34 35 38 39 42 46 58 59 65 71 76
- 382) *Scopula ornata* (Scopoli, 1763) (Geometridae) *ornata* Scopoli, 1763; *instilata* Hufnagel, 1767; *paludata* Linnaeus, 1767; *institutata* Rottemburg, 1777; *interrupta* Goeze, 1781; *intersecta* Fourcroy, 1785. 05 06 07 09 11 14 16 17 22 34 39 59 65 76 77
- 383) *Scopula rubiginata* (Hufnagel, 1767) (Geometridae) *rubiginata* Hufnagel, 1767; *rubricata* [Denis & Schiffermüller], 1775; *vittata* Thunberg, 1784; *domiella* Fourcroy, 1785; *variata* Villers, 1789; *rubricaria* Hübner, [1799]; *subangularia* Herrich-Schäffer, 1839 05 07 14 16 24 34 39 42 44 58 59
- 384) *Scopula submutata* (Treitschke, 1828) (Geometridae) *submutata* Treitschke, 1828; *submutaria* Boisduval, 1840; *submutulata* Rebel, 1902 01 05 06 07 16 17 24 31 33 42 45 46 47 58 71
- 385) *Scopula turbulentaria* (Staudinger, 1870) (Geometridae) *turbulentaria* Staudinger, 1870; *collata* W. Warren, 1901; *habenata* W. Warren, 1901; *syriacata* Neuburger, 1904; *syriturcica* Wehrli, 1934 01 05 07 16 17 31 33 34 35 39 42 45 46
- 386) *Scopula virgulata* (Denis & Schiffermüller, 1775) (Geometridae) *virgulata* [Denis & Schiffermüller], 1775; *strigaria* Hübner, [1799]; *virgularia* Hübner, [1825]; *sulcaria* Hübner, [1825]. 05 16 42
- 387) *Scotapteryx bipunctaria* ([Denis & Schiffermüller], 1775) (Geometridae) *bipunctaria* [Denis & Schiffermüller], 1775; *undulata* Scopoli, 1763 nec Linn., 1758; *geminataria* Villers, 1789; *gachtaria* Freyer, 1851 05 06 08 14 16 17 29 36 38 53 60 61 69 75
- 388) *Scotapteryx coarctaria* ([Denis & Schiffermüller], 1775) (Geometridae) *coarctaria* [Denis & Schiffermüller], 1775; *coarctata* Fabricius, 1794; *tenebraria* Hübner, [1809] 01 05 06 14 16 33 36
- 389) *Scotapteryx luridata* (Hufnagel, 1767) (Geometridae) *luridata* Hufnagel, 1767; *plumbaria* Fabricius, 1775; *palumbaria* [Denis & Schiffermüller], 1775; *marginaria* Goeze, 1781; *quadrifasciaria* Thunberg, 1784; *luridaria* Brahm, 1791; *palumbata* Hübner, [1825] 05 16 33
- 390) *Siona lineata* (Scopoli, 1763) (Geometridae) *lineata* Scopoli, 1763; *dealbata* Linnaeus, 1767; *duplicata* Fourcroy, 1785 nec Fabr., 1775; *dealbaria* Hübner, [1799] 05 16 22 39
- 391) *Stegania trimaculata* (Villers, 1789) (Geometridae) *trimaculata* Villers, 1789; *permutataria* Hübner, [1799]; *albicaria* Bruand, 1846; *cognataria* Lederer, 1853 16 71
- 392) *Synopsis sociaria* (Hübner, [1799]) (Geometridae) *sociaria* Hübner, [1799]; *staudingeraria* Martorell, 1874; *acuta* Wehrli, 1926 14 16 17 25 33 34 42 65
- 393) *Tephрина arenacearia* ([Denis & Schiffermüller], 1775) (Geometridae) *arenacearia* [Denis & Schiffermüller], 1775; *flavidaria* Eversmann, 1852; *discriminaria* Walker, 1862; *irradiata* Walker, 1862; *impreviata* Walker, 1863; *stena* Wehrli, 1940 16 22 36 39
- 394) *Tephрина murinaria* ([Denis & Schiffermüller], 1775) (Geometridae) *murinaria* [Denis & Schiffermüller], 1775; *nubecularia* Villers, 1789; *myosaria* Esper, [1806]; *cineraria* Duponchel, 1829; *buffonaria* Millière, 1855 16 36 65
- 395) *Tephronia oppositaria* Mann, 1864 (Geometridae) *oppositaria* Mann, 1864 16 42
- 396) *Thalera fimbrialis* (Scopoli, 1763) (Geometridae) *fimbrialis* Scopoli, 1763; *thymiaria* Linnaeus, 1767; *bupleuraria* [Denis & Schiffermüller], 1775; *albaria* Esper, [1801]; *magnata* Fuchs, 1903 05 13 16 17 22 30 33 34 41 42 46 58 62 65 75
- 397) *Thera* (s.str.) *britannica* (Turner, 1925) (Geometridae) *britannica* Turner, 1925; *albonigrata* Gornik, 1942 14 16
- 398) *Thera* (s.str.) *cupressata* (Geyer, [1831]) (Geometridae) *cupressata* (Geyer, [1831]); *cupressaria* Boisduval, 1840 16
- 399) *Thetidia smaragdaria* (Fabricius, 1787) (Geometridae) *smaragdaria* Fabricius, 1787 05 06 16 42 65 71
- 400) *Timandra comae* Schmidt, 1931 (Geometridae) *angulata* Fourcroy, 1785 nec Hfn., 1767; *comae* Schmidt, 1931; *brykaria* Nordström, 1943; *comai* Kaila & Albrecht, 1994 01 05 08 16 22 33 34 39 42 53 55 58 59
- 401) *Timandra griseata* W. Petersen, 1902 (Geometridae) *griseata* W. Petersen, 1902 05 08 16 22 34 39 53 55 58 59
- 402) *Xanthorhoe ferrugata* (Clerck, 1759) (Geometridae) *ferrugata* Clerck, 1759; *corculata* Hufnagel, 1767; *ferrugaria* [Denis & Schiffermüller], 1775; *littorea* Fourcroy, 1785; *lictorea* Geoffroy, 1800; *unidentaria* Haworth, 1809 16 39 61
- 403) *Xanthorhoe fluctuata* (Linnaeus, 1758) (Geometridae) *fluctuata* Linnaeus, 1758; *fibulata* Hufnagel, 1767; *cinerata* Fourcroy, 1785 nec Fabr., 1781; *costovata* Haworth, 1809; *fluctuaria* Boisduval, 1840 05 06 14 16 17 22 33 34 39 42 46 51 58
- 404) *Xenochlorodes olympiaria* (Herrich-Schäffer, [1852]) (Geometridae) *olympiaria* Herrich-Schäffer, [1852]; *cremonaria* Staudinger, 1897; *pallida* Warren, 1897. 16
- 405) *Glyphipterix equitella* (Scopoli, 1763) (Glyphipterygidae) *equitella* Scopoli, 1763; *majorella* Heinemann & Wocke, [1876]; *minorella* Snellen, 1882; *crassilunella* Rebel, 1916; *zermattensis* Amsel, 1933; *sexguttella* Toll, 1936 16
- 406) *Glyphipterix forsterella* (Fabricius, 1781) (Glyphipterygidae) *forsterella* Fabricius, 1781; *lucasella* Duponchel, 1838; *variella* Zeller, 1839; *oculatella* Zeller, 1850; *albimaculella* Heimenann, 1877 16
- 407) *Glyphipterix simpliciella* (Stephens, 1834) (Glyphipterygidae) *simpliciella* Stephens, 1834; *cognatella* Stephens, 1834; *conjunctella* Costa, 1834; *colluripennella* Costa, 1834; *aechmiella* Duponchel, 1838; *fischeriella* Zeller, 1839; *desideratella* Duponchel, 1842; *roeslerstammella* Fischer v. Roeslerstamm, 1843; *?nattani* Gozmany, 1954 05 16
- 408) *Acrocercops brongniardella* (Fabricius, 1798) (Gracillariidae) *brongniardella* Fabricius, 1798; *substriga* Haworth, 1828; *quercetella* Zeller, 1838; *curtisella* Duponchel, [1840] 05 06 16
- 409) *Aspilapteryx (Sabulopteryx) limosella* (Duponchel, 1844) (Gracillariidae) *limosella* Duponchel, 1844 05 16
- 410) *Aspilapteryx* (s.str.) *tringipennella* (Zeller, 1839) (Gracillariidae) *tringipennella* Zeller, 1839; *fringilella* Duponchel, 1843. 16
- 411) *Caloptilia* (Povolnya) *leucapennella* (Stephens, 1835) (Gracillariidae) *sulphurella* Haworth, [1828] nec Fabr., 1777; *leucapennella* Stephens, 1835; *citrinellum* Zeller, 1839; *aurantiella* Peyerimhoff, 1871. 05 16
- 412) *Caloptilia* (s.str.) *alchimiella* (Scopoli, 1763) (Gracillariidae) *alchimiella* Scopoli, 1763; *crucifera* Fourcroy, 1785; *swederella* Thunberg, 1788; *thunbergella* Fabricius, 1794; *francella* Hübner, 1796; *thunbergii* Haworth, 1828; *hilaripennella* Treitschke, 1833; *sardiniella* Amsel, 1936 16

- 413) **Caloptilia (s.str.) elongella (Linnaeus,1761)** (Gracillariidae) *elongella* Linnaeus,1761; *punctella* Linnaeus,1761; *signipennella* Hübner,1796; *elongatus* Fabricius,1798; *signipennis* Haworth,1828; *bruneorubella* Bruand,1850; *inconstans* Stainton,1851; *stramineella* Stainton,1851; *inconstantella* Bruand,1859 05 16
- 414) **Caloptilia (s.str.) onustella (Hübner,[1813])** (Gracillariidae) *onustella* Hübner,[1813]; *semifascia* Haworth,[1828] 16
- 415) **Caloptilia (s.str.) rhodinella (Herrich-Schäffer,[1854])** (Gracillariidae) *rhodinella* Herrich-Schäffer,[1854] 16
- 416) **Caloptilia (s.str.) roscipennella (Hübner,1796)** (Gracillariidae) *roscipennella* Hübner,1796; *roscipennis* Haworth,1828; *merulaepennella* Duponchel,[1840]; *puncticostella* Herrich-Schäffer,1855; *juglandella* Mann,1867 16
- 417) **Calybites quadrisignella (Zeller,1839)** (Gracillariidae) *quadrisignella* Zeller,1839 16
- 418) **Dialectica imperialella (Zeller,1847)** (Gracillariidae) *imperialella* Zeller,1847 16
- 419) **Gracillaria syringella (Fabricius,1794)** (Gracillariidae) *?microdactylella* [Denis & Schiffermüller],1775; *syringella* Fabricius,1794; *anastomosis* Haworth,1828; *aedeapennella* Treitschke,1833; *heringiella* Reutti,1898 16
- 420) **Micrurapteryx kollariella (Zeller,1839)** (Gracillariidae) *kollariella* Zeller,1839 16
- 421) **Parornix anguliferella (Zeller,1847)** (Gracillariidae) *anguliferella* Zeller,1847 16
- 422) **Parornix finitimella (Zeller,1850)** (Gracillariidae) *finitimella* Zeller,1850 05 16
- 423) **Parornix torquillella (Zeller,1850)** (Gracillariidae) *meleagripennella* Hübner,1796; *torquillella* Zeller,1850; *#torquillella* Doubleday,1859 16
- 424) **Phyllonorycter abrasella (Duponchel,1843)** (Gracillariidae) *abrasella* Duponchel,1843; *abrasella* Zeller,1846 16
- 425) **Phyllonorycter acerifoliella (Zeller,1839)** (Gracillariidae) *sylvella* Haworth,[1828] *nec* Hübner,[1813]; *acerifoliella* Zeller,1839; *acernella* Duponchel,[1843]. 16
- 426) **Phyllonorycter fraxinella (Zeller,1846)** (Gracillariidae) *fraxinella* Zeller,1846 16
- 427) **Phyllonorycter harrisella (Linnaeus,1761)** (Gracillariidae) *harrisella* Linnaeus,1761; *cramerella* Fabricius,1777; *tenella* Duponchel,[1843]. 16
- 428) **Phyllonorycter helianthemella (Herrich-Schäffer,1861)** (Gracillariidae) *helianthemella* Herrich-Schäffer,1861; *cistifoliella* Groschke,1944 16
- 429) **Phyllonorycter kleemannella (Fabricius,1781)** (Gracillariidae) *kleemannella* Fabricius,1781 16
- 430) **Phyllonorycter kuhlweiniella (Zeller,1839)** (Gracillariidae) *hortella* Fabricius,1794 *nec* Fabricius,1794; *kuhlweiniella* Zeller,1839; *saportella* Duponchel,1840. 16
- 431) **Phyllonorycter messaniella (Zeller,1846)** (Gracillariidae) *messaniella* Zeller,1846 16
- 432) **Phyllonorycter quercifoliella (Zeller,1839)** (Gracillariidae) *quercifoliella* Zeller,1839 16
- 433) **Phyllonorycter roboris (Zeller,1839)** (Gracillariidae) *roboris* Zeller,1839; *roborifoliella* Duponchel,[1843]; *roborella* Stainton,1848 16
- 434) **Phyllonorycter schreberella (Fabricius,1781)** (Gracillariidae) *schreberella* Fabricius,1781; *ulminella* Zeller,1839; *guicciardiella* Costantini,1923 16
- 435) **Phyllonorycter trifasciella (Haworth,[1828])** (Gracillariidae) *trifasciella* Haworth,[1828] 16
- 436) **Carcharodus (Reverdinus) orientalis Reverdin,1913** (Hesperiidae) *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932. 01 03 05 06 07 08 10 13 14 16 17 18 19 20 21 23 24 25 27 29 30 31 32 33 34 35 36 38 42 43 44 46 47 48 49 50 51 56 58 60 62 65 66 69 70 73 74 76
- 437) **Carcharodus (s.str.) alceae (Esper,[1780])** (Hesperiidae) *alceae* Esper,[1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948. 01 03 04 05 06 07 08 09 10 12 13 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 49 50 51 53 56 58 60 62 63 65 66 67 70 71 72 73 74 76
- 438) **Carterocephalus palaemon (Pallas,1771)** (Hesperiidae) *palaemon* Pallas,1771; *paniscus* Fabricius,1775; *brontes* [Denis & Schiffermüller],1775; *mesapano* Scudder,1868; *skada* Edwards,1870. 16 53
- 439) **Erynnis (Hesperopegasus) marloyi (Boisduval,[1834])** (Hesperiidae) *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849]. 01 03 04 05 06 07 08 09 12 13 16 17 18 21 23 24 25 27 28 29 30 31 32 33 34 35 36 38 40 42 44 46 48 50 58 60 62 65 66 70 71 73 76
- 440) **Erynnis (s.str.) tages (Linnaeus,1758)** (Hesperiidae) *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921. 01 03 05 06 07 08 11 12 13 14 16 17 18 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 41 42 44 45 46 49 50 51 52 54 56 58 59 62 65 66 67 69 70 71 73 75 76
- 441) **Gegenes nostradamus (Fabricius,1793)** (Hesperiidae) *nostradamus* Fabricius,1793; *proclea* Walker,1870; *karsana* Moore,1874; *pumiliominima* Verity,1931; *megalegyna* Verity,1940. 01 02 07 09 16 17 24 27 33 34 35 45 46 59 63
- 442) **Hesperia comma (Linnaeus,1758)** (Hesperiidae) *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928. 03 04 05 06 07 08 10 13 14 15 16 23 24 25 29 30 32 33 35 36 38 42 46 50 51 58 60 65 66 69 70 71 76 81
- 443) **Muschampia tessellum (Hübner,[1802])** (Hesperiidae) *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816 03 06 08 14 16 21 24 25 29 34 36 43 48 67 69 75 76 81
- 444) **Ochlodes venatus (Bremer & Grey,[1852])** (Hesperiidae) *venatus* Bremer & Grey,[1852] 01 02 03 05 06 07 08 10 11 13 14 16 17 24 25 26 29 30 31 32 33 34 36 37 39 41 42 43 46 53 58 60 61 62 65 66 69 72 73 74 81
- 445) **Pyrgus armoricanus (Oberthür,1910)** (Hesperiidae) *armoricanus* Oberthür,1910; *petheri* Romei,1927. 01 02 03 04 05 06 07 08 09 12 13 14 16 17 18 19 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 41 42 43 44 46 48 49 51 52 53 58 60 61 62 65 66 68 69 70 71 73 74 76
- 446) **Pyrgus carthami (Hübner,[1813])** (Hesperiidae) *carthami* Hübner,[1813] 16 39 71 ?
- 447) **Pyrgus cinarae (Rambur,[1839])** (Hesperiidae) *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840 01 03 05 06 08 13 15 16 22 25 29 30 33 35 36 38 42 43 53 58 60 62 76
- 448) **Pyrgus malvae (Linnaeus,1758)** (Hesperiidae) *malvae* Linnaeus,1758; *minor* Esper,1777; *sao* Bergsträßer,1779; *taras* Bergsträßer,1780; *altheae* Esper,1783; *malvarum* Ochsenheimer,1808; *cardui* Latreille,1823; *elegantior* Verity,1934; *#extrema* Pfeiffer,1938. 05 06 14 16 17 26 34 39 41 55 67 81
- 449) **Pyrgus sidae (Esper,[1784])** (Hesperiidae) *sidae* Esper,[1784] 01 03 04 05 06 07 08 10 12 13 14 16 17 18 20 21 23 24 25 28 29 30 32 33 34 35 36 38 39 41 42 46 49 50 51 53 58 59 60 61 62 65 66 69 71 72 73 74 76 81
- 450) **Spialia (Neospialia) orbifer (Hübner,[1823])** (Hesperiidae) *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 72 73 74 75 76 80
- 451) **Spialia (s.str.) phlomidis (Herrich-Schäffer,[1845])** (Hesperiidae) *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974. 03 04 05 06 07 08 10 12 13 14 15 16 17 19 23 24 25 26 29 30 32 34 36 38 42 44 49 50 51 58 60 62 65 66 69 70 71 75 76
- 452) **Thymelicus acteon (Rottemburg,1775)** (Hesperiidae) *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948. 01 05 06 07 10 13 16 17 19 20 21 23 24 25 29 30 32 33 34 35 36 39 43 44 45 46 48 54 55 56 58 60 62 65 72 73 74 77 80
- 453) **Thymelicus hyrax (Lederer,1861)** (Hesperiidae) *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937. 01 05 06 07 08 09 13 16 18 23 24 25 29 30 31 33 35 36 42 46 48 65 73
- 454) **Thymelicus lineolus (Ochsenheimer,1808)** (Hesperiidae) *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabille,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934 01 02 03 04 05 06

- 07 08 10 12 13 14 15 16 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 36 38 39 40 42 43 44 46 47 48 49 50 51 56 58 60 62 63 65 66 69 70
71 73 74 75 76 80
- 455) *Thymelicus sylvestris* (Poda,1761) (Hesperiidae) *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thaumas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 56 58 60 61 62 63 64 65 66 67 69 70 71 72 73 74 76 81
- 456) *Incurvaria masculella* ([Denis & Schiffermüller],1775) (Incurvariidae) *masculella* [Denis & Schiffermüller],1775; *muscula* Haworth,[1828]; *spuria* Haworth,[1828]. 16 34
- 457) *Gastropacha* (s.str.) *quercifolia* (Linnaeus,1758) (Lasiocampidae) *quercifolia* Linnaeus,1758; *alnifolia* Ochsenheimer,1810; *salicifolia* Staudinger,1892; *meridionalis* Hormuzaki,1897; *sibirica* Krulikowsky,1909 11 14 16 42 58 61
- 458) *Lasiocampa quercus* (Linnaeus,1758) (Lasiocampidae) *quercus* Linnaeus,1758; *roboris* Fabricius,1793; *spartii* Hübner,[1803]; *guillemontii* Trimoulet,1858; *sicula* Staudinger,1861; *scopariae* Millièrè,1861; *burdigalensis* Gerhard,1882; *meridionalis* Tutt,1901; *altaica* Grünberg,1911; *balcanoturcica* De Freina,1981 08 16 25 36 41 43 60 67
- 459) *Malacosoma castrensis* (Linnaeus,1758) (Lasiocampidae) *castrensis* Linnaeus,1758 04 05 06 12 13 14 16 23 24 25 30 33 35 36 38 42 53 58 60 65 71
- 460) *Odonestis pruni* (Linnaeus,1758) (Lasiocampidae) *pruni* Linnaeus,1758 11 16
- 461) *Pachypasa otus* (Drury,[1773]) (Lasiocampidae) *otus* Drury,[1773] 05 16 33 35 62
- 462) *Ceuthomadarus tenebrionellus* Mann,1864 (Lecithoceridae) *tenebrionellus* Mann,1864; *monochromella* Rebel,1902; *crepusculellus* Caradja,1920. 05 07 16 35 42 45 46
- 463) *Eurodachtha flavissimella* (Mann,1862) (Lecithoceridae) *flavissimella* Mann,1862 16 42
- 464) *Lecithocera nigrana* (Duponchel,1836) (Lecithoceridae) *nigrana* Duponchel,1836; *luticornella* Zeller,1839; *orsoviella* Heinemann,1870; *#leticornella* Staudinger,1880. 05 16 34 38 39 46 77
- 465) *Odites* (Gozmaniola) *kollarella* (Costa,[1836]) (Lecithoceridae) *kollarella* Costa,[1836] 05 16 65 71
- 466) *Libythea* (s.str.) *celtis* (Laicharting,1782) (Libytheidae) *celtis* Laicharting,1782 01 03 05 06 07 08 09 10 11 13 14 16 17 20 23 25 26 29 30 31 32 33 34 35 37 38 41 42 43 46 48 58 60 62 65 66 71 73 76
- 467) *Apoda limacodes* (Hufnagel,1766) (Limacodidae) *limacodes* Hufnagel,1766; *testudo* [Denis & Schiffermüller],1775; *funalis* Donovan,1794; *testunidana* Hübner,[1799]; *avellana* auct. 05 16 17 33 42 53
- 468) *Callophrys rubi* (Linnaeus,1758) (Lycaenidae) *rubi* Linnaeus,1758 01 03 05 06 07 08 10 12 13 14 16 17 18 21 22 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 40 42 44 45 46 48 50 51 52 55 58 60 62 65 66 69 70 71 73 75
- 469) *Celastrina argiolus* (Linnaeus,1758) (Lycaenidae) *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919. 01 02 03 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 45 46 47 48 49 50 51 52 53 54 56 59 60 61 62 65 66 67 69 73 75 76 81
- 470) *Chilades* (Freyeria) *trochylus* (Freyer,[1843]) (Lycaenidae) *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931 01 02 03 05 06 07 08 13 16 20 21 23 24 25 27 30 31 32 33 34 35 38 40 42 44 46 48 50 51 56 58 60 62 63 65 68 70 71 73 76
- 471) *Cupido* (Everes) *alcetas* (Hoffmannsegg,1804) (Lycaenidae) *tiresias* Hübner,[1800] nec *tiresias* Rottemburg,1775; *alcetas* Hoffmannsegg,1804; *coretas* Ochsenheimer,1808. 03 05 06 11 14 16 26 42
- 472) *Cupido* (Everes) *argiades* (Pallas,1771) (Lycaenidae) *argiades* Pallas,1771; *tiresias* Rottemburg,1775; *amyntas* [Denis & Schiffermüller],1775 nec Poda,1761; *irenae* Dujardin,1974. 03 05 06 08 11 14 16 17 25 29 34 37 41 53 60 61 75 81
- 473) *Cupido* (s.str.) *minimus* (Fuessly,1775) (Lycaenidae) *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudohus* Bersträßer,[1779]; *puer* Schrank,1801. 01 03 06 16 24 25 29 32 36 37 42 51 53 58 60 65 66 69 74 76
- 474) *Cupido* (s.str.) *osiris* (Meigen,[1829]) (Lycaenidae) *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833]. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 21 23 24 25 26 28 29 30 31 32 33 35 36 37 38 41 42 44 46 48 50 51 52 53 58 59 60 61 62 65 66 67 68 69 70 71 73 75 76 81
- 475) *Glaucopsyche* (s.str.) *alexis* (Poda,1761) (Lycaenidae) *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller],1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *mironi* Coutsis,1976. 01 02 03 04 05 06 07 08 09 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 52 58 60 61 62 65 66 68 69 70 71 73 74 76 80
- 476) *Heodes* (Loweia) *tityrus* (Poda,1761) (Lycaenidae) *tityrus* Poda,1761; *acirion* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79
- 477) *Heodes* (s.str.) *ottomanus* (Lefébvre,[1830]) (Lycaenidae) *ottomanus* Lefébvre,[1830]; *legeri* Freyer,1830. 01 07 10 16 31 33 34 48
- 478) *Heodes* (s.str.) *virgaureae* (Linnaeus,1758) (Lycaenidae) *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928. 01 03 04 05 06 08 11 13 14 16 18 24 25 26 29 30 32 33 36 37 42 43 46 51 53 58 60 62 65 66 69 75 76
- 479) *Iolana lessei* Bernardi,1964 (Lycaenidae) *lessei* Bernardi,1964; *christinae* Betti,1977; *cappadocia* Betti,1977 01 03 05 06 07 08 13 15 16 18 21 23 24 25 30 33 37 38 42 43 46 48 50 51 60 62 65 70
- 480) *Lampides boeticus* (Linnaeus,1767) (Lycaenidae) *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 40 42 44 45 46 47 48 49 50 51 52 53 56 58 60 62 63 64 65 70 71 72 73 76
- 481) *Leptotes pirthous* (Linnaeus,1767) (Lycaenidae) *pirthous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925. 01 05 06 07 09 11 14 16 17 26 27 30 31 33 34 35 42 44 45 46 48 65 70 71 73 81
- 482) *Lycaena* (s.str.) *phlaeas* (Linnaeus,1761) (Lycaenidae) *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 nec Linnaeus,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 68 69 71 72 73 74 76 81
- 483) *Maculinea arion* (Linnaeus,1758) (Lycaenidae) *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *caucasica* Jachontov,1914 nec Led.,1870; *zara* Jachontov,1935. 03 04 05 06 08 13 14 16 24 25 29 34 36 49 62 65 69 74 76
- 484) *Palaeochrysopehanus candens* (Herrich-Schäffer,[1845]) (Lycaenidae) *candens* Herrich-Schäffer,[1845] 03 04 05 06 08 13 14 16 18 24 25 28 29 30 36 43 49 53 58 60 61 65 66 69 75 76
- 485) *Plebejus* (Kretania) *carmon* (Gerhard,[1851]) (Lycaenidae) *carmon* Gerhard,[1851, November]; *eurypilus* Freyer,[1851,December]. 01 02 03 04 05 06 07 08 12 13 14 16 18 19 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 42 44 46 47 48 49 50 51 56 58 60 62 63 64 65 66 69 70 71 72 73 74 76
- 486) *Plebejus* (Lycaeides) *idas* (Linnaeus,1761) (Lycaenidae) *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793. 01 03 04 05 06 07 08 13 14 16 18 19 24 25 26 29 30 33 36 37 38 42 44 46 49 51 52 53 58 62 65 66 67 69 70 73 74 76
- 487) *Plebejus* (Plebejides) *modicus* Verity,1935 (Lycaenidae) *modicus* Verity,1935; *microsephyrus* Verity,1935 01 02 03 04 05 06 07 08 12 13 14 16 17 18 19 21 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 42 44 46 47 48 49 50 51 52 53 56 58 59 60 62 65 66 68 69 70 71 72 73 75 76

- 488) **Plebejus (s.str.) argus (Linnaeus,1758)** (Lycaenidae) *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchraphilomone* Verity,1931. 01 03 04 05 06 07 08 10 13 14 16 17 18 22 24 25 26 28 29 30 32 33 34 36 37 38 39 41 42 43 46 49 50 51 52 53 54 55 58 59 60 62 65 66 67 69 70 73 75 76
- 489) **Polyommatus (Agriades (s.str.)) pyrenaicus (Boisduval,1840)** (Lycaenidae) *pyrenaicus* Boisduval,1840; *pyrenicus* Naderi,2003 04 05 08 13 16 24 25 29 32 42 51 53 58 60 65 69 76
- 490) **Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) *chiron* Rottentburg,1775 *nec* Fabricius,1775; *eumedon* Esper,[1780]; *osiris* Bang-Haas,1927 *nec* Hopffer,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980. 01 03 05 06 08 13 14 16 18 24 25 29 32 33 36 38 42 46 51 53 58 60 61 65 66 69 74 75 76
- 491) **Polyommatus (Aricia (Ultraaricia)) anteros (Freyer,[1838])** (Lycaenidae) *anteros* Freyer,[1838]; *eroides* Gerhard,[1851] *nec* Frivaldsky,1835; *orpheus* Nekrutenko,1980. 01 03 05 06 07 10 11 14 15 16 18 19 26 29 32 33 34 37 38 41 42 43 46 51 52 53 54 55 58 60 62 66 67 70 74 77 81
- 492) **Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) *medon* Hufnagel,1766 *nec* Linn.,1763; *alexis* Rottentburg,1775 *nec* Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 44 45 46 47 48 49 50 51 54 55 56 58 60 61 62 63 65 66 68 69 70 71 72 73 75 76 81
- 493) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae) *admetus* Esper,[1783] 01 02 03 05 06 07 08 09 10 11 14 15 16 17 18 20 22 24 25 26 29 32 33 35 36 38 39 40 41 42 43 44 46 50 51 55 58 59 60 62 64 66 68 69 70 71 75 76
- 494) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) *ripartii* Freyer,[1830]. 01 03 05 06 07 08 13 14 16 18 23 24 25 26 29 30 32 33 34 36 38 40 42 44 46 50 51 58 60 62 65 66 69 70 74 76
- 495) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) hopfferi (Gerhard,[1851])** (Lycaenidae) *hopfferi* Herrich-Schäffer,[August,1851] (uninomial); *hopfferi* Gerhard,[November,1851]; *hopfferi* Herrich-Schäffer,31.December,1851]; *hadjina* Heyne,[1895]; *malatiae* Forster,1961. 01 02 03 05 06 07 08 16 21 23 24 25 30 32 42 44 46 50 51 58 60 62 65 70 71 73
- 496) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer,[1837])** (Lycaenidae) *menalcas* Freyer,[1837]; *epidolus* Boisduval,1840; *amasina* Neuburger,1900. 01 03 04 05 06 07 10 11 13 15 16 20 23 24 25 26 29 32 33 34 38 40 42 43 44 46 48 50 51 55 58 60 62 65 66 68 69 70 71 74
- 497) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) *iphigenia* Herrich-Schäffer,[1847] 01 03 04 05 06 07 08 13 14 16 24 25 29 30 32 33 36 37 38 42 46 48 51 53 58 60 62 65 66 69 70 76
- 498) **Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) *bellis* Freyer,[1842]; *mesopotamica* Tutt,[1909]. 01 03 04 05 06 07 08 10 12 13 14 16 17 18 19 23 24 25 27 28 29 30 31 32 33 34 36 37 38 39 42 44 46 49 50 51 52 53 58 59 60 61 62 65 66 69 70 71 73 74 76 80
- 499) **Polyommatus (s.str. (Lysandra)) bellargus (Rottentburg,1775)** (Lycaenidae) *bellargus* Rottentburg,1775; *thetis* Rottentburg,1775 *nec* Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958 01 02 03 04 05 06 07 08 11 12 13 14 15 16 18 19 20 21 23 24 25 26 27 28 29 30 32 33 34 36 37 38 39 41 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 68 69 70 71 72 73 74 75 76 80
- 500) **Polyommatus (s.str. (Lysandra)) ossmar (Gerhard,[1851])** (Lycaenidae) *ossmar* Gerhard,[1851] 01 03 05 06 07 11 14 16 19 20 24 32 33 37 38 42 46 50 51 58 60 62 66 70 71
- 501) **Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 *nec* Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 23 24 25 26 29 30 31 32 33 34 35 36 38 40 42 43 44 46 48 49 50 51 53 58 60 62 65 66 68 69 70 71 73 74 76
- 502) **Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) *icarius* Esper,1789 *nec* Rottentburg,1775; *amandus* Schneider,1792 01 02 03 04 05 06 07 08 10 13 14 16 17 18 19 21 23 24 25 27 28 29 30 31 32 33 34 36 38 42 44 46 47 48 49 50 51 52 53 56 58 60 62 65 66 69 70 71 73 74 76 80
- 503) **Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) *dorylas* [Denis & Schiffermüller],1775; *hylas* Esper,[1778] *nec* Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985. 01 03 05 06 08 14 16 18 24 25 29 32 33 36 37 38 42 46 48 50 51 62 66 69 70 75 76
- 504) **Polyommatus (s.str. (Sublysandra)) cornelius (Freyer,[1850])** (Lycaenidae) *cornelius* Freyer,[1850]; *cornelia* Gerhard,[1851]; *candalus* Herrich-Schäffer,[1851]; *zuleikae* Pfeiffer,1932; *eberti* Koçak,1979; *subtilis* Pages & Charneau,1992. 01 02 03 05 06 07 11 14 15 16 18 19 20 24 25 26 27 29 30 31 32 33 37 38 42 43 44 47 50 51 55 56 58 60 62 63 64 66 70 71 73
- 505) **Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919. 01 02 03 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 38 39 40 42 43 44 46 48 49 50 51 52 54 58 59 60 62 64 65 66 68 69 70 71 74 75 76 81
- 506) **Polyommatus (s.str.) eroides (Frivaldsky,1835)** (Lycaenidae) *eroides* Frivaldsky,1835 05 06 14 16 28 37 42? 60 66 67
- 507) **Polyommatus (s.str.) icarus (Rottentburg,1775)** (Lycaenidae) *argus* Poda,1761 *nec* Linn.,1758; *alexis* Scopoli,1763 *nec* Pda,1761; *thetis* Esper,1777 *nec* Dru.,1773; *icarus* Rottentburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 81
- 508) **Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) *vicrama* Moore,1865 01 03 04 05 06 07 08 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 42 43 44 45 46 47 48 49 50 51 58 60 62 63 64 65 66 67 68 69 70 71 73 74 76
- 509) **Quercusia quercus (Linnaeus,1758)** (Lycaenidae) *quercus* Linnaeus,1758 01 03 05 06 07 08 09 10 11 12 14 16 17 18 22 23 25 28 29 30 32 33 34 38 39 42 43 44 45 46 49 58 60 62 64 65 66 71 74
- 510) **Rubrapterus bavius (Eversmann,1832)** (Lycaenidae) *bavius* Eversmann,1832 01 05 06 07 08 09 13 14 16 17 21 23 24 27 28 30 31 32 33 34 38 41 42 44 46 47 48 51 58 60 62 63 65 69 70 71 73 80
- 511) **Satyrrium (Nordmannia) acaciae (Fabricius,1787)** (Lycaenidae) *acaciae* Fabricius,1787; *nostras* Courvoisier,1913; *guichardi* Higgins,1965. 01 03 05 06 07 08 10 14 16 17 18 20 22 24 25 26 29 32 33 34 38 39 42 43 48 50 51 55 58 60 66 71 74
- 512) **Satyrrium (Nordmannia) ilicis (Esper,[1779])** (Lycaenidae) *ilicis* Esper,[1779] 01 03 05 06 07 08 09 10 11 14 15 16 17 19 20 22 24 25 26 29 31 32 33 34 35 37 38 39 40 41 42 43 45 48 50 51 54 55 58 60 61 62 66 67 69 70 71 74 76 81
- 513) **Satyrrium (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) *spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] *nec* Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 *nec* Fabricius,1787; *halbosparsa* Oberthür,1910; *anatolicus* De Latin,1950. 01 03 04 05 06 07 08 13 15 16 17 18 19 24 25 26 27 29 30 31 32 33 34 36 38 41 42 43 44 46 48 49 50 51 56 58 60 62 65 66 68 69 70 71 73 74 76 80
- 514) **Satyrrium (Strymonidia) w-album (Knoch,1782)** (Lycaenidae) *w-album* Knoch,1782; *cerasi* Fabricius,1787; *majuscula* Jachontov,1911. 05 06 07 08 13 14 16 24 34 41 42 44 48 53 65
- 515) **Scolitantides orion (Pallas,1771)** (Lycaenidae) *orion* Pallas,1771; *battus* Denis & Schiffermüller,1775; *telephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche* Fruhstorfer,1910; *lariana* Fruhstorfer,1910; *micrometioche* Verity,1943. 05 06 07 08 16 25 27 33 34
- 516) **Tarucus (s.str.) balkanicus (Freyer,[1843])** (Lycaenidae) *balkanicus* Freyer,[1843] 01 02 03 05 06 07 08 10 12 13 16 17 20 21 23 25 27 30 33 36 46 48 56 59 60 62 65 67 70 71 72 73

- 517) **Thersamolycaena (Alciphronia) alciphron (Rottemburg,1775)** (Lycaenidae) *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hiere* Fabricius,1787. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 53 58 60 61 62 65 66 69 71 73 74 76
- 518) **Thersamolycaena (s.str.) dispar ([Haworth],1802)** (Lycaenidae) *dispar* [Haworth],1802; *hippotoe* Rottemburg,1775 *nec* Linnaeus,1761. 16 22 34 52 55 57 81
- 519) **Thersamonia (s.str.) thersamon (Esper,[1784])** (Lycaenidae) *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925. 01 03 04 05 06 07 08 10 11 12 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 38 39 40 41 42 43 44 46 48 49 50 51 52 53 55 56 57 58 59 60 62 66 68 69 70 71 72 74 76 77 80
- 520) **Thersamonia (s.str.) thetis (Klug,1834)** (Lycaenidae) *thetis* Klug,1834. 01 03 04 05 06 07 08 12 13 16 24 25 29 30 32 33 35 36 38 42 46 48 49 51 58 60 62 65 66 69 73 76
- 521) **Calliteara pudibunda (Linnaeus,1758)** (Lymantriidae) *pudibunda* Linnaeus,1758; *scopularia* Linnaeus,1758; *jutica* Müller,1764; *porrectaalba* Retzius,1783; *grandi* Lorkovic,1930 14 16 22 34
- 522) **Euproctis chrysorrhoea (Linnaeus,1758)** (Lymantriidae) *chrysorrhoea* Linnaeus,1758; *phaeorrhoeus* Haworth,1803 04 05 06 08 12 13 14 16 19 24 25 36 38 42 46 50 58 60 65 66 71
- 523) **Euproctis similis (Fuessly,1775)** (Lymantriidae) *similis* Fuessly,1775; *rebeli* Habermayer,1902. 05 12 16 25 30 45 53
- 524) **Leucoma salicis (Linnaeus,1758)** (Lymantriidae) *salicis* Linnaeus,1758; *apparens* Retzius,1783; *salicinus* Haworth,1803; *xanthocampa* Dyar,1905; *coreacola* Matsumura,1933; *sjoquisti* Bryk,1942; *variabilis* Bryk,1949 05 06 07 08 10 12 13 14 16 19 22 24 25 30 36 42 46 53 58 60 62 63 65 66
- 525) **Parocneria terebinthi (Freyer,[1838])** (Lymantriidae) *terebinthi* Freyer,[1838] 01 05 06 07 08 16 30 33 42 46 47 60
- 526) **Leucoptera malifoliella (Costa,[1836])** (Lyonetiidae) *malifoliella* Costa,[1836]; *scitella* Zeller,1839. 16 28 52
- 527) **Lyonetia prunifoliella (Hübner,1796)** (Lyonetiidae) *prunifoliella* Hübner,1796; *padifoliella* Hübner,[1813]; *sittaepenella* Hübner,[1825]; *acerifoliella* Curtis,1850 16
- 528) **Micropterix schaefferi Heath,1975** (Micropterigidae) *anderschella* sensu Herrich-Schäffer,1855; *schaefferi* Heath,1975 16
- 529) **Coccidiphila ledereriella (Zeller,1850)** (Mompidae) *ledereriella* Zeller,1850; *unedella* Millièr,1876; *rungsella* Nel & Brusseeux,1997 16
- 530) **Mompha (Lophoptilus) miscella ([Denis & Schiffermüller],1775)** (Mompidae) *miscella* [Denis & Schiffermüller],1775; *staintoni* Sircom,1848; *opacella* Müller-Rutz,1934. 05 16
- 531) **Mompha (s.str.) lacteella (Stephens,1834)** (Mompidae) *lacteella* Stephens,1834; *gibbiferella* Zeller,1839; *basipallidella* Stainton,1849 16
- 532) **Mompha (s.str.) subbistrigella (Haworth,[1828])** (Mompidae) *subbistrigella* Haworth,[1828] 16
- 533) **Ectoedemia (Etainia) sericopeza (Zeller,1839)** (Nepticulidae) *sericopeza* Zeller,1839 16
- 534) **Stigmella centifoliella (Zeller,1848)** (Nepticulidae) *centifoliella* Zeller,1848 16
- 535) **Stigmella prunetorum (Stainton,1855)** (Nepticulidae) *prunetorum* Stainton,1855; *dimidiatella* Herrich-Schäffer,1855; *perpusillella* Herrich-Schäffer,1855; *prunetella* Doubleday,1859; *ligustrella* Rössler,1866; *punctella* Threfall,1884. 16
- 536) **Stigmella samiatella (Zeller,1839)** (Nepticulidae) *samiatella* Zeller,1839 04 05 06 16 29 30 42 51
- 537) **Trifurcula (s.str.) pallidella (Duponchel,1843)** (Nepticulidae) *pallidella* Duponchel,1843 16
- 538) **Abrostola triplasia (Linnaeus,1758)** (Noctuidae) *triplasia* Linnaeus,1758; *trigemina* Werneburg,1864. 04 05 08 13 16 18 25 31 36 37 38 39 53 75
- 539) **Acontia lucida (Hufnagel,1766)** (Noctuidae) *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *lugens* Alpheraky,1889. 01 05 06 16 18 23 24 30 33 34 35 41 42 50 51 58 65 71
- 540) **Acontia titania (Esper,[1798])** (Noctuidae) *titania* Esper,[1798]; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846. 01 05 08 16 17 24 30 33 36 50 58 60 62 65
- 541) **Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) *megacephala* Fabricius,1787; *ankarensis* Hering,1933. 04 06 08 18 16 24 25 30 31 33 34 36 37 42 44 46 50 51 58 60 62 65 66 75 76
- 542) **Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) *aceris* Linnaeus,1758 01 05 06 07 13 16 17 24 25 30 33 35 36 37 39 42 46 47 50 58 62 73
- 543) **Acronicta (Triaena) alni (Linnaeus,1767)** (Noctuidae) *alni* Linnaeus,1767 14 16
- 544) **Acronicta (Viminia) auricoma (Fabricius,1787)** (Noctuidae) *#auricoma* [Denis & Schiffermüller],1775; *auricoma* Fabricius,1787; *lapathi* Schrank,1801; *similis* Haworth,1809; *pepli* Hübner,[1813]; *alpina* Freyer,1858 04 08 16 28 30 36 69
- 545) **Acronicta (Viminia) euphorbiae (Denis,1785)** (Noctuidae) *#euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowskii* Wojtusik & Niesiolowski,1946. 01 05 06 14 16 17 18 24 25 36 42 45 50 58 62 65 75
- 546) **Acronicta (Viminia) orientalis Mann,1862** (Noctuidae) *orientalis* Mann,1862 05 06 07 09 10 16 17 18 24 32 35 42 45
- 547) **Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857 01 03 05 06 07 08 16 25 26 30 33 42 45 46 50 51 58 62 63 65 66
- 548) **Aedia funesta (Esper,[1786])** (Noctuidae) *funesta* Esper,[1786] 01 05 08 10 16 17 32 33 35 39 46 48 61
- 549) **Aedia leucomelas (Linnaeus,1758)** (Noctuidae) *leucomelas* Linnaeus,1758; *ramburii* Boisduval,1829; *adepta* Geyer,1832; *olivascens* Guenée,1852; *limitaris* Walker,[1863]; *shisa* Strand,1920; *thomae* Prout,1927; *albidiscalis* Roepke,1932; *ermanniae* Berio,1989 01 05 11 16 28 34 52 55 59
- 550) **Agrotis (Putagrotis) puta (Hübner,[1803])** (Noctuidae) *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxyloea* Treitl,1826; *radiola* Stephens,1829; *catalaunensis* Millièr,1873; *meridionalis* Spuler,1905; *andreasii*, minima, *silvestrii* Turati,1924; *insula* Richardson,1958. 01 05 06 07 09 14 15 16 17 18 20 31 33 34 35 46 50 52 55 56 57 63 67 71
- 551) **Agrotis (s.str.) cinerea ([Denis & Schiffermüller],1775)** (Noctuidae) *cinerea* [Denis & Schiffermüller],1775; *obscura* Hübner,[1803]; *dentimaculatus* Haworth,1803; *fusca* Boisduval,[1837]; *murina* Eversmann,1848; *livonica* Teich,1886; *alpigena* Calberla,1888; *tephrina* Staudinger,1901; *eximia* Culot,1910. 04 05 06 08 16 18 36 46 50 51 58 69
- 552) **Agrotis (s.str.) ipsilon (Hufnagel,1766)** (Noctuidae) *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789. 01 03 05 06 07 08 11 14 16 18 20 25 27 29 32 33 35 36 37 42 46 47 50 51 58 62 63 65 69 71
- 553) **Agrotis (s.str.) segetum ([Denis & Schiffermüller],1775)** (Noctuidae) *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goetze,1781 (*praeocc.*); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *substratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886. 01 05 06 07 11 13 15 16 18 24 25 27 30 31 32 33 35 36 38 42 46 50 51 58 60 63 65 71
- 554) **Amphipyra berbera Rungs,1949** (Noctuidae) *#variegata* W. Warren,1911; *berbera* Rungs,1949 06 08 13 14 16 39 53
- 555) **Amphipyra pyramidea (Linnaeus,1758)** (Noctuidae) *pyramidea* Linnaeus,1758 01 05 06 08 14 16 30 31 33 43 59
- 556) **Amphipyra tragopoginis (Clerck,1759)** (Noctuidae) *#tragopoginis* Clerck,1759; *luciola* Hufnagel,1766. 01 05 06 08 09 14 16 17 18 30 32 33 38 39 42 43 46 50 58 60 65
- 557) **Antennola impura (Mann,1862)** (Noctuidae) *impura* Mann,1862 01 16 46

- 558) *Anthraxia eriopoda* (Herrich-Schäffer,[1851]) (Noctuidae) *eriopoda* Herrich-Schäffer,[1851] 09 16 17 33 46 62
- 559) *Apamea lateritia* (Hufnagel,1766) (Noctuidae) *lateritia* Hufnagel,1766; *molochina* Hübner,[1803]. 04 08 16 24 25 30 36 51 58 61 65 75
- 560) *Apamea lithoxylaea* (Fabricius,1787) (Noctuidae) *lithoxylaea* [Denis & Schiffermüller],1775; *lithoxylaea* Fabricius,1787. 01 04 05 06 07 08 16 20 25 30 36
- 561) *Apamea syriaca* (Osthelder,1933) (Noctuidae) *syriaca* Osthelder,1933; *albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969. 01 04 05 06 08 11 12 13 16 17 18 24 25 28 30 31 32 33 34 35 36 37 42 45 46 49 50 51 58 60 62 65 73 80
- 562) *Apamea zeta* (Treitschke,1825) (Noctuidae) *zeta* Treitschke,1825 16
- 563) *Apopestes noe* Ronkay,1990 (Noctuidae) *noe* Ronkay,1990 06 16 44 46
- 564) *Apopestes spectrum* (Esper,[1787]) (Noctuidae) *spectrum* Esper,[1787] 06 08 16 17 18 33 35
- 565) *Asteroscopus syriaca* (Warren,1910) (Noctuidae) *syriaca* Warren,1910; *decipulae* Kovacs,1966. 03 06 16 31 46 58
- 566) *Autographa gamma* (Linnaeus,1758) (Noctuidae) *gamma* Linnaeus,1758; *messmeri* Schädewald,1992; *voelkeri* Schädewald,1992. 01 03 04 05 06 07 08 14 16 17 18 24 25 26 28 31 32 33 35 37 38 39 42 43 50 51 52 58 61 62 65 66 80
- 567) *Autophila* (s.str.) *dilucida* (Hübner,[1808]) (Noctuidae) *dilucida* Hübner,[1808]; *praeclara* Schawerda,1918; *argentea* Caradja,1930; *troniceki* Reisser,1958. 01 05 09 16 17 32 45 50
- 568) *Calistege mi* (Clerck,1759) (Noctuidae) *mi* Clerck,1759; *graminis* Hufnagel,1766; *albolineata* Goetze,1781; *litterata* Cyrilli,1787 *nec* Sc.,1763 16 36 60
- 569) *Callopietria latreillei* (Duponchel,1827) (Noctuidae) *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsaftikis,1973. 01 03 05 06 07 08 16 32 33 35 42 46 50 51 52
- 570) *Calophasia opalina* (Esper,[1796]) (Noctuidae) *casta* Borkhausen,1793 *nec* Pall.,1767; *opalina* Esper,[1796]; *biroi* Aigner,1901; *naruenensis* Spuler,1910; *castior* Stauder,1923. 03 05 06 16 18 24 36 50 51 58 65
- 571) *Calophasia platyptera* (Esper,[1788]) (Noctuidae) *platyptera* Esper,[1788]; *canterius* De Villers,1789; *tenera* Hübner,[1803]; *olbiene* Duponchel,1842; *subalbida* Staudinger,1901. 01 05 07 15 16 23 24 31 32 33 46 50 58 66
- 572) *Caradrina* (Paradrina) *clavipalpis* (Scopoli,1763) (Noctuidae) *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovskiy,1909; *teidovolans* Pinker,1974; *pinker* Kobes,1975 01 05 06 10 13 16 20 24 25 29 30 32 33 35 42 44 46 50 51 56 58 60 62 63 64
- 573) *Caradrina* (Paradrina) *selini* (Boisduval,1840) (Noctuidae) *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Rüggenbach-Stehlin,1876; *minor* Staudinger,1897; *puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935] 06 07 16 36 64
- 574) *Catocala* (Ephesia) *eutychea* (Treitschke,1835) (Noctuidae) *eutychea* Treitschke,1835; *delicata* Vicent,1913. 01 05 07 10 16 17 20 31 32 33 35 42 45 50
- 575) *Catocala* (Ephesia) *nymphaea* (Esper,[1787]) (Noctuidae) *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835]. 01 06 07 16 18 33 35 62
- 576) *Catocala* (s.str.) *conversa* (Esper,1783) (Noctuidae) *conversa* Esper,[1787] 01 06 07 08 11 16 17 22 25 27 30 33 35 42 45 51
- 577) *Catocala* (s.str.) *disjuncta* (Geyer,[1828]) (Noctuidae) *disjuncta* Geyer,[1828]; *separata* Freyer,1848; *luctuosa* Staudinger,1901 *nec* Hulst,1884; *fumigata* Kuznetsov,1903. 01 05 06 07 08 16 18 31 32 33 35 42 50 62
- 578) *Catocala* (s.str.) *diversa* (Geyer,[1828]) (Noctuidae) *diversa* Geyer,[1828]; *divera* Hacker,1988 03 05 16 30 42 50 56 62
- 579) *Catocala* (s.str.) *elocata* (Esper,[1787]) (Noctuidae) *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822] 01 08 16 17 18 33 38 50 51 56 58 60 63 65
- 580) *Catocala* (s.str.) *hymenaea* ([Denis & Schiffermüller],1775) (Noctuidae) *hymenaea* [Denis & Schiffermüller],1775 05 06 07 09 16 33 35 42 50 60 65
- 581) *Catocala* (s.str.) *neonympha* (Esper,[1805]) (Noctuidae) *neonympha* Esper,[1805] 05 16 19 23 30 36 58 60 62 65
- 582) *Catocala* (s.str.) *nupta* (Linnaeus,1767) (Noctuidae) *nupta* Linnaeus,1767 13 16 33 38 39 46 51 59 65
- 583) *Catocala* (s.str.) *nymphagoga* (Esper,[1787]) (Noctuidae) *nymphagoga* Esper,[1787]; *tmolia* Lederer,1865 01 05 06 07 11 12 16 17 30 33 35 39 45 50 62 73
- 584) *Catocala* (s.str.) *promissa* ([Denis & Schiffermüller],1775) (Noctuidae) *promissa* [Denis & Schiffermüller],1775 06 08 09 16 17 39
- 585) *Catocala* (s.str.) *puerpera* (Giorna,1791) (Noctuidae) *puerpera* Giorna,1791; *amasia* Esper,[1804] *nec* Sm.,1797; *pellex* Hübner,[1809]; *romana* Schultz,1909 01 05 06 08 16 18 19 25 33 42 50 51 58 65
- 586) *Chersotis margaritacea* (Villers,1789) (Noctuidae) *margaritacea* Villers,1789; *i-intactum* Hübner,[1803]; *abruzzensis* Corti & Draudt,1933; *esupunensis* Calle,1982 01 06 08 16 18 25 36 42 46 50 61
- 587) *Chloantha hypericii* (Fabricius,1787) (Noctuidae) *hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787 01 04 05 06 07 08 12 15 16 17 18 24 25 28 32 33 35 36 42 46 50 51 56 58 60 61 62 65 69
- 588) *Chrysodeixis chalcites* (Esper,[1789]) (Noctuidae) *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865 01 05 07 16 33 56 63
- 589) *Clytie* (s.str.) *syriaca* (Bugnion,1837) (Noctuidae) *syriaca* Bugnion,1837; *gentilitia* Freyer,1848. 01 05 06 07 08 13 16 18 21 23 24 25 30 31 33 35 42 44 62 65
- 590) *Conistra* (Dasympa) *rubiginea* (Fabricius,1787) (Noctuidae) *rubiginea* [Denis & Schiffermüller],1775; *rubiginea* Fabricius,1787; *tigerina* Esper,[1791]; *pulverea* Hübner,[1803] 16 24
- 591) *Cornutiplusia circumflexa* (Linnaeus,1767) (Noctuidae) *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *unata* Kononenko & Pinratana,2005 01 04 05 06 07 08 16 18 20 22 24 25 27 30 31 33 34 35 38 46 47 48 50 51 60 63 65 66 80
- 592) *Cosmia* (Calymnia) *trapezina* (Linnaeus,1758) (Noctuidae) *trapezina* Linnaeus,1758 05 06 08 14 16 17 18 30 34 37 43 53
- 593) *Cosmia* (s.str.) *confinis* Herrich-Schäffer,[1849] (Noctuidae) *confinis* Herrich-Schäffer,[1849]; *rhodopsis* Boursin,1962; *phaetopsis* Boursin,1962. 01 05 07 16 17 19 22 30 33 58 60
- 594) *Craniophora ligustri* (Fabricius,1787) (Noctuidae) *ligustri* [Denis & Schiffermüller],1775; *ligustri* Fabricius,1787. 14 16 34 36 52 53 55
- 595) *Cryphia* (Bryoleuca) *ravula* (Hübner,[1813]) (Noctuidae) *ravula* Hübner,[1813]; *lupula* Hübner,[1813]; *troglodyta* Freyer,1832. 05 16 33 46 61
- 596) *Cryphia* (Bryoleuca) *seladona* (Christoph,1885) (Noctuidae) *seladona* Christoph,1885 01 06 16 25 51 58 61 66 76
- 597) *Cryphia* (Bryophila) *maeonis* (Lederer,1865) (Noctuidae) *maeonis* Lederer,1865; *rubellina* Staudinger,1900; *sabulicolor* De Lattin,1950. 01 04 05 06 08 16 18 24 25 27 30 35 36 42 44 45 46 50 51 58 60 61 62 65 66
- 598) *Cryphia* (Bryopsis) *muralis* (Forster,1771) (Noctuidae) *muralis* Forster,1771; *lichenis* Fabricius,1781; *glandifera* [Denis & Schiffermüller],1775; *par* Hübner,[1813]. 05 06 16 25 42 75
- 599) *Cryphia* (Euthales) *algae* (Fabricius,1775) (Noctuidae) *algae* Fabricius,1775; *degener* [Denis & Schiffermüller],1775; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813]. 05 06 08 14 15 16 18 20 25 30 32 33 42 46 60 66
- 600) *Cryphia* (Euthales) *ochsi* (Boursin,1941) (Noctuidae) *ochsi* Boursin,1941; *badiofasciata* Boursin,1952 01 05 06 07 08 16 23 28 32 33 42 50 51 55 58 59 62 63 67
- 601) *Cryphia* (s.str.) *recepticula* (Hübner,[1803]) (Noctuidae) *strigula* Borkhausen,1792 *nec* Thunb.,1788; *recepticula* Hübner,[1803]; *stictica* Ménétriès,1859. 05 06 08 12 16 23 30 46 50 60 62 66
- 602) *Cucullia* (Shargacucullia) *verbasci* (Linnaeus,1758) (Noctuidae) *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911. 04 05 06 07 09 15 16 17 18 20 31 33 35 45 50 65

- 603) *Cucullia* (s.str.) *chamomillae* ([Denis & Schiffermüller],1775) (Noctuidae) *chamomillae* [Denis & Schiffermüller],1775; *fissina* Haworth,1809; *chrysanthemi* Hübner,[1822]. 16 44 46 50
- 604) *Cucullia* (s.str.) *tanacetii* (Goeze,1781) (Noctuidae) *tanacetii* Goeze,1781 16 66
- 605) *Cucullia* (s.str.) *umbratica* (Linnaeus,1758) (Noctuidae) *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859. 08 16 18 25 36 42 46 58 60 65 75
- 606) *Diachrysia* *chrysitis* (Linnaeus,1758) (Noctuidae) *chrysitis* Linnaeus,1758 13 14 16 18 25 28 30 42 46 50 52 55 57 59 61 65 66 75
- 607) *Diarsia* *mendica* (Fabricius,1775) (Noctuidae) *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933. 04 08 14 16 24 36 37 43 58 60 61 62 69 75
- 608) *Dichagyris* (Grisyigoga) *candelisequa* ([Denis & Schiffermüller],1775) (Noctuidae) *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962. 01 04 05 06 12 16 23 25 30 32 33 36 38 40 42 44 46 50 51 58 61 62 63 65
- 609) *Diloba* *caeruleocephala* (Linnaeus,1758) (Noctuidae) *caeruleocephala* Linnaeus,1758 05 06 16 22 24 25 31 46 50 63 64 70
- 610) *Emmelia* *trabealis* (Scopoli,1763) (Noctuidae) *trabealis* Scopoli,1763; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865 01 04 05 06 07 08 11 16 18 30 32 33 36 41 42 46 50 56 58 59 65 66 71
- 611) *Epilecta* *linogrisea* ([Denis & Schiffermüller],1775) (Noctuidae) *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901. 01 03 05 06 08 16 17 33 42 46 50 62
- 612) *Eublemma* (candidana-gr.) *viridula* (Guenée,1841) (Noctuidae) *minuta* Freyer,1849; *dalmatina* Herrich-Schäffer,[1851]; *caprearum* Draudt,1933. 16
- 613) *Eublemma* (ostrina-gr.) *ostrina* (Hübner,[1808]) (Noctuidae) *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsafikis,1973. 01 05 07 08 09 10 16 31 33 35 46 50 51 56 58 60 62 63 64 65 66
- 614) *Eublemma* (parva-gr.) *parva* (Hübner,[1808]) (Noctuidae) *parva* Hübner,[1808]; *rubefacta* Mabilie,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902. 01 05 07 08 16 25 33 46 47 50 56 58 63 80
- 615) *Eublemma* (rosina-gr.) *amoena* (Hübner,[1803]) (Noctuidae) *respersa* Hübner,1790; *amoena* Hübner,[1803]; *bithynica* Bethune-Baker,1888. 01 04 05 14 16 18 25 42 45 50 51 58 65 69
- 616) *Eublemma* (rosina-gr.) *rosina* (Hübner,[1803]) (Noctuidae) *rosea* Hübner,1790 *nec* Fourcroy,1785; *rosina* Hübner,[1803]; *decolorata* Wagner,1913; *sinuata* Schwingenschuss,1938. 05 16 25 39 42 45 50 58
- 617) *Euclidia* *glyphica* (Linnaeus,1758) (Noctuidae) *glyphica* Linnaeus,1758; *pratensis* Müller,1764 01 05 06 11 12 14 16 19 25 30 37 39 54 58 61 65 67
- 618) *Eutelia* *adulatrix* (Hübner,[1813]) (Noctuidae) *adulatrix* Hübner,[1813] 01 05 06 07 08 10 14 16 17 18 24 30 31 32 33 35 42 46 50 55 58 65 80
- 619) *Euxoa* (Pleonectopoda) *hilaris* (Freyer,1838) (Noctuidae) *hilaris* Freyer,1838 05 06 08 16 29 34 50 51 58
- 620) *Grammodes* *bifasciata* (Petagna,1786) (Noctuidae) *geometrica* auct.; *bifasciata* Petagna,1786; *linearis* Hübner,1790; *parallela* Cyrillo,1790; *chalcipetra* Borkhausen,1792; *parallelaris* Hübner,[1803]. 01 07 16 33 53
- 621) *Grammodes* *stolidus* (Fabricius,1775) (Noctuidae) *stolidus* Fabricius,1775; *cingularis* Hübner,[1808]; *stupidus* Herrich-Schäffer,1851; *curvilinea* Walker,1869. 01 05 06 07 08 16 18 33 39 62 65
- 622) *Hada* *plebeja* (Linnaeus,1761) (Noctuidae) *plebeja* Linnaeus,1761; *nana* Hufnagel,1766; *dentina* [Denis & Schiff.],1775; *leucostigma* Hw.,1809; *odontides* Bsd.,1829; *latenai* Pierret,1837; *hilaris* Zetterstedt,[1839]; *reducta* Rbl. & Zerny,[1932]; *littoralis*, *gredensis*, *nevadensis*, *hawelkae* Schawerda,1938. 06 08 16 18 25 36 38 42 49 50 60 75
- 623) *Hadena* (Anepia) *perplexa* ([Denis & Schiffermüller],1775) (Noctuidae) *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec* Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boissduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]. 01 04 05 06 07 11 14 16 18 20 24 25 29 30 32 33 35 36 42 46 47 48 49 50 51 58 60 63 65 75
- 624) *Hadena* (s.str.(Albimaculia)) *adriana* (Schawerda,1921) (Noctuidae) *adriana* Schawerda,1921 01 07 16 33 63 66
- 625) *Hadena* (s.str.(Albimaculia)) *guenei* (Staudinger,1901) (Noctuidae) *guenei* Staudinger,1901; *guenei* Hampson,1905 01 03 04 06 08 12 16 18 24 25 30 31 33 36 42 46 47 50 58 65 66 71 80
- 626) *Hadena* (s.str.(Miselia)) *compta* ([Denis & Schiffermüller],1775) (Noctuidae) *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908. 03 04 05 06 08 13 16 18 24 25 29 30 32 36 42 46 49 50 51 58 60 62 63 65 66
- 627) *Hadula* (Calocestra (Hadumendax)) *mendax* (Staudinger,1879) (Noctuidae) *mendax* Staudinger,1879 01 05 06 07 13 16 18 20 24 25 27 29 30 33 36 37 38 42 46 49 50 51 58 60 65 66 70
- 628) *Hadula* (Calocestra (Hadutrifolium)) *trifolii* (Hufnagel,1766) (Noctuidae) *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921 04 05 06 07 08 16 17 18 23 25 31 32 36 39 37 39 42 45 46 49 50 51 53 57 58 60 62 63 65
- 629) *Haemerosia* *renalis* (Hübner,[1813]) (Noctuidae) *renalis* Hübner,[1813] 05 06 12 15 16 25 30 32 33 36 40 42 47 50 62 65 66
- 630) *Hecatera* *cappa* (Hübner,[1809]) (Noctuidae) *cappa* Hübner,[1809] 05 06 16 17 18 25 36 40 42 51 58 62 65
- 631) *Hecatera* *spinaciae* (Vieweg,1790) (Noctuidae) *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villiers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* Warren,1910. 01 04 05 06 07 14 16 18 20 24 25 32 33 36 46 50 51 58 60 62 63 65 66
- 632) *Helicoverpa* *armigera* (Hübner,[1808]) (Noctuidae) *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972. 01 04 05 06 08 16 20 25 28 33 36 46 47 50 51 53 58 61 65 71
- 633) *Heliothis* *ononis* (Fabricius,1787) (Noctuidae) *#ononis* [Denis & Schiffermüller],1775; *ononis* Fabricius,1787; *ononidis* Guenée,1852. 16 36
- 634) *Heliothis* *peltigera* ([Denis & Schiffermüller],1775) (Noctuidae) *peltigera* [Denis & Schiffermüller],1775; *alpea* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924. 01 05 06 07 08 16 18 20 24 25 27 31 33 36 38 42 45 46 50 51 56 58 65 66 73 80
- 635) *Heliothis* *viriplaca* (Hufnagel,1766) (Noctuidae) *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spargulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928. 01 03 04 05 06 10 16 17 18 19 25 31 32 33 42 45 46 50 51 58 60 62 63 65
- 636) *Herminia* *tarsicrinialis* (Knoch,1782) (Noctuidae) *tarsicrinialis* Knoch,1782; *tarsicrinatus* Haworth,1809 16 34 52 53
- 637) *Hoplodrina* *blanda* ([Denis & Schiffermüller],1775) (Noctuidae) *blanda* [Denis & Schiffermüller],1775; *reducta* Haworth,1809; *taraxaci* Hübner,[1813]. 08 16 25 37 53
- 638) *Hoplodrina* *octogenaria* (Goeze,1781) (Noctuidae) *octogenaria* Goeze,1781; *alsines* Brahm,1791; *sordida* Haworth,1809 *nec* Hübner,[1803] 06 14 16 19 37 38 39 58 61 66 75
- 639) *Hoplodrina* *respersa* ([Denis & Schiffermüller],1775) (Noctuidae) *respersa* [Denis & Schiffermüller],1775; *margaritacea* Borkhausen,1792 *nec* Vill.,1789 06 16
- 640) *Hypena* (Ophiuche) *lividalis* (Hübner,1796) (Noctuidae) *lividalis* Hübner,1796; *diagonalis* Fabricius,1794; *simplicialis* Zeller,1852; *abjurialis* Walker,[1859]; *scissalis* Walker,[1866]; ? *perna* R.Felder & Rogenhofer,1873; ? *bipartita* Smith,1900. 05 07 16 45
- 641) *Hypena* (s.str.) *obsitalis* (Hübner,[1813]) (Noctuidae) *obsitalis* Hübner,[1813] 07 16 31

- 642) **Hypena palpalis** (Hübner,1796) (Noctuidae) *palpalis* Hübner,1796; *extensalis* Guenée,1854; *armenialis* Staudinger,1901. 05 08 16 30 33 44 45 50 80
- 643) **Hypena proboscidalis** (Linnaeus,1758) (Noctuidae) *proboscidalis* Linnaeus,1758 06 08 14 16 25 34 52 53 61
- 644) **Hypena rostralis** (Linnaeus,1758) (Noctuidae) *rostralis* Linnaeus,1758. 16
- 645) **Janthinea friwaldskii** (Duponchel,1835) (Noctuidae) *friwaldskii* Duponchel,1835; *viola* Freyer,1836; *#violacea* Staudinger,1879; *frivaldszci* Hampson,1910. 05 06 16 26 35 42 45 50
- 646) **Lacanobia (Diataraxia) blenna** (Hübner,[1824]) (Noctuidae) *blenna* Hübner,[1824]; *peregrina* Treitschke,1825; *trimenda* Geyer,[1832]; *guenei* Bruand,1850. 05 06 16 18 42
- 647) **Lacanobia (Diataraxia) oleracea** (Linnaeus,1758) (Noctuidae) *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937 05 06 07 16 18 25 28 38 39 43 44 50 58 61 65 75
- 648) **Lampra fimbriata** (Schreber,1759) (Noctuidae) *fimbriata* Schreber,1759; *domiduca* Hufnagel,1766; *fimbria* Linnaeus,1767; *solani* Fabricius,1787. 03 05 06 07 08 12 13 14 16 18 25 29 30 39 42 43 46 49 51 60 62 65 80
- 649) **Lithophane ornitopus** (Hufnagel,1766) (Noctuidae) *ornitopus* Hufnagel,1766; *rhizolitha* [Denis & Schiffermüller],1775; *pitzalisi* Hartig,1976 05 06 08 16 24 62
- 650) **Lygephila cracca** (Fabricius,1787) (Noctuidae) *#cracca* [Denis & Schiffermüller],1775; *riata* Rungs,1952; *cracca* Fabricius,1787; *#cracca* Hacker & Kautt,1999. 01 05 06 07 08 12 13 14 16 17 18 22 24 25 29 30 33 36 42 48 50 58 60 62 63 65 75
- 651) **Macdunnoughia confusa** (Stephens,1850) (Noctuidae) *confusa* Stephens,1850; *gutta* Guenée,1852. 09 14 16 28 30 33 45 80
- 652) **Mamestra brassicae** (Linnaeus,1758) (Noctuidae) *brassicae* Linnaeus,1758; *omicron* Geoffroy,1785; *albidilinea* Haworth,1809; *andalusica* Staudinger,1871; *decolorata* Staudinger,1889. 05 06 16 61 66
- 653) **Mesapamea (s.str.) didyma** (Esper,[1788]) (Noctuidae) *didyma* Esper,[1788]; *secalella* Remm,1983. 16 43 50 65
- 654) **Metachrostis dardouini** (Boisduval,1840) (Noctuidae) *dardouini* Boisduval,1840 06 10 13 16 23 30 32 33 50 56 58
- 655) **Metachrostis velox** (Hübner,[1813]) (Noctuidae) *velox* Hübner,[1813]; *griseimargo* W.Warren,1912; *velocissima* Turati,1926; *rubescens* Schwingenschuss,1930; *vinacea* De Joannis,1931 10 16 17 33 45
- 656) **Micriontha decorata** (Frivaldsky,1845) (Noctuidae) *decorata* Frivaldsky,1845 06 16 46
- 657) **Mythimna (Aletia) impura** (Hübner,[1808]) (Noctuidae) *impura* Hübner,[1808]; *fuliginosa* Haworth,1809; *punctina* Haworth,1809. 14 16 42 50
- 658) **Mythimna (Aletia) l-album** (Linnaeus,1767) (Noctuidae) *l-album* Linnaeus,1767; *penicillata* Moore,1881 05 06 07 08 10 12 16 17 18 25 30 32 33 34 38 39 42 45 46 50 51 56 58 63 65 69 80
- 659) **Mythimna (Aletia) pudorina** ([Denis & Schiffermüller],1775) (Noctuidae) *pudorina* [Denis & Schiffermüller],1775; *impudens* Hübner,[1803]. 16 30 62
- 660) **Mythimna (Aletia) vitellina** (Hübner,[1808]) (Noctuidae) *vitellina* Hübner,[1808]; *decolorata* Dannehl,1929; *saturator* Dannehl,1929; *griseocens* Dannehl,1929. 01 03 05 06 07 08 09 16 17 18 22 23 24 25 27 28 29 31 33 34 35 36 37 39 42 44 45 46 50 51 52 56 58 62 63 65 80
- 661) **Mythimna (Hyphilare) albipuncta** (Fabricius,1787) (Noctuidae) *#albipuncta* [Denis & Schiffermüller],1775; *albipuncta* (Fabricius,1787; *rufotincta* Wagner,1921. 05 14 16 17 24 33 34 36 50 65 66
- 662) **Naenia typica** (Linnaeus,1758) (Noctuidae) *typica* Linnaeus,1758; *filicis* Goeze,1781; *venosa* Hübner,[1803]; *excusa* Esper,[1805]; *claricolor* Schawerda,1928. 06 16
- 663) **Noctua (Euschesis) interjecta** (Hübner,[1803]) (Noctuidae) *interjecta* Hübner,[1803]. 01 05 14 16 17 22 23 33 39 57 61
- 664) **Noctua (Euschesis) janthina** ([Denis & Schiffermüller],1775) (Noctuidae) *janthina* [Denis & Schiffermüller],1775; *latimarginata* Röber,1900. 01 05 06 07 16 17 18 30 33 38 39 42 46 60
- 665) **Noctua (Latanoctua) orbona** (Hufnagel,1766) (Noctuidae) *orbona* Hufnagel,1766; *subseque* [Denis & Schiffermüller],1775; *caroni* Lempke,1964. 01 03 04 05 06 07 08 16 17 18 23 25 27 28 30 31 38 39 42 43 46 50 51 58 60 62 63 65 66
- 666) **Noctua (Paranoctua) comes** (Hübner,[1813]) (Noctuidae) *orbona* Fabricius,1787 *nec* Hufn.,1767; *comes* Hübner,[1813]; *adseque* Treitschke,1825; *proseque* Treitschke,1825; *bergensis* Sp.-Schn.,1901. 01 05 06 07 08 09 10 16 22 30 31 33 39 42 43 45 46 56
- 667) **Noctua (s.str.) pronuba** (Linnaeus,1758) (Noctuidae) *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krause,1912 *nec* Piesz.,1908; *decolorata* Turati,1923. 01 04 05 06 07 08 14 16 18 24 27 28 33 34 35 39 42 43 44 45 46 50 51 58 60 61 62 65 71
- 668) **Odice arcuinna** (Hübner,1790) (Noctuidae) *arcuinna* Hübner,1790; *inamoena* Hübner,[1803]. 05 06 10 14 16 17 20 25 32 33 35 36 38 42 51 58 66 80
- 669) **Oligia strigilis** (Linnaeus,1758) (Noctuidae) *strigilis* Linnaeus,1758; *praeduncula* [Denis & Schiffermüller],1775. 05 06 08 16 31 34 45 75
- 670) **Olivenebula subsericata** (Herrich-Schäffer,1861) (Noctuidae) *subsericata* Herrich-Schäffer,1861; *#elisabethae* De Lattin,1951; *bobitsi* Beck,1996. 03 05 08 16 17 18 33 34 35 42 46 50 58
- 671) **Omphalophana anatolica** (Lederer,1857) (Noctuidae) *anatolica* Lederer,1857 07 16 20 33 35 65
- 672) **Omphalophana antirrhinii** (Hübner,[1803]) (Noctuidae) *antirrhinii* Hübner,[1803] 05 06 16 17 18 24 25 33 35 42 45 46 50 51 58 60 63 65
- 673) **Ophiura lunaris** (Goeze,1781) (Noctuidae) *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *chosensis* Bryk,1949. 01 05 06 07 10 16 18 25 32 33 35 39 42 50 56 62 65
- 674) **Ophiura tirhaca** (Cramer,[1777]) (Noctuidae) *tirhaca* Cramer,[1777]; *#tirrhaea* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978 01 05 06 07 16 33
- 675) **Orectis proboscidata** (Herrich-Schäffer,1851) (Noctuidae) *proboscidata* Herrich-Schäffer,[1851]; *barteli* Turati,1907. 16 75
- 676) **Orthosia (Dioszeghyana) schmidtii** (Díószeghy,1935) (Noctuidae) *schmidtii* Díószeghy,1935 02 06 07 16 33
- 677) **Orthosia (Monima) dalmatica** (Wagner,1909) (Noctuidae) *dalmatica* Wagner,1909 07 09 15 16 31 33 44 49 50 58
- 678) **Pamparama acuta** (Freyer,[1837]) (Noctuidae) *acuta* Freyer,[1837]; *producta* Lederer,1857; *pygmaea* Staudinger,1871. 02 06 07 09 16 23 30 32 34 35 38 42 46 50 51 63
- 679) **Paracolax tristalis** (Fabricius,1794) (Noctuidae) *tristalis* Fabricius,1794; *derivalis* Hübner,1796. 05 08 14 16 25 34 41 50 52 53
- 680) **Parallelia algira** (Linnaeus,1767) (Noctuidae) *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alternata* Villers,1789; *triangularis* Hübner,[1803] *nec* Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *europaea* Schawerda,1912 01 05 07 08 10 16 17 18 22 28 30 31 33 34 35 39 40 42 45 50 52 61 62 65
- 681) **Parascotia fuliginaria** (Linnaeus,1761) (Noctuidae) *fuliginaria* Linnaeus,1761; *lunulata* Fabricius,1775; *carbonaria* Denis & Schiffermüller,1775; *lignaria* Fabricius,1794 08 16 17
- 682) **Pechipogo strigilata** (Linnaeus,1758) (Noctuidae) *strigilata* Linnaeus,1758; *#barbalis* Clerck,1759; *palpalis* Fabricius,1775; *pectitalis* Hübner,1796; *barbatus* Fabricius,1798; *palpata* Haworth,1809. 06 16 25
- 683) **Peridroma saucia** (Hübner,[1808]) (Noctuidae) *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infuscata* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899;

- ochronota* Hampson, 1903; *cyrnaea* Spuler, 1908; *tenebricosa* Schawerda, 1929. 01 05 06 08 16 17 18 22 29 31 33 34 38 42 46 50 51 58 70 80
- 684) **Perigrapha (Opacographa (Turcographa)) rorida (Frivaldsky, 1835)** (Noctuidae) *rorida* Frivaldsky, 1835; *ganimetae* Kornosor & Lödl, 1990 01 05 06 07 09 15 16 17 31 32 33 35 43 45 46 56 62
- 685) **Periphanes victorina (Sodoffsky, 1849)** (Noctuidae) *victorina* Sodoffsky, 1849 05 06 08 14 15 16 18 23 24 25 30 32 33 46 50 51 55 58 65 69 70
- 686) **Phlogophora meticulosa (Linnaeus, 1758)** (Noctuidae) *meticulosa* Linnaeus, 1758; *lamii* Schadewald, 1993 05 06 07 14 16 18 24 25 33 34 38 46 50 51 56 58 65
- 687) **Phlogophora scita (Hübner, 1790)** (Noctuidae) *scita* Hübner, 1790 04 08 12 16 25 30 43 45 53 60 61 75
- 688) **Phytometra viridaria (Clerck, 1759)** (Noctuidae) *viridaria* Clerck, 1759 05 07 08 11 16 22 25 32 33 39 42 50 54 58 59 60
- 689) **Polia sagittigera (Hufnagel, 1766)** (Noctuidae) *sagittigera* Hufnagel, 1766; *leucophaea* [Denis & Schiffermüller], 1775; *fulminea* Fabricius, 1781; *vestigialis* Esper, [1785]; *ravida* Esper, [1789]; *pyrenaica* Oberthür, 1884; *incana* Millière, 1885. 01 06 16 18 25 33 42 46 49 50 51 60 61 65
- 690) **Polypogon plumigeralis (Hübner, [1825])** (Noctuidae) *plumigeralis* Hübner, [1825]; *crinalis* Treitschke, 1829. 01 05 07 08 16 33 41 46 48
- 691) **Polypogon tentacularia (Linnaeus, 1758)** (Noctuidae) *tentacularia* Linnaeus, 1758 16 75
- 692) **Polypogon zelleri (Wocke, 1850)** (Noctuidae) *zelleri* Wocke, 1850; *tarsicristalis* Herrich-Schäffer, 1851. 08 16 42 53
- 693) **Pseudeustrotia candidula ([Denis & Schiffermüller], 1775)** (Noctuidae) *candidula* [Denis & Schiffermüller], 1775 06 16 33 58
- 694) **Scoliopteryx libatrix (Linnaeus, 1758)** (Noctuidae) *libatrix* Linnaeus, 1758; *salictaria* Poda, 1761; *modesta* Müller, 1764; *delicatula* Retzius, 1783; *libatrix* Haworth, 1809 05 08 13 16 30 34 38 61 65
- 695) **Simplicia rectalis (Eversmann, 1842)** (Noctuidae) *rectalis* Eversmann, 1842 16
- 696) **Spodoptera exigua (Hübner, [1808])** (Noctuidae) *exigua* Hübner, [1808]; *fulgens* Geyer, [1832]; *pygmaea* Rambur, 1834; *junceti* Zeller, 1847; *caradrinoides* Walker, 1856; *flavimaculata* Harvey, 1876; *venosa* Butler, 1880; *sebhana* Austaut, 1880; *antipodea* Warren, 1914; *protector* De Laever, 1985. 01 05 07 08 14 16 17 18 25 27 29 30 31 32 33 36 38 42 43 45 46 50 51 52 56 58 63 64 65 69
- 697) **Trachea atriplicis (Linnaeus, 1758)** (Noctuidae) *atriplicis* Linnaeus, 1758 06 07 14 16 28 33 34
- 698) **Trichoplusia ni (Hübner, [1803])** (Noctuidae) *ni* Hübner, [1803]; *humilis* Walker, 1858; *extrahens* Walker, 1858; *brassicae* Riley, 1870; *echinocystidis* Strecker, 1874. 01 05 06 07 08 11 16 17 18 33 46 48 50 51 56 58 65
- 699) **Tyta luctuosa ([Denis & Schiffermüller], 1775)** (Noctuidae) *luctuosa* [Denis & Schiffermüller], 1775; *italica* Fabricius, 1781; *atra* Goeze, 1781 nec Linn., 1767; *astroites* Fourcroy, 1785; *maculosa* Villers, 1789 01 04 05 06 07 08 11 14 16 17 18 22 23 25 30 32 33 34 35 36 38 42 44 50 51 58 61 62 65 66 67 69 70 71
- 700) **Xestia (Megasema) ditrapezium ([Denis & Schiffermüller], 1775)** (Noctuidae) *ditrapezium* [Denis & Schiffermüller], 1775 14 16 53 61
- 701) **Xestia (Megasema) triangulum (Hufnagel, 1766)** (Noctuidae) *triangulum* Hufnagel, 1766; *rhomboidea* Esper, [1790]. 08 14 16 18 50 53
- 702) **Xylocampa mustapha (Oberthür, 1920)** (Noctuidae) *mustapha* Oberthür, 1920 06 07 09 15 16 32 33 35 46
- 703) **Zekelia (Rhynchodontodes) antiqualis (Hübner, [1809])** (Noctuidae) *antiqualis* Hübner, [1809]; *anatolica* Wagner, 1931; *antiquilis* Zukowsky, 1941 01 03 05 06 07 08 12 16 17 18 24 30 32 33 35 36 37 42 45 46 48 50 51 58 62 65 67
- 704) **Zethes insularis Rambur, 1833** (Noctuidae) *insularis* Rambur, 1833 05 07 10 14 16 22 31 33 35 42 45 48 63
- 705) **Cerura (s.str.) vinula (Linnaeus, 1758)** (Notodontidae) *vinula* Linnaeus, 1758; *minax* Hübner, [1803]; *teberdina* Kornejev, 1939 03 06 07 12 15 16 24 25 30 31 32 33 34 35 36 42 43 45 46 58 60 62 64 65
- 706) **Clostera anachoreta (Fabricius, 1787)** (Notodontidae) *anachoreta* [Denis & Schiffermüller], 1775; *anachoreta* Fabricius, 1787; *pallida* Staudinger, 1887 nec Wlk., 1855; *albidiol* Pfütze, 1901; *erema* Bryk, 1942; *lundquisti* Bryk, 1942; *mahatma* Bryk, 1949 16
- 707) **Clostera curtula (Linnaeus, 1758)** (Notodontidae) *curtula* Linnaeus, 1758; *albicaudata* Retzius, 1783 06 16 26 34 36 42 43 60 65 71
- 708) **Dicranura ulmi ([Denis & Schiffermüller], 1775)** (Notodontidae) *ulmi* [Denis & Schiffermüller], 1775; *discors* Fabricius, 1798; *modica* Dannehl, 1929; *istriaca* Bytinski-Salz, 1939. 05 06 16 17 21 32 33 42 43 71
- 709) **Drymonia velitaris (Hufnagel, 1766)** (Notodontidae) *velitaris* Hufnagel, 1766; *austera* [Denis & Schiffermüller], 1775; *bifasciata* Villers, 1789 12 13 16 25 29 30 36 37 46 53 55 60 61 65
- 710) **Furcula bifida (Brahm, 1787)** (Notodontidae) *hermelina* Goeze, 1781 nec Gz., 1781; *bifida* Brahm, 1787; *latifascia* Curtis, 1827; *arcuata* Stephens, 1828; *mucronata* Meigen, 1830; *urocera* Boisduval, 1840; *lype* Seifers, 1933. 06 10 13 14 16 22 25 29 36 43 53 60
- 711) **Furcula furcula (Linnaeus, 1761)** (Notodontidae) *furcula* Clerck, 1759; *furcula* Linnaeus, 1761; *salicis* Lamarck, 1816; *nordlandica* Daniel, 1965; *atlantica* Daniel, 1965. 06 14 16 19 30 32 36 37 48 60 67 71
- 712) **Phalera bucephala (Linnaeus, 1758)** (Notodontidae) *bucephala* Linnaeus, 1758; *lunula* Retzius, 1783 nec Hufn., 1766 non Strm., 1768. 05 12 13 14 16 17 24 25 32 36 42 53 58 60 65
- 713) **Pheosia tremula (Linnaeus, 1761)** (Notodontidae) *tremula* Clerck, 1759; *tremula* Linnaeus, 1761; *dictaea* Linnaeus, 1767; *turcica* De Freina, 1979; *thurica* Schintlmeister, 1989 06 14 16 24 29 33 36 43 52 60 64
- 714) **Pterostoma palpinum (Linnaeus, 1761)** (Notodontidae) *palpina* Linnaeus, 1761; *caudapiscina* Goeze, 1783; *salicis* Germar, 1812. 06 12 13 16 19 24 25 30 32 36 37 42 46 50 60 65
- 715) **Spatalia argentina ([Denis & Schiffermüller], 1775)** (Notodontidae) *argentina* [Denis & Schiffermüller], 1775 05 06 07 08 10 12 13 14 16 17 20 24 30 31 32 33 35 42 46 62 64 65 66 71 73
- 716) **Agonopterix adpersella (Kollar, 1832)** (Oecophoridae) *adpersella* Kollar, 1832 05 16 45 46 71
- 717) **Agonopterix atomella ([Denis & Schiffermüller], 1775)** (Oecophoridae) *atomella* [Denis & Schiffermüller], 1775 05 16 17
- 718) **Agonopterix capreolella (Zeller, 1839)** (Oecophoridae) *capreolella* Zeller, 1839 16
- 719) **Agonopterix cnicella (Treitschke, 1832)** (Oecophoridae) *cnicella* Treitschke, 1832 16 46
- 720) **Agonopterix furvella (Treitschke, 1832)** (Oecophoridae) *furvella* Treitschke, 1832 16
- 721) **Agonopterix kaekeritziana (Linnaeus, 1767)** (Oecophoridae) *kaekeritziana* Linnaeus, 1767; *litorella* [Denis & Schiffermüller], 1775; *hirudinella* Goeze, 1783; *sparmanniana* Swederus, 1787; *flavella* Hübner, 1796; *bimaculella* Schrank, 1802 nec Thunberg, 1784; *flavosa* Haworth, 1811; *montanella* Lhomme, 1929. 16
- 722) **Agonopterix purpurea (Haworth, [1811])** (Oecophoridae) *purpurea* Haworth, [1811] 16 26 42 71
- 723) **Agonopterix rotundella (Douglas, 1846)** (Oecophoridae) *rotundella* Douglas, 1846 05 16 33
- 724) **Agonopterix squamosa (Mann, 1864)** (Oecophoridae) *squamosa* Mann, 1864 16
- 725) **Agonopterix thapsiella (Zeller, 1847)** (Oecophoridae) *thapsiella* Zeller, 1847 16 46 76
- 726) **Alabonia staintoniella (Zeller, 1850)** (Oecophoridae) *staintoniella* Zeller, 1850 05 16
- 727) **Batia lunaris (Haworth, [1828])** (Oecophoridae) *lunaris* Haworth, [1828] 16 42
- 728) **Cacochroa permixtella (Herrich-Schäffer, [1855])** (Oecophoridae) *permixtella* Herrich-Schäffer, [1855] 16 45
- 729) **Carcina quercana (Fabricius, 1775)** (Oecophoridae) *quercana* Fabricius, 1775 16 42 46
- 730) **Cephalisphaera denisella ([Denis & Schiffermüller], 1775)** (Oecophoridae) *denisella* [Denis & Schiffermüller], 1775 16
- 731) **Depressaria chaerophylli Zeller, 1839** (Oecophoridae) *chaerophylli* Zeller, 1839 16
- 732) **Depressaria corticinella Zeller, 1854** (Oecophoridae) *corticinella* Zeller, 1854; *uhrykella* Fuchs, 1903. 16 46
- 733) **Depressaria depressana (Fabricius, 1775)** (Oecophoridae) *depressana* Fabricius, 1775; *anethana* Brahm, 1791; *depressella* Fabricius, 1798; *bluntii* Curtis, 1828; *collarella* Zetterstedt, 1839. 05 16
- 734) **Depressaria floridella Mann, 1864** (Oecophoridae) *floridella* Mann, 1864 16

- 735) *Depressaria hirtipalpis* Zeller, 1854 (Oecophoridae) *hirtipalpis* Zeller, 1854 06 16 38 46
- 736) *Depressaria hofmanni* Stainton, 1861 (Oecophoridae) *hofmanni* Stainton, 1861 16
- 737) *Depressaria marcella* Rebel, 1901 (Oecophoridae) *marcella* Rebel, 1901 16 46
- 738) *Depressaria tenebricosa* Zeller, 1854 (Oecophoridae) *tenebricosa* Zeller, 1854 16
- 739) *Depressaria veneficella* Zeller, 1847 (Oecophoridae) *veneficella* Zeller, 1847 16 46
- 740) *Diurnea fagella* ([Denis & Schiffermüller], 1775) (Oecophoridae) *fagella* [Denis & Schiffermüller], 1775; *pilosella* Thunberg, 1788; *atomana* Brahm, 1791; *fagi* Fabricius, 1798; *disparella* Schrank, 1802; *dormoyella* Duponchel, 1838; *molckenella* Millière, 1881 16
- 741) *Endrosis sarcitrella* (Linnaeus, 1758) (Oecophoridae) *sarcitrella* Linnaeus, 1758; *luridella* Scopoli, 1763; *lacteella* [Denis & Schiffermüller], 1775; *scapulata* Fourcroy, 1785; *betulinella* Fabricius, 1787; *scapulatella* Villers, 1789; *atratus* Panzer, 1804; *sarcitea* Haworth, 1828; *kennicottella* Clemens, 1860; *subditella* Walker, 1863; *antarctica* Staudinger, 1899. 16
- 742) *Epicallima formosella* ([Denis & Schiffermüller], 1775) (Oecophoridae) *formosella* [Denis & Schiffermüller], 1775 05 06 16 33 46 71 76
- 743) *Esperia oliviella* (Fabricius, 1794) (Oecophoridae) *oliviella* Fabricius, 1794 16 34
- 744) *Esperia sulphurella* (Fabricius, 1775) (Oecophoridae) *sulphurella* Fabricius, 1775 16 48
- 745) *Holoscolia huebneri* Koçak, 1980 (Oecophoridae) *forficella* Hübner, [1813] *nec* Thunb., 1794; *huebneri* Koçak, 1980 05 16
- 746) *Hypercallia citrinalis* (Scopoli, 1763) (Oecophoridae) *citrinalis* Scopoli, 1763; *christierna* Linnaeus, 1767; *thoracella* Goeze, 1783; *thoracica* Fourcroy, 1785; *christierna* Hübner, [1824]; *christiella* Hübner, [1825]; *christierna* Zeller, 1839 05 06 16
- 747) *Oecophora* (s.str.) *bractella* (Linnaeus, 1758) (Oecophoridae) *bractella* Linnaeus, 1758 05 16
- 748) *Pleurota aristella* (Linnaeus, 1767) (Oecophoridae) *aristella* Linnaeus, 1767; *corniculata* Villers, 1789; *cornicella* Villers, 1789; *schlaegerella* Zeller, 1847; *argentistrigella* Mann, 1854 16 45
- 749) *Pleurota pyropella* ([Denis & Schiffermüller], 1775) (Oecophoridae) *pyropella* [Denis & Schiffermüller], 1775 05 06 16 36 42 44 46 51
- 750) *Pleurota sublustrata* (Mann, 1872) (Oecophoridae) *sublustrata* Mann, 1872 16
- 751) *Protasis punctella* (Costa, [1836]) (Oecophoridae) *punctella* Costa, [1846]; *monostictella* Heydenreich, 1851 16
- 752) *Telechrysis tripuncta* (Haworth, [1828]) (Oecophoridae) *tripuncta* Haworth, [1828]; *tripunctella* Stephens, 1834; *scyllaella* Costa, [1836]; *tristignella* Zeller, 1839; *trimaculella* Duponchel, [1840] 16
- 753) *Tubuliferola flavifrontella* ([Denis & Schiffermüller], 1775) (Oecophoridae) *flavifrontella* [Denis & Schiffermüller], 1775 16
- 754) *Pseudopostega auritella* (Hübner, [1813]) (Opostegidae) *auritella* Hübner, [1813] 16 46
- 755) *Pseudopostega crepusculella* (Zeller, 1839) (Opostegidae) *crepusculella* Zeller, 1839; *lvovskyi* Kozlov, 1985 16 46
- 756) *Archon apollinus* (Herbst, 1798) (Papilionidae) *apollinus* Herbst, 1798; *pythius* Esper, 1805; *thia* Hübner, 1806; *annii* Ondrias, Kouts. & Douma-Petridou, 1979. 01 02 03 05 06 07 09 10 14 15 16 17 18 19 20 22 23 24 25 26 27 28 29 31 32 33 34 35 37 38 42 43 44 45 46 48 51 58 60 63 64 66 68 71 77
- 757) *Iphiclides podalirius* (Linnaeus, 1758) (Papilionidae) *podalirius* Linnaeus, 1758; *sinon* Poda, 1761; *flammeus* Fourcroy, 1785; *inalpinus* Verity, 1911; *valesiaca* Verity, 1911; *zanclaeides* Verity, 1911; *pseudopersica* Rocci, 1926. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 48 49 50 51 52 54 56 58 59 60 62 64 65 66 67 68 69 70 71 73 76 77 81
- 758) *Papilio* (s.str. (Alexanoria)) *alexanor* Esper, [1800] (Papilionidae) *polidamas* De Prunner, 1787 *nec* Linnaeus, 1758; *alexanor* Esper, [1800]; *polychaon* Loche, 1801; *destelensis* Nel & Chauliac, 1983. 01 02 03 05 06 07 08 10 16 17 25 30 31 33 35 36 42 43 44 45 46 47 48 52 58 60 62 65 69 70 71 73 74 76
- 759) *Papilio* (s.str.) *machaon* Linnaeus, 1758 (Papilionidae) *machaon* Linnaeus, 1758; *reginae* Retzius, 1783; *umbellatarum* Fabricius, 1807; *aurantiaca* Speyer, 1858. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 45 46 47 48 50 51 56 58 59 60 62 63 65 66 68 69 70 71 73 74 76 77 80
- 760) *Parnassius* (Driopa) *mnemosyne* (Linnaeus, 1758) (Papilionidae) *mnemosyne* Linnaeus, 1758 01 03 05 06 07 08 12 13 14 16 18 24 25 26 27 29 30 31 32 33 35 36 37 39 42 46 48 49 51 52 53 58 60 62 65 66 67 69 73 74 76 80
- 761) *Parnassius* (s.str.) *apollo* (Linnaeus, 1758) (Papilionidae) *apollo* Linnaeus, 1758 01 03 04 05 06 07 13 14 16 18 24 25 27 29 30 32 33 35 36 37 38 42 44 46 51 57 58 60 62 65 67 69 74 76 78
- 762) *Zerynthia* (Allancastris) *cerisyi* (Godart, 1822) (Papilionidae) *cerisyi* Godart, 1822; *cerisy* Godart, [1824]; *martini* Fruhst., 1906; *speciosa*, cypria Stichel, 1907; *#destrigata* Schultz, 1908; *#caeca* Shelj., 1927; *mysiniensis* Eisn. & Wag., 1974; *kocaki*, goeksui Kuhna, 1977; *koronei* Katt. & Kouts., 1978; *sami* Schmidt, 1989. 01 06 07 09 10 11 14 15 16 17 22 26 31 32 33 34 35 37 39 41 42 43 45 46 48 51 52 59 60 80
- 763) *Zerynthia* (s.str.) *polyxena* ([Denis & Schiffermüller], 1775) (Papilionidae) *hypermnestra* Scopoli, 1763 *nec* Linn., 1763; *polyxena* [Denis & Schiffermüller], 1775; *hypsipyle* Fabricius, 1777; *aristolochiae* Schneider, 1787 *nec* Fabricius, 1775. 10 14 16 17 26 34 39 43 54
- 764) *Anthocharis cardamines* (Linnaeus, 1758) (Pieridae) *cardamines* Linnaeus, 1758; *hesperides* Newman, 1894; *britannica* Verity, 1908; *meridionalis* Verity, 1908 *nec* Lederer, 1852; *montivaga* Turati & Verity, 1911 01 03 04 05 06 07 08 09 10 13 14 15 16 17 18 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 41 42 43 44 45 46 47 48 51 52 53 55 56 58 60 61 62 65 66 70 71 73 74 75 76 78
- 765) *Aporia* (s.str.) *crataegi* (Linnaeus, 1758) (Pieridae) *crataegi* Linnaeus, 1758; *nigronevrosus* Retzius, 1783; *minor* Verity, 1907; *basanius* Fruhstorfer, 1910; *crataegiaugusta* Verity, 1937. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 56 58 60 61 62 63 65 66 69 70 71 72 73 74 76 78 80 81
- 766) *Colias* (Eriocolias) *crocea* (Fourcroy, 1785) (Pieridae) *crocea* Fourcroy, 1785; *pyrenaica* Groum-Grshimailo, 1893. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 68 69 70 71 72 73 74 76 77 78 79 80 81
- 767) *Colias* (Neocolias) *erate* (Esper, [1805]) (Pieridae) *erate* Esper, [1805]; *afghana* O.Bang-Haas, 1927 16 17 22 34 39 60 71
- 768) *Colias* (s.str.) *sareptensis* Staudinger, 1881 (Pieridae) *#sareptensis* Staudinger, 1871; *sareptensis* Staudinger, 1881. 01 03 04 05 06 07 08 09 11 13 14 15 16 18 19 20 24 25 26 29 32 33 34 35 36 37 38 41 42 43 44 46 48 49 50 51 52 53 58 60 61 62 65 66 67 69 70 71 73 74 76 78 80
- 769) *Euchloe* (s.str.) *ausonia* (Hübner, [1804]) (Pieridae) *ausonia* Hübner, [1804]; *marchandae* Geyer, [1832]. 01 02 03 04 05 06 07 09 10 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 50 51 54 58 60 62 63 65 66 68 70 71 74 76 77 78 80
- 770) *Gonepteryx* (s.str.) *farinosa* (Zeller, 1847) (Pieridae) *farinosa* Zeller, 1847 01 02 03 05 06 07 08 10 11 13 14 16 17 19 20 21 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 46 47 48 50 51 56 58 60 62 65 66 67 68 69 70 71 73 76 80
- 771) *Gonepteryx* (s.str.) *rharni* (Linnaeus, 1758) (Pieridae) *rharni* Linnaeus, 1758; *gravesi* Huggins, 1956. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 24 25 26 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 52 55 60 62 65 66 67 69 71 73 75 76 81
- 772) *Leptidea duponcheli* (Staudinger, 1871) (Pieridae) *duponcheli* Staudinger, 1871; *#duponcheli* Nazari, 2003 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 49 50 51 53 58 59 60 62 64 65 66 67 69 70 71 73 74 76 78
- 773) *Leptidea sinapis* (Linnaeus, 1758) (Pieridae) *sinapis* Linnaeus, 1758; *candidus* Retzius, 1783; *erysimi* Borkhausen, 1788; *lathyri* Hübner, [1819]; *loti* Rennie, 1832; *umbratica* Trimoulet, 1858; *sartha* Rühl, 1893; *stabiarum* Stauder, 1914; *nigrescens* Verity, 1919; *patunae* Stauder, 1922; *lathyricana* Verity, 1952. 01 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 45 46 48 49 50 52 53 54 55 58 60 61 62 65 66 67 69 70 74 76 77 78 79 75 76 81
- 774) *Pieris* (Artogeia) *bryoniae* (Hübner, [1804]) (Pieridae) *bryoniae* Hübner, [1804]; *neobryoniae* Miller, 1933; *wolfsbergeri* Eitschberger, [1984]; *debroisi* Eitschberger, [1984] (cf. Leraut, 1997). 08 14 16 18 24 25 29 30 37 53 61

- 775) **Pieris (Artogeia) ergane (Geyer,[1828])** (Pieridae) *ergane* Geyer,[1828]; *narcaea* Freyer,[1828]. 01 02 03 04 05 06 07 08 12 13 14 15 16 18 21 23 24 25 26 28 29 30 31 32 33 36 38 42 43 44 46 47 49 50 51 52 56 58 60 62 63 65 66 69 71 73 74 76
- 776) **Pieris (Artogeia) krueperi Staudinger,1860** (Pieridae) *krueperi* Staudinger,1860 01 07 08 09 10 16 21 25 30 32 33 35 36 42 45 46 51 56 58 62 65 73 80
- 777) **Pieris (Artogeia) pseudorapae Verity,1908** (Pieridae) *pseudorapae* Verity,1908 01 03 04 05 06 07 08 10 11 12 13 14 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 63 65 66 67 68 71 73 74 75 76 77 78 80 81
- 778) **Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 73 74 76 77 78 79 80
- 779) **Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924. 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 48 49 50 51 52 53 54 55 58 60 61 63 65 66 70 71 73 74 75 76 77 80 81
- 780) **Pontia callidice (Hübner,[1800])** (Pieridae) *callidice* Hübner,[1800]; *callidice* Esper,[1803]. 01 03 04 05 06 07 08 13 16 24 25 29 30 32 38 42 44 46 48 51 53 58 60 62 65 69 73 76
- 781) **Pontia chloridice (Hübner,[1813])** (Pieridae) *ruissiae* Esper,[1784] *nec ruissiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidge* Staudinger,1901 *nec Oberthür*,1881. 03 05 06 07 08 10 12 13 16 18 21 23 24 25 29 30 33 34 35 36 42 44 45 46 48 50 56 60 62 63 65 69 71 73 76
- 782) **Pontia edusa (Fabricius,1777)** (Pieridae) *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39 40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 67 68 69 70 71 73 74 76 77 79 80 81
- 783) **Lampronia corticella (Linnaeus,1758)** (Prodoxidae) *corticella* Linnaeus,1758; *rubiella* Bjerkander,1781. 16
- 784) **Lampronia koernerella (Zeller,1839)** (Prodoxidae) *koernerella* Zeller,1839; *albicostella* Duponchel,[1845] 16
- 785) **Bijugis bombycella (Denis & Schiffermüller,1775)** (Psychidae) *bombycella* [Denis & Schiffermüller],1775 16
- 786) **Bijugis pectinella (Denis & Schiffermüller,1775)** (Psychidae) *pectinella* [Denis & Schiffermüller],1775 16 33
- 787) **Bruandia reticulatella (Bruand,1853)** (Psychidae) *reticulatella* Bruand,1853 16
- 788) **Diplodoma laichartingella (Goeze,1783)** (Psychidae) *laichartingella* Goeze,1783; *herminata* Fourcroy,1785; *herminatella* Villers,1789; *marginepunctella* Stephens,1835; *siderella* Zeller,1839. 05 16
- 789) **Epichnopteryx plumella (Denis & Schiffermüller,1775)** (Psychidae) *plumella* [Denis & Schiffermüller],1775; *pulla* Esper,[1785] 05 16
- 790) **Eumasia parietaria (Heydenreich,1851)** (Psychidae) *parietaria* Heydenreich,1851; *crepusculella* Müller-Rutz,1920. 05 16 44 46
- 791) **Melasina ciliaris (Ochsenheimer,1810)** (Psychidae) *ciliaris* Ochsenheimer,1810; *lugubris* Hübner,[1808] *nec Fabricius*,1777; *aequalis* Osthelder,1938 16
- 792) **Psyche casta (Pallas,1767)** (Psychidae) *casta* Pallas,1767; *nitidella* Hübner,1793; *germanica* Chapman,1900; *minor* Chapman,1900; *bowyerella* Chapman,1900; *mitterdella* Chapman,1900; *niphonica* Hori,1926; *ussuriensis* Kozhantschikov,1956. 16
- 793) **Reisseronia flavociliella (Mann,1864)** (Psychidae) *flavociliella* Mann,1864 16
- 794) **Taleporia tubulosa (Retzius,1783)** (Psychidae) *tubulosa* Retzius,1783; *pseudobombycella* Hübner,1796; *glabrella* Ochsenheimer,1816; *tessellea* Haworth,1828; *tesserella* Stephens,1829; *anderreggella* Duponchel,1842; *guenei* Zeller,1852; *hirta* Bartosova & Duskova,1958 16 46
- 795) **Pterolonche (s.str.) albescens Zeller,1847** (Pterolonchidae) *albescens* Zeller,1847 16 46
- 796) **Adaina microdactyla (Hübner,[1813])** (Pterophoridae) *microdactyla* Hübner,[1813]; *carphodactylus* Stephens,1834; *subflavescens* Meyrick,1930; *montivola* Meyrick,1937. 05 16 55 71
- 797) **Agdistis (Frankistis) frankeniae (Zeller,1847)** (Pterophoridae) *frankeniae* Zeller,1847; *lerinsis* Millière,1876; *bahrlutia* Amsel,1955; *tondeuri* Bigot,1963; *rupestris* Bigot,1974; *ryabovi* Zagulyaev & Filippova,1976; *kulunda* Ustjuzhanin,1991. 06 09 16 35 42 68 71
- 798) **Agdistis (Tamaristis) tamaricis (Zeller,1847)** (Pterophoridae) *tamaricis* Zeller,1847; *bagdadiensis* Amsel,1949; *xinjiangsis* Qin & Zheng,1997. 16
- 799) **Amblyptilia acanthadactyla (Hübner,[1813])** (Pterophoridae) *acanthadactyla* Hübner,[1813]; *odontodactyla* Charpentier,1821; *calaminthae* Frey,1886; *tetralicella* Hofmann,1895. 16 48
- 800) **Calyciphora nephelodactyla (Eversmann,1844)** (Pterophoridae) *nephelodactyla* Eversmann,1844; *apollina* Millière,1882; *extensa* Zagulyaev,1986. 05 16
- 801) **Calyciphora xanthodactyla (Treitschke,1833)** (Pterophoridae) *xanthodactyla* Treitschke,1833 05 16 42 45
- 802) **Calyciphora xerodactyla (Zeller,1841)** (Pterophoridae) *xerodactyla* Zeller,1841; *sicula* Fuchs,1901. 05 16
- 803) **Capperia trichodactyla (Denis & Schiffermüller,1775)** (Pterophoridae) *trichodactyla* [Denis & Schiffermüller],1775; *leonuri* Stange,1882; *affinis* Müller-Rutz,1933. 05 16
- 804) **Cnaemidophorus rhododactylus (Fabricius,1787)** (Pterophoridae) *#rhododactyla* [Denis & Schiffermüller],1775; *rhododactylus* Fabricius,1787; *koreana* Matsumura,1931. 05 06 16 42 46
- 805) **Crombruggia distans (Zeller,1847)** (Pterophoridae) *distans* Zeller,1847; *distantidactyla* Bruand,1858; *geodactylus* Fuchs,1903; *lactucae* Fletcher,1920; *clarisignis* Myerick,1924; *buvati* Bigot & Picard,1988; *pravieli* Bigot & Picard,1989; *gibeauxi* Bigot et al.,1990; *supplementum* Gibeaux,1997. 05 06 07 16 22 23 30 33 34 42 44 45 46 48 50 58 61
- 806) **Crombruggia laeta (Zeller,1847)** (Pterophoridae) *laetus* Zeller,1847; *loetidactyla* Bruand,1858; *andryalae* Millière,1863; *andryaladactylus* Millière,1863; *lantoscanus* Millière,1882. 05 06 16 42 44 46 76
- 807) **Emmelina monodactyla (Linnaeus,1758)** (Pterophoridae) *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920. 05 06 07 09 14 16 23 29 31 33 34 36 38 46 50 59 61
- 808) **Geina didactyla (Linnaeus,1758)** (Pterophoridae) *didactyla* Linnaeus,1758; *brunneodactyla* Millière,1854. 05 16
- 809) **Gypsochares baptoactylus (Zeller,1850)** (Pterophoridae) *baptoactylus* Zeller,1850; *dactylographa* Turati,1927. 16
- 810) **Merrifieldia baliodactyla (Zeller,1841)** (Pterophoridae) *baliodactyla* Zeller,1841; *tridactylus* Stephens,1834; *dalioidactylus* Bruand,1850; *meridionalis* Staudinger,1880. 05 06 16 46 48
- 811) **Merrifieldia leucodactyla (Denis & Schiffermüller,1775)** (Pterophoridae) *#leucodactyla* [Denis & Schiffermüller],1775; *theiodactyla* Hübner,[1825]; *wernickei* Wocke,1897; *fizi* Rebel,1912; *flavella* Chrétien,1923; *dryogramma* Meyrick,1930. 16 29
- 812) **Merrifieldia malacodactyla (Zeller,1847)** (Pterophoridae) *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993 05 06 07 09 14 16 23 29 33 42 46 55 76 77
- 813) **Oidaematophorus lithodactylus (Treitschke,1833)** (Pterophoridae) *lithodactylus* Treitschke,1833; *septodactylus* Treitschke,1833; *similidactylus* Dale,1834; *lithoxylodactylus* Duponchel,[1840]. 16
- 814) **Oxyptilus parvidactylus (Haworth,[1811])** (Pterophoridae) *parvidactylus* Haworth,[1811]; *microdactylus* Samouelle,1819; *obscurus* Zeller,1841; *hemididactylus* Selys-Longchamps,1845; *dentellus* Zeller,1852; *obscuridactyla* Bruand,1859; *hofmannseggii* Möschler,1866; *maroccanensis* Amsel,1956. 05 06 07 14 16 29 34 35 42 44 46 71 76

- 815) **Platyptilia gonodactyla** ([Denis & Schiffermüller],1775) (Pterophoridae) *gonodactyla* [Denis & Schiffermüller],1775; *megalodactyla* [Denis & Schiffermüller],1775; *diptera* Sulzer,1776; *trigonodactyla* Haworth,1811; *farfara* Gregson,1885; *albidior* Caradja,1920. 16 42 71
- 816) **Platyptilia tetradactyla** (Linnaeus,1758) (Pterophoridae) *tetradactyla* Linnaeus,1758 05 06 16 31 46
- 817) **Pselnophorus poggei** (Mann,1862) (Pterophoridae) *poggei* Mann,1862; *minutus* Alpheraky,1876; *borzhomi* Zagulyaev,1987. 05 16 53 61
- 818) **Pterophorus ischnodactylus** (Treitschke,1835) (Pterophoridae) *ischnodactyla* Treitschke,1835; *actinodactyla* Chrétien,1891; *eburnella* Amsel,1968. 05 16 34 46
- 819) **Pterophorus pentadactylus** (Linnaeus,1758) (Pterophoridae) *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880. 04 05 06 08 14 16 24 31 34 42 44 46 50 58 61 76
- 820) **Pterophorus subalternans** (Lederer,1869) (Pterophoridae) *subalternans* Lederer,1869 16
- 821) **Stangeia siceliota** (Zeller,1847) (Pterophoridae) *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858. 07 09 16 34 36 38 44 50 58 76
- 822) **Stenoptilia arida** (Zeller,1847) (Pterophoridae) *arida* Zeller,1847; *oxyactis* Meyrick,1921; *elkefi* Arenberger,1984. 05 06 16
- 823) **Stenoptilia mannii** (Zeller,1852) (Pterophoridae) *mannii* Zeller,1852; *megalochroa* Meyrick,1930. 05 16 25 42 46 65
- 824) **Stenoptilia pterodactyla** (Linnaeus,1761) (Pterophoridae) *pterodactyla* Linnaeus,1761; *#pallida* Tutt,1906 05 16 46 73
- 825) **Stenoptilia stigmatodactyla** (Zeller,1852) (Pterophoridae) *stigmatodactyla* Zeller,1852 16 38
- 826) **Wheeleria obsoleta** (Zeller,1841) (Pterophoridae) *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970. 05 06 14 16 29 36 38 42 44 46 47 50 51 55 58 71 76
- 827) **Achyra nudalis** (Hübner,1796) (Pyalidae) *nudalis* Hübner,1796; *interpunctalis* Hübner,1796; *unipunctalis* Duponchel,1831; *bipunctalis* Duponchel,1831; *pauciferalis* Walker,1865; *nodalis* Gundlach,1891; *ochromorpha* Lower,1901 01 16 23 27 31 46 76
- 828) **Acrobasis bithynella** Zeller,1848 (Pyalidae) *bithynella* Zeller,1848; *minuscule* Turati,1930; *witteella* Roesler,1969. 05 16 34 42
- 829) **Acrobasis centunculella** (Mann,1859) (Pyalidae) *centunculella* Mann,1859 16 65
- 830) **Acrobasis obliqua** (Zeller,1847) (Pyalidae) *obliqua* Zeller,1847; *cinerascens* Turati,1927. 05 09 16 46
- 831) **Actenia honestalis** (Treitschke,1829) (Pyalidae) *honestalis* Treitschke,1829 05 16 31
- 832) **Aglossa caprealis** (Hübner,1809) (Pyalidae) *caprealis* Hübner,1809; *capreolatus* Haworth,1809; *aenalis* Costa,1836; *domalis* Guenée,1854; *incultella* Walker,1866; *enthealis* Hulst,1886; *#cuprealis* Kalchberg,1897 05 16 31 34 45
- 833) **Aglossa pinguinalis** (Linnaeus,1758) (Pyalidae) *pinguinalis* Linnaeus,1758; *marmorella* Geoffroy,1785; *marmoratella* Villers,1789; *pinguiculatus* Haworth,1809; *pinguinatus* Haworth,1809; *guicciardii* Constantino,1922 05 06 16 34 42 45
- 834) **Agriphila geniculea** (Haworth,1811) (Pyalidae) *geniculea* Haworth,1811; *imistella* Hübner,1813; *angulatellus* Duponchel,1836; *suspectellus* Zeller,1839. 05 16 58 65
- 835) **Agriphila inquinatella** ([Denis & Schiffermüller],1775) (Pyalidae) *inquinatella* [Denis & Schiffermüller],1775; *? arbustella* Schrank,1802; *nevadensis* Caradja,1910. 01 03 05 06 16 35 42 46 76
- 836) **Agriphila latistria** (Haworth,1811) (Pyalidae) *latistria* Haworth,1811; *gueneellus* Duponchel,1836; *monotaeniellus* Herrich-Schäffer,1852; *vectifer* Zeller,1863; *vallicolella* Costa,1885. 16 31
- 837) **Agriphila trabeatella** (Herrich-Schäffer,1848) (Pyalidae) *trabeatellus* Herrich-Schäffer,1848; *divisellus* Joannis,1888. 16
- 838) **Agrotera nemoralis** (Scopoli,1763) (Pyalidae) *nemoralis* Scopoli,1763 16 34 46
- 839) **Amaurophanes stigmosalis** (Herrich-Schäffer,1848) (Pyalidae) *stigmosalis* Herrich-Schäffer,1848 05 06 16 35 46
- 840) **Anania funebris** (Ström,1768) (Pyalidae) *funebris* Ström,1768; *octomaculata* Linnaeus,1771; *funeraria* Müller,1764; *atralis* Fabricius,1775; *guttalis* [Denis & Schiffermüller],1775; *octomaculalis* Treitschke,1828. 16
- 841) **Anania verbascata** (Fabricius,1787) (Pyalidae) *#verbascalis* [Denis & Schiffermüller],1775; *verbascata* Fabricius,1787; *parvalis* Osthelder,1934. 01 05 16 31 46
- 842) **Ancylolomia palpella** ([Denis & Schiffermüller],1775) (Pyalidae) *palpella* [Denis & Schiffermüller],1775; *sovinskii* Krulikovskiy,1909; *syriaca* Rebel,1911; *gracilella* Caradja,1916; *mesopotamica* Rebel,1918; *affinis* Rothschild,1921. 05 06 10 16 31 33 36 42 46 58 65 71
- 843) **Ancylolomia pectinatella** (Zeller,1847) (Pyalidae) *pectinatellus* Zeller,1847 05 06 16 31 34 35 42 46
- 844) **Ancylolomia tentaculella** (Hübner,1796) (Pyalidae) *tentaculella* Hübner,1796; *irakella* Amsel,1949. 03 05 06 16 22 31 35 46 50 71
- 845) **Ancylolomia albicosta** (Staudinger,1870) (Pyalidae) *albicosta* Staudinger,1870; *delimitella* Ragonot,1887; *niveicostella* Ragonot,1901. 16 46
- 846) **Ancylolomia (Heterographis) candidatella** (Lederer,1858) (Pyalidae) *candidatella* Lederer,1858; *fathmella* Oberthür,1888; *tenuigranella* Ragonot,1890. 03 06 16 21 42 46
- 847) **Ancylolomia (Heterographis) convexella** (Lederer,1855) (Pyalidae) *convexella* Lederer,1855; *albiciliella* Staudinger,1859; *favorinella* Zeller,1867 01 03 06 07 16 21 31 42 46 63
- 848) **Ancylolomia pectinatella** (Zeller,1867) (Pyalidae) *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabille,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952. 01 03 06 13 16 35 42 46 65
- 849) **Ancylolomia (Heterographis) gracilella** Ragonot,1887 (Pyalidae) *gracilella* Ragonot,1887; *subcandidatella* Ragonot,1887; *monostictella* Ragonot,1887; *casella* Chrétien,1910; *lybistina* Turati,1924; *dowsoniella* Richards & Thomson,1932. 06 16 21 38 42 46 71 76
- 850) **Ancylolomia (Heterographis) hellenica** (Staudinger,1870) (Pyalidae) *hellenica* Staudinger,1870; *deliciosella* Caradja,1910. 03 06 07 09 16 21 34 35 41 42 46 58 65 76
- 851) **Ancylolomia (Heterographis) muliebris** (Meyrick,1937) (Pyalidae) *muliebris* Meyrick,1937; *macedonica* Schawerda,1937. 05 16
- 852) **Ancylolomia (Heterographis) pyrethrella** (Herrich-Schäffer,1860) (Pyalidae) *pyrethrella* Herrich-Schäffer,1860; *strictella* Mann,1861; *ignibasella* Ragonot,1887; *inflammatella* Ragonot,1901; *trilineata* Amsel,1961. 05 16 42 46
- 853) **Ancylolomia (Heterographis) rhodochrella** (Herrich-Schäffer,1855) (Pyalidae) *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961. 01 03 05 06 07 16 21 31 42 46 58 71 76
- 854) **Ancylolomia (Heterographis) roscidella** (Eversmann,1844) (Pyalidae) *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* Warren,1888; *bartelevella* Caradja,1910; *benderella* Amsel,1961. 01 03 06 09 13 16 21 42 46 65 76
- 855) **Ancylolomia (Heterographis) samaritanella** (Zeller,1867) (Pyalidae) *samaritanella* Zeller,1867; *urbicella* Erschoff,1874; *biligulella* Ragonot,1887; *flavescentella* Chrétien,1910; *diminutella* Chrétien,1910; *cinnamomeifascia* Rothschild,1915; *lacroixella* Lucas,1939; *brevipalpella* Amsel,1954. 01 03 06 07 16 21 42 46
- 856) **Ancylolomia (Heterographis) xylina** (Staudinger,1870) (Pyalidae) *xylina* Staudinger,1870; *sablonella* Rothschild,1915; *molochinella* Zerny,1929. 03 06 13 16 42 46 65
- 857) **Ancylolomia (s.str.) cinnamomella** (Duponchel,1836) (Pyalidae) *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauriella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopenella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924. 01 03 05 06 09 13 14 16 21 26 31 34 42 46 47 65 71 76
- 858) **Ancylolomia (s.str.) maculifera** Staudinger,1870 (Pyalidae) *maculifera* Staudinger,1870; *ifraneella* Lucas,1954. 01 03 05 06 13 16 21 35 42 46 58 65 71 76
- 859) **Anerastia lotella** (Hübner,1813) (Pyalidae) *lotella* Hübner,1813 05 16 42

- 860) *Antigastra catalaunalis* (Duponchel,1833) (Pyrilidae) *catalaunalis* Duponchel,1833; *venosalis* Walker,[1866]; *#sionensis* Caradja,1929 01 07 16 31 46
- 861) *Aporodes floralis* (Hübner,[1809]) (Pyrilidae) *floralis* Hübner,[1809]; *grisealis* Caradja,1917. 01 05 06 16 23 42 44 46 58 61 65 76
- 862) *Asalebria (Exophora) florella* (Mann,1862) (Pyrilidae) *florella* Mann,1862 06 09 16 42 46 65
- 863) *Atralata albofascialis* (Treitschke,1829) (Pyrilidae) *albofascialis* Treitschke,1829 16
- 864) *Bradyrrhoa cantenerella* (Duponchel,1837) (Pyrilidae) *cantenerella* Duponchel,1837; *ravella* Heydenreich,1851; *subflavella* Ragonot,1887; *sardicoella* Schawerda,1936; *variegatella* Lucas,1948; *brunneella* Lucas,1955 05 06 16 31 46 65
- 865) *Bradyrrhoa confiniella* Zeller,1848 (Pyrilidae) *confiniella* Zeller,1848; *remotella* Mann,1867; *nubigerella* Ragonot,1893; *ifraneella* Lucas,1956; *ebertella* Roesler,1969 16 33 41 47
- 866) *Bradyrrhoa gilveolella* (Treitschke,1833) (Pyrilidae) *gilveolella* Treitschke,1833 01 05 06 13 16 22 23 29 51 38 42 44 46 51 58 65 71 77
- 867) *Bradyrrhoa trapezella* (Duponchel,1836) (Pyrilidae) *trapezella* Duponchel,1836; *cinerella* Duponchel,1836; *saxeella* Zeller,1848; *chalcidoniella* Herrisch-Schäffer,1851; *seniella* Staudinger,1879; *petryi* Schawerda,1933. 05 16 38 42 46 65
- 868) *Cadra abstersella* (Zeller,1847) (Pyrilidae) *abstersella* Zeller,1847; *liguriella* Amsel,1954. 16 21 42 46
- 869) *Cadra delattinella* Roesler,1965 (Pyrilidae) *delattinella* Roesler,1965 06 16 38 42 65
- 870) *Cadra furcatella* (Herrich-Schäffer,[1849]) (Pyrilidae) *furcatella* Herrich-Schäffer,[1849] 03 05 06 09 16 21 42 65 71
- 871) *Catoptria lithargyrella* (Hübner,1796) (Pyrilidae) *lithargyrella* Hübner,1796 12 16 18 25 76
- 872) *Catoptria mytilella* (Hübner,[1805]) (Pyrilidae) *mytilella* Hübner,[1805]; *vilarrubiae* Agenjo,1954. 16
- 873) *Catoptria pinella* (Linnaeus,1758) (Pyrilidae) *pinella* Linnaeus,1758; *virginella* Scopoli,1763. 05 16 33 81
- 874) *Catoptria verella* (Zincken,1817) (Pyrilidae) *verellus* Zincken,1817; *radiolana* Eversmann,1844. 16
- 875) *Chilo luteellus* (Motschulsky,1866) (Pyrilidae) *lutellus* Motschulsky,1860 nec [Denis & Schiff],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941. 01 05 06 16 25 36 42 46 58 76
- 876) *Chrysocrambus craterellus* (Scopoli,1763) (Pyrilidae) *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958. 01 05 06 14 16 22 36 37 38 39 40 46 48 50 58 69 71 76
- 877) *Chrysoteuchia culmella* (Linnaeus,1758) (Pyrilidae) *culmella* Linnaeus,1758; *strigella* Fabricius,1781; *hortuella* Hübner,1796; *cespitella* Hübner,1796; *caricetalis* Hübner,[1825]; *#hortellus* Zerny,1914; *#brunnea* Dufrane,1942. 14 16 30 61 71
- 878) *Conobathra tumidana* (Denis & Schiffermüller,1775) (Pyrilidae) *tumidana* [Denis & Schiffermüller],1775; *tumidalis* Hübner,[1825]; *rubrotibiella* Fischer v. Roeslerstamm,1839. 16 42 46
- 879) *Corcyra cephalonica* (Stainton,1866) (Pyrilidae) *cephalonica* Stainton,1866; *oconomellus* Mann,1872; *translineella* Hampson,1901; *theobromae* Dyar,1913; *lineata* Legrand,1965 16
- 880) *Crambus perlellus* (Scopoli,1763) (Pyrilidae) *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849. 14 16 24 25 42 51 58 65 69 76
- 881) *Crambus pratellus* (Linnaeus,1758) (Pyrilidae) *pratellus* Linnaeus,1758; *dumetellus* Hübner,[1813]; *saltalis* Hübner,[1825]. 07 16 81
- 882) *Cybalomia lutosalis* (Mann,1862) (Pyrilidae) *lutosalis* Mann,1862 16
- 883) *Cynaeda dentalis* (Denis & Schiffermüller,1775) (Pyrilidae) *dentalis* [Denis & Schiffermüller],1775; *ramalis* Fabricius,1787; *radiata* Esper,1788; *fulminans* Fabricius,1794; *dilutalis* De Lattin,1959 01 05 06 16 17 31 42 50 71
- 884) *Diasemia reticularis* (Linnaeus,1761) (Pyrilidae) *reticularis* Linnaeus,1761; *litterata* Scopoli,1763 06 16 52 53
- 885) *Diasemiopsis ramburialis* (Duponchel,1831) (Pyrilidae) *ramburialis* Duponchel,1831; *melaleucalis* Walker,1859; *reconditalis* Walker,[1866]; *leucophaealis* Walker,[1866]. 16 31 46
- 886) *Dioryctria sylvestrella* (Ratzeburg,1840) (Pyrilidae) *sylvestrella* Ratzeburg,1840; *splendidella* sensu auct. 16
- 887) *Dolicharthria bruguieralis* (Duponchel,1833) (Pyrilidae) *bruguieralis* Duponchel,1833; *coniotalis* Hampson,1903; *similalis* Rothschild,1915 01 05 06 07 16 32 46 65
- 888) *Dolicharthria punctalis* (Denis & Schiffermüller,1775) (Pyrilidae) *punctalis* [Denis & Schiffermüller],1775 01 05 06 14 16 39 42 46 65 71
- 889) *Donacula mucronella* (Denis & Schiffermüller,1775) (Pyrilidae) *mucronella* [Denis & Schiffermüller],1775 16
- 890) *Ebulea crocealis* (Hübner,1796) (Pyrilidae) *crocealis* Hübner,1796 16 46 58
- 891) *Ebulea testacealis* (Zeller,1847) (Pyrilidae) *testacealis* Zeller,1847 16
- 892) *Eccopisa effractella* Zeller,1848 (Pyrilidae) *effractella* Zeller,1848 16 58
- 893) *Ecpyrorrhoea diffusalis* (Guenée,1854) (Pyrilidae) *diffusalis* Guenée,1854; *tenuialis* Mann,1862. 01 05 06 16 38 42 47 60 65 71
- 894) *Ecpyrorrhoea rubiginalis* (Hübner,1796) (Pyrilidae) *rubiginalis* Hübner,1796 05 16 25 31 35 39 42 53
- 895) *Elophila nymphaeata* (Linnaeus,1758) (Pyrilidae) *nymphaeata* Linnaeus,1758; *potamogata* Linnaeus,1758; *rivulata* Scopoli,1763; *nymphaealis* [Denis & Schiffermüller],1775; *potamogalis* [Denis & Schiffermüller],1775; *obscuralis* Selys-Longchamps,1845; *potamogetalis* Reutti,1898 14 16
- 896) *Ematheudes punctellus* (Treitschke,1833) (Pyrilidae) *punctella* Treitschke,1833 01 05 06 16 27 31 33 34 35 38 42 46 71
- 897) *Endotricha flammealis* (Denis & Schiffermüller,1775) (Pyrilidae) *flammealis* [Denis & Schiffermüller],1775; *carnealis* De Lattin,1951. 01 05 06 07 16 31 34 42 46 58 65 71
- 898) *Ephelis cruentalis* (Geyer,[1832]) (Pyrilidae) *cruentalis* Geyer,[1832] 01 05 06 13 16 25 31 33 34 35 38 44 46 58 63 65 76
- 899) *Ephestia (Anagasta) welseriella* (Zeller,1848) (Pyrilidae) *welseriella* Zeller,1848; *modestella* Lederer,1863; *tephrinella* Lederer,1870; *rhenanella* Fuchs,1877; *suffusella* Ragonot,1901; *immodestella* Rebel,1916; *superbella* Lucas,1954; *capricola* Hampson,1927. 05 06 16 42 45 46 65 71
- 900) *Ephestia (s.str.) disparella* Hampson,1901 (Pyrilidae) *disparella* Hampson,1901; *rectifasciella* Turati,1913; *semicostella* Turati,1934. 01 03 05 06 07 09 16 21 34 35 42 46 76
- 901) *Ephestia (s.str.) elutella* (Hübner,1796) (Pyrilidae) *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumata* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965 05 06 16 34 46 76
- 902) *Epidauria transversariella* (Zeller,1848) (Pyrilidae) *transversariella* Zeller,1848 05 16
- 903) *Epischiaa cretaciella* Mann,1869 (Pyrilidae) *cretaciella* Mann,1869; *demartinella* Turati,1922. 05 16 46 76
- 904) *Epischiaa illotella* Zeller,1839 (Pyrilidae) *illotella* Zeller,1839 16 31 42
- 905) *Epischiaa leucoloma* (Herrich-Schäffer,[1849]) (Pyrilidae) *leucoloma* Herrich-Schäffer,[1849] 16 45 46
- 906) *Epischiaa prodromella* (Hübner,[1799]) (Pyrilidae) *prodromella* Hübner,[1799] 01 05 06 16 32 34 42 46 58 65
- 907) *Episcythrastis tabidella* (Mann,1864) (Pyrilidae) *tabidella* Mann,1864; *griseella* Ragonot,1887; *constanti* Ragonot,1893; *heringi* Hartig,1938; *demawendella* Zerny,1939 05 16 76
- 908) *Episcythrastis tetricella* (Denis & Schiffermüller,1775) (Pyrilidae) *tetricella* [Denis & Schiffermüller],1775; *tetrix* Fabricius,1798; *chrysorrhoeella* Zincken,1818; *plumbaginella* Eversmann,1844; *amurensis* Ragonot,1887; *alternella* Lewin,1942 16
- 909) *Etiella zinckenella* (Treitschke,1832) (Pyrilidae) *marginella* Fabricius,1781 nec Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879;

- madagascariensis* Saalmüller, 1880; *schisticolor* Zeller, 1881; *villosella* Hulst, 1887; *rubribasella* Hulst, 1890; *#tiella* Pinhey, 1975. 01 05 06 09 16 17 31 39 46 58 65 71
- 910) *Euchromius bellus* (Hübner, 1796) (Pylalidae) *bella* Hübner, 1796; *bellalis* Hübner, [1825]. 05 06 16 26 31 33 35 39 42 46 65 71 76
- 911) *Euchromius ocellus* (Haworth, [1811]) (Pylalidae) *ocella* Haworth, [1811]; *cyrilli* Costa, 1832; *fumiculella* Treitschke, 1832; *texana* Robinson, 1870; *gigantea* Turati, 1924; *quadrii* Ahmad, Zaidi & Kamaluddin, 1982 01 05 07 16 31 32 34 42 48 65 71 76
- 912) *Euchromius superbellus* (Zeller, 1849) (Pylalidae) *superbellus* Zeller, 1849; *wockeella* Zeller, 1863; *cypriusella* Amsel, 1958. 06 16 31 39 46 65 71 76
- 913) *Euclasta* (s.str.) *splendidalis* (Herrich-Schäffer, [1848]) (Pylalidae) *splendidalis* Herrich-Schäffer, [1848] 01 05 16 17 31 33 44 46 67
- 914) *Eudonia angustea* (Curtis, 1827) (Pylalidae) *angustea* Curtis, 1827 07 16 35
- 915) *Eurhodope* (s.str.) *monogrammos* (Zeller, 1867) (Pylalidae) *monogrammos* Zeller, 1867; *buxtoni* Rothschild, 1921; *homochromella* Amsel, 1961; *melanella* Roesler, 1969 01 05 06 16 31 33 42 46 50 71
- 916) *Eurhodope* (s.str.) *rosella* (Scopoli, 1763) (Pylalidae) *rosella* Scopoli, 1763; *pudoralis* Denis & Schifferrmüller, 1775; *pudorella* Hübner, 1796; *pudorana* Frölich, 1828 05 16 34
- 917) *Eurrhyncha hortulata* (Linnaeus, 1758) (Pylalidae) *hortulata* Linnaeus, 1758; *urticata* Linnaeus, 1761; *urticalis* [Denis & Schifferrmüller], 1775; *flavicauda* Retzius, 1783; *hortulana* Fourcroy, 1785. 05 14 16 81
- 918) *Eurrhyncha pollinalis* ([Denis & Schifferrmüller], 1775) (Pylalidae) *pollinalis* [Denis & Schifferrmüller], 1775; *bigutta* Esper, [1791]; *melissalis* Walker, 1859; *flavinotalis* Grote, 1881; *#obcaecatalis* Leraut & Luquet, 1985 05 06 14 16 32 39 42 46
- 919) *Euzophera* (s.str.) *bigella* (Zeller, 1848) (Pylalidae) *bigella* Zeller, 1848; *stenoptycha* Herrich-Schäffer, 1855; *bisinuella* Ragonot, 1887; *punicaeella* Moore, 1891; *immundella* Ragonot, 1901; *angulella* Chrétien, 1922; *renulella* Constantini, 1922 01 05 06 07 09 16 21 33 34 46 47 65 76
- 920) *Euzophera* (s.str.) *cinerosella* (Zeller, 1839) (Pylalidae) *cinerosella* Zeller, 1839; *incanella* Eversmann, 1844; *artemisiella* Stainton, 1859; *pimelella* Zerny, 1934. 06 16 46
- 921) *Euzophera* (s.str.) *osseatella* (Treitschke, 1832) (Pylalidae) *osseatella* Treitschke, 1832; *arcuatella* Ragonot, 1901. 16 46 47
- 922) *Euzophera* (s.str.) *rubricetella* (Herrich-Schäffer, 1855) (Pylalidae) *rubricetella* Herrich-Schäffer, [1856] 16 46
- 923) *Euzopherodes charlottae* (Rebel, 1914) (Pylalidae) *charlottae* Rebel, 1914; *nigrolineella* Zerny, 1936. 16 46
- 924) *Euzopherodes vapidella* (Mann, 1857) (Pylalidae) *vapidella* Mann, 1857; *tenebrosa* Zeller, 1867; *lutescentella* Chrétien, 1911; *xylobrunnea* Amsel, 1951. 05 16 23 34 35 46 47
- 925) *Evergestis aenealis* ([Denis & Schifferrmüller], 1775) (Pylalidae) *aenealis* [Denis & Schifferrmüller], 1775; *furvalis* Hübner, 1796; *rufimitralis* Hübner, 1796; *nigralis* Schrank, 1802; *mitralis* Hübner, [1825] 05 16 46
- 926) *Evergestis caesialis* Herrich-Schäffer, [1855] (Pylalidae) *caesialis* Herrich-Schäffer, [1855] 16 46
- 927) *Evergestis forficalis* (Linnaeus, 1758) (Pylalidae) *forficalis* Linnaeus, 1758; *trivialis* Scopoli, 1763; *forficatus* Fabricius, 1798; *sodalis* Butler, 1878 05 16 17 53
- 928) *Evergestis frumentalis* (Linnaeus, 1761) (Pylalidae) *frumentalis* Linnaeus, 1761 05 06 08 16 17 32 38 42 65 71 76
- 929) *Evergestis limbata* (Linnaeus, 1767) (Pylalidae) *limbata* Linnaeus, 1767; *praetextalis* Hübner, [1825]; *limbalis* Hübner, [1825]; *delimbata* Osthelder, 1940 16 46 51
- 930) *Evergestis politalis* ([Denis & Schifferrmüller], 1775) (Pylalidae) *politalis* [Denis & Schifferrmüller], 1775; *pictoralis* Fabricius, 1794; *bicoloralis* La Harpe, 1861; *maroccana* Lucas, 1955 05 06 16 38
- 931) *Evergestis segetalis* (Herrich-Schäffer, 1851) (Pylalidae) *segetalis* Herrich-Schäffer, 1851 05 16 29 42 46
- 932) *Evergestis sophialis* (Fabricius, 1787) (Pylalidae) *sophialis* Fabricius, 1787; *variegalis* Fabricius, 1787; *sophiae* Fabricius, 1798 14 16 30 33 76
- 933) *Evergestis umbrosalis* (Fischer v. Röslerstamm, [1842]) (Pylalidae) *umbrosalis* Fischer v. Röslerstamm, [1842] 05 06 14 16 31 34 46 51 65
- 934) *Galleria mellonella* (Linnaeus, 1758) (Pylalidae) *mellonella* Linnaeus, 1758; *cereana* Blom, 1764; *cerella* Fabricius, 1775; *cerea* Haworth, 1811; *cerealis* Hübner, [1825]; *obliqueella* Walker, 1866; *austrina* R. Felder & Rogenhofer, 1875; *#crombruggheella* Dufrane, 1930. 05 06 07 16 34 38 42 46 51
- 935) *Heliothela wulfeniana* (Scopoli, 1763) (Pylalidae) *wulfeniana* Scopoli, 1763; *atralis* Hübner, 1788 nec Fabr., 1775; *coerulealis* Caradja, 1917; *huebneri* Koçak, 1980. 05 16 31 33 46
- 936) *Hellula undalis* (Fabricius, 1781) (Pylalidae) *undalis* Fabricius, 1781; *lunulalis* Costa, 1836; *alconalis* Walker, 1859; *exemptalis* Walker, [1866]; *geyri* Rothschild, 1915; *occidentalis* De Joannis, 1930; *reniculus* Pajni & Rose, 1977 16 31 46
- 937) *Homoeosoma* (Anhomoeosoma) *nimbellum* (Duponchel, 1837) (Pylalidae) *nimbella* Duponchel, 1837; *homoeosomella* Zerny, 1926; *snellenella* Bentick, 1930. 01 05 06 12 16 38 46
- 938) *Homoeosoma* (s.str.) *nebulellum* ([Denis & Schifferrmüller], 1775) (Pylalidae) *nebulella* [Denis & Schifferrmüller], 1775; *nebulea* Haworth, 1811; *muscardalis* Hübner, [1813]. 05 16 71
- 939) *Homoeosoma* (s.str.) *sinuella* (Fabricius, 1794) (Pylalidae) *sinuella* Fabricius, 1794; *sinuatus* Fabricius, 1794; *elongella* Hübner, [1813]; *gemina* Haworth, 1811; *flavella* Duponchel, 1836; *gioferella* Turati, 1934. 01 05 06 07 13 16 21 39 44 46 58 65 70 71 76
- 940) *Homoeosoma* (s.str.) *subalbatellum* (Mann, 1864) (Pylalidae) *subalbatella* Mann, 1864 03 06 07 16 31 35 38 39 42 46
- 941) *Hyperlais nemausalis* (Duponchel, 1834) (Pylalidae) *nemausalis* Duponchel, 1834 16 42 45
- 942) *Hypochalcia ahenella* ([Denis & Schifferrmüller], 1775) (Pylalidae) *ahenella* [Denis & Schifferrmüller], 1775; *aeneella* Hübner, 1796; *obscuratus* Haworth, 1809; *tetrix* Haworth, 1811; *ahenalis* Hübner, [1825]; *rubiginella* Treitschke, 1833; *bistrigella* Duponchel, 1836; *luridella* Schläger, 1845; *caucasica* Ragonot, 1893; *lugubrella* Hering, 1924 05 06 16 65 76
- 943) *Hypotia corticalis* ([Denis & Schifferrmüller], 1775) (Pylalidae) *corticalis* [Denis & Schifferrmüller], 1775 16
- 944) *Hypsopygia costalis* (Fabricius, 1775) (Pylalidae) *costalis* Fabricius, 1775; *#lugens* Rebel, 1903; *syriaca* Zerny, 1914; *lugens* Caradja, 1917. 06 16 31 38 39 46 65 76
- 945) *Hypsotropa limbella* Zeller, 1848 (Pylalidae) *limbella* Zeller, 1848 05 16 65 76
- 946) *Isauria dilucidella* (Duponchel, 1836) (Pylalidae) *dilucidella* Duponchel, 1836; *ilignella* Zeller, 1839; *laternella* Eversmann, 1844; *crepusculella* Lederer, 1870; *incredibilis* Staudinger, 1879; *subsortitella* Ragonot, 1887; *satanella* Ragonot, 1887; *odontella* Ragonot, 1893; *ledereri* Ragonot, 1893; *cuencella* Caradja, 1916; *gabaliella* Chrétien, 1931; *grisescens* Lucas, 1950; *parvella* Amsel, 1951; *shahidanella* Amsel, 1970 05 06 13 16 25 32 38 42 46 47 50 53 58 65 71
- 947) *Loxostege aeruginalis* (Hübner, 1796) (Pylalidae) *aeruginalis* Hübner, 1796 05 16
- 948) *Loxostege turbidalis* (Treitschke, 1829) (Pylalidae) *turbidalis* Treitschke, 1829 16
- 949) *Margaritita sticticalis* (Linnaeus, 1761) (Pylalidae) *lupulina* Clerk, 1759 nec Linn., 1758; *sticticalis* Linnaeus, 1761; *miana* Müller, 1764; *sylvata* Panzer, 1804; *tetragonalis* Haworth, 1811 05 16 17 34 39 42 46
- 950) *Mecyna asinalis* (Hübner, [1819]) (Pylalidae) *asinalis* Hübner, [1819] 16
- 951) *Mecyna biternalis* (Mann, 1862) (Pylalidae) *biternalis* Mann, 1862 16
- 952) *Mecyna flavalis* ([Denis & Schifferrmüller], 1775) (Pylalidae) *flavalis* [Denis & Schifferrmüller], 1775. 05 06 16 42 45
- 953) *Metallostichia argyrogrammos* (Zeller, 1847) (Pylalidae) *argyrogrammos* Zeller, 1847 05 06 16 38 42 45 46 48 65
- 954) *Metallostichodes bicolorella* (Heinemann, 1864) (Pylalidae) *bicolorella* Heinemann, 1864 16
- 955) *Metasia* (Clasperia) *ophialis* (Treitschke, 1829) (Pylalidae) *ophialis* Treitschke, 1829; *parvalis* Caradja, 1917. 01 05 16 44 46

- 956) *Metasia* (s.str.) *carnealis* (Treitschke,1829) (Pyalidae) *carnealis* Treitschke,1829 05 06 16 06 31 42 65 71
- 957) *Metasia* (s.str.) *suppandalis* (Hübner,[1823]) (Pyalidae) *suppandalis* Hübner,[1823] 05 06 16 17 34 35 42 45 58 71 76
- 958) *Metaxmeste* *sericatalis* (Herrich-Schäffer,1848) (Pyalidae) *sericatalis* Herrich-Schäffer,[1848] 16 31 34 46
- 959) *Mimudea* *institalis* (Hübner,[1819]) (Pyalidae) ? *focorum* Fourcroy,1785; *institalis* Hübner,[1819]; *rutana* Vallot,1829; *ferreralis* Duponchel,1833 05 06 16 23 65
- 960) *Mimudea* *languidalis* (Eversmann,1842) (Pyalidae) *languidalis* Eversmann,1842 05 16 47 76
- 961) *Mutuaraia* *terrealis* (Treitschke,1829) (Pyalidae) *terrealis* Treitschke,1829 16
- 962) *Myelois* (Gnathogutta) *umbratella* (Treitschke,1832) (Pyalidae) *umbratella* Treitschke,1832; *ossicolor* Ragonot,1893; *unipunctella* Chrétien,1911 16 31 46 47
- 963) *Nomophila* *noctuella* ([Denis & Schiffermüller],1775) (Pyalidae) *noctuella* [Denis & Schiffermüller],1775 01 05 06 11 14 16 17 31 32 34 37 38 39 46 58 65 71
- 964) *Nyctegretis* *lineana* (Scopoli,1786) (Pyalidae) *lineana* Scopoli,1786; *achatinella* Hübner,[1824]. 06 07 16 21 33 34 46 71 76
- 965) *Oncocera* *semirubella* (Scopoli,1763) (Pyalidae) *semirubella* Scopoli,1763; *rosella* nec Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916 05 06 09 14 16 17 46 65 71 81
- 966) *Ortholepis* *betulae* (Goeze,1778) (Pyalidae) *betulae* Goeze,1778 16
- 967) *Orthopygia* *glaucoinalis* (Linnaeus,1758) (Pyalidae) *glaucoinalis* Linnaeus,1758 16 34 76
- 968) *Orthopygia* *incarnatalis* Zeller,1847 (Pyalidae) *incarnatalis* Zeller,1847 16 42 46
- 969) *Orthopygia* *rubidalis* ([Denis & Schiffermüller],1775) (Pyalidae) *rubidalis* [Denis & Schiffermüller],1775 05 16 38
- 970) *Ostrinia* *nubilalis* (Hübner,1796) (Pyalidae) *nubilalis* Hübner,1796; *silacealis* Hübner,1796. 01 05 07 16 32 53 58 65
- 971) *Oxybia* *transversella* (Duponchel,1836) (Pyalidae) *transversella* Duponchel,1836; *bituminella* Millière,1870; *panorminatella* Caradja,1928. 05 09 16 33 42 46
- 972) *Palpita* *unionalis* (Hübner,1796) (Pyalidae) *unionalis* Hübner,1796; *quinquepunctalis* Boisduval,1833; *transvisalis* Guenée,1854; *septempunctalis* Mabilie,1880 01 16 17 34 46
- 973) *Panstegia* *limbopunctalis* (Herrich-Schäffer,[1849]) (Pyalidae) *limbopunctalis* Herrich-Schäffer,[1849] 05 06 16 33 38 42 46 58 65
- 974) *Paracorsia* *repandalis* ([Denis & Schiffermüller],1775) (Pyalidae) *repandalis* [Denis & Schiffermüller],1775 05 06 16 38 42 45 46 65 76
- 975) *Paramaxillaria* *meretrix* (Staudinger,1879) (Pyalidae) *meretrix* Staudinger,1879; *trifracta* Turati,1930. 16 41
- 976) *Paratalanta* *hyalinalis* (Hübner,1796) (Pyalidae) *hyalinalis* Hübner,1796 05 16 58 65
- 977) *Paratalanta* *pandalis* (Hübner,[1825]) (Pyalidae) *pandalis* Hübner,[1825] 16
- 978) *Pediasia* *contaminella* (Hübner,1796) (Pyalidae) *contaminella* Hübner,1796; *squalidalis* Hübner,[1825]; *cantiellus* Tutt,1886. 06 16 39 42 46 59 76
- 979) *Pediasia* *desertella* (Lederer,1855) (Pyalidae) *desertellus* Lederer,1855 16 46 63
- 980) *Pediasia* *fascinelina* (Hübner,[1813]) (Pyalidae) *fascinelina* Hübner,[1813]; *treitschkeella* Sodoffsky,1830 05 16
- 981) *Pediasia* *luteella* ([Denis & Schiffermüller],1775) (Pyalidae) *luteella* [Denis & Schiffermüller],1775; *exoletella* [Denis & Schiffermüller],1775; *exsoletella* Hübner,1796; *ochrella* Hübner,1796; *kindermannii* Zeller,1863; *uhryki* Rothschild,1911. 05 06 16 42
- 982) *Pempelia* *formosa* (Haworth,[1811]) (Pyalidae) *formosa* Haworth,[1811]; *perfluella* Zincken,1818; *dibaphiella* Geyer,[1836]; *dubiella* Duponchel,1836; *formosella* Doubleday,1859. 05 09 16
- 983) *Pempelia* *thymiella* Zeller,1846 (Pyalidae) *thymiella* Zeller,1846 05 16
- 984) *Pempeliella* *dilutella* ([Denis & Schiffermüller],1775) (Pyalidae) *dilutella* [Denis & Schiffermüller],1775; *magna* Amsel,1953 06 16 34
- 985) *Pempeliella* *sororiella* (Zeller,1839) (Pyalidae) *sororiella* Zeller,1839 06 16 34 42 46
- 986) *Phlyctaenia* *coronata* (Hufnagel,1767) (Pyalidae) *coronata* Hufnagel,1767; *sambucalis* [Denis & Schiffermüller],1775; *aureomaculata* Goeze,1781; *sambuci* Retzius,1783; *sambucata* Fabricius,1787. 16
- 987) *Phlyctaenia* *perlucidalis* (Hübner,[1809]) (Pyalidae) *perlucidalis* Hübner,[1809] 16
- 988) *Phycita* *meliella* (Mann,1864) (Pyalidae) *meliella* Mann,1864 16 35 46
- 989) *Phycita* *metzneri* (Zeller,1846) (Pyalidae) *metzneri* Zeller,1846 09 16 42 46
- 990) *Phycitodes* *albatella* (Ragonot,1887) (Pyalidae) *albatella* Ragonot,1887 01 03 06 16 21 38 42 44 46 65 71
- 991) *Phycitodes* *inquinatella* (Ragonot,1887) (Pyalidae) *inquinatella* Ragonot,1887 03 05 06 09 16 38 46
- 992) *Phycitodes* *lacteella* (Rothschild,1915) (Pyalidae) *lacteella* Rothschild,1915; *viettella* Roesler,1965. 03 06 09 13 16 31 34 38 42 46 65 71
- 993) *Phycitodes* *nigrilimbella* (Ragonot,1887) (Pyalidae) *nigrilimbella* Ragonot,1887 06 16 31 42 46 50 65 71
- 994) *Pleuroptya* *balteata* (Fabricius,1798) (Pyalidae) *balteata* Fabricius,1798; *crocealis* Duponchel,1831; *aurantiacalis* Fischer v. Roeslerstamm,1840; *accipitalis* Walker,[1866]; *aurea* Butler,1879; *fraterna* Moore,1886; *evergestialis* Strand,1918. 16 46
- 995) *Pleuroptya* *ruralis* (Scopoli,1763) (Pyalidae) *ruralis* Scopoli,1763 05 16 34 46 81
- 996) *Plodia* *interpunctella* (Hübner,[1813]) (Pyalidae) *interpunctella* Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856; *castaneella* Reutti,1898; *latercula* Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932. 05 06 16 35 65
- 997) *Psammotis* *pulveralis* (Hübner,1796) (Pyalidae) *pulveralis* Hübner,1796 05 06 16 42 45 65 71
- 998) *Pyla* *fusca* (Haworth,[1811]) (Pyalidae) *fusca* Haworth,[1811] 05 16 31
- 999) *Pyralis* *farinalis* (Linnaeus,1758) (Pyalidae) *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 nec Fabr.,1794. 05 06 16 17 31 34 38 39 46 65
- 1000) *Pyralis* *regalis* [Denis & Schiffermüller],1775 (Pyalidae) *regalis* [Denis & Schiffermüller],1775 06 16 31 33 34 46 65
- 1001) *Pyrausta* (Haematia) *castalis* Treitschke,1829 (Pyalidae) *castalis* Treitschke,1829 05 06 16 30 37 42 71
- 1002) *Pyrausta* (Haematia) *cingulata* (Linnaeus,1758) (Pyalidae) *cingulata* Linnaeus,1758; *aethiopata* Scopoli,1763; *cingulalis* [Denis & Schiffermüller],1775; *eremitica* Fourcroy,1785; *vittalis* La Harpe,1864; *apenninalis* Costantini,1923 05 06 16 17 34
- 1003) *Pyrausta* (Haematia) *despicata* (Scopoli,1763) (Pyalidae) *despicata* Scopoli,1763; *cespitalis* [Denis & Schiffermüller],1775. 05 06 11 13 14 16 17 24 25 32 33 34 42 46 51 65 71
- 1004) *Pyrausta* (Haematia) *sanguinalis* (Linnaeus,1767) (Pyalidae) *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,[1819] 05 06 07 16 17 30 31 33 34 39 54 69 71
- 1005) *Pyrausta* (Haematia) *virginalis* (Duponchel,1832) (Pyalidae) *virginalis* Duponchel,1832; *auroralis* Zeller,1847; *neglectalis* Caradja,1916 01 05 06 16 31 32 38 42 58 65 71 76
- 1006) *Pyrausta* (s.str.) *aurata* (Scopoli,1763) (Pyalidae) *aurata* Scopoli,1763; *punicealis* [Denis & Schiffermüller],1775; *niepoldalis* Lederer,1863 01 05 06 14 16 23 71
- 1007) *Pyrausta* (s.str.) *nigrata* (Scopoli,1763) (Pyalidae) *nigrata* Scopoli,1763; *podaella* Fabricius,1781; *funigera* Fourcroy,1785; *anguinalis* Hübner,1796; *fascialis* Schrank,1802 nec Hbn.,1796 05 16
- 1008) *Pyrausta* (s.str.) *obfuscata* (Scopoli,1763) (Pyalidae) *obfuscata* Scopoli,1763; *fuscorubella* Goeze,1783; *bimaculosa* Fourcroy,1785; *rubralis* Villers,1789; *pygmeal* Duponchel,1833; *fucatalis* Treitschke,1835; *atrosanguinalis* Eversmann,1842 05 16 65
- 1009) *Pyrausta* (s.str.) *purpuralis* (Linnaeus,1758) (Pyalidae) *purpuralis* Linnaeus,1758; *inflammata* Scopoli,1763; *purpuraria* Latreille,[1803]; *confundalis* Zetterstedt,1839; *chermesinalis* Guenée,1854; *melanalis* Caradja,1916 05 07 16 17 39 61
- 1010) *Sciota* (s.str.) *insignella* (Mann,1862) (Pyalidae) *insignella* Mann,1862 05 06 16 46 65

- 1011) **Scoparia ambigialis (Treitschke,1829)** (Pyrilidae) *ambigialis* Treitschke,1829; *erralis* Guenée,1854; *atomalis* Stainton,1855; *asphodeliella* La Harpe,1855; *aestiva* Speyer,1867; *#aeniatella* Teich,1889; *#crossi* Banks,1909 05 16 46
- 1012) **Scoparia perplexella (Zeller,1839)** (Pyrilidae) *perplexella* Zeller,1839; *perplexalis* Guenée,1854 16
- 1013) **Scoparia pyralella ([Denis & Schiffermüller],1775)** (Pyrilidae) *pyralella* [Denis & Schiffermüller],1775; *arundinata* Thunberg,1792; *dubitalis* Hübner,1796; *dubita* Haworth,1811; *pyralea* Haworth,1811; *dubitellus* Zincken,1817; *tristrigella* Stephens,1834; *pyralalis* Guenée,1854; *purbeckensis* Banks,1889; *australis* Müller-Rutz,1920; *vesubiella* Marion,1976 05 16
- 1014) **Selagia argyrella ([Denis & Schiffermüller],1775)** (Pyrilidae) *argyrella* [Denis & Schiffermüller],1775; *janthinella* Hübner,[1813]. 05 16
- 1015) **Selagia subochrella (Herrich-Schäffer,1849)** (Pyrilidae) *subochrella* Herrich-Schäffer,1849 05 06 16
- 1016) **Sitochroa palealis ([Denis & Schiffermüller],1775)** (Pyrilidae) ? *flaveolata* Hufnagel,1767; *palealis* [Denis & Schiffermüller],1775; *stigmatalis* Villers,1789; *selenalis* Hübner,[1819] 06 14 16 37 42 46 58 65
- 1017) **Sitochroa verticalis (Linnaeus,1758)** (Pyrilidae) *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829 01 05 06 16 25 32 42 46 65 71
- 1018) **Staudingeria (s.str.) deserticola (Staudinger,1870)** (Pyrilidae) *deserticola* Staudinger,1870 16 21 42 46
- 1019) **Stemmatophora combustalis (Fischer v. Röslerstamm,[1842])** (Pyrilidae) *combustalis* Fischer v. Röslerstamm,[1842]. 06 16 46
- 1020) **Synaphe antennalis (Fabricius,1794)** (Pyrilidae) *antennalis* Fabricius,1794; *connectalis* Hübner,1796 16
- 1021) **Synaphe moldavica (Esper,[1789])** (Pyrilidae) *moldavica* Esper,[1789]; *schmidt* Hartig,1941. 05 06 07 16 17 22 25 31 32 34 35 38 42 45 46 48 58 71
- 1022) **Synoria antiquella (Herrich-Schäffer,[1855])** (Pyrilidae) *antiquella* Herrich-Schäffer,[1855] 05 16 42 46 76
- 1023) **Talis quercella ([Denis & Schiffermüller],1775)** (Pyrilidae) *#quercella* [Denis & Schiffermüller],1775; *noctuella* Hübner,1796; *neglectella* Hübner,[1824]. 06 16 17 26 42
- 1024) **Tegostoma comparalis (Hübner,1796)** (Pyrilidae) *comparalis* Hübner,1796; *ramalis* Hübner,1796; *tenebrosalis* Walker,1865; *#comparale* Caradja,1917. 16 42 45 46 58 71 76
- 1025) **Therapne obsoletalis (Mann,1864)** (Pyrilidae) *obsoletalis* Mann,1864 16 46
- 1026) **Thisanotia chrysonuchella (Scopoli,1763)** (Pyrilidae) *chrysonuchella* Scopoli,1763; *gramella* Fabricius,1781; *campella* Hübner,1793; *dilutior* Alpheraky,1877. 06 16 17
- 1027) **Titanio normalis (Hübner,1796)** (Pyrilidae) *normalis* Hübner,1796; *ancyrensis* Hofmann,[1898]. 05 06 16 32 42 45 46 58 65 71 76
- 1028) **Titanio venustalis (Lederer,1855)** (Pyrilidae) *venustalis* Lederer,1855 05 16 42 65
- 1029) **Trachycera dulcella (Zeller,1848)** (Pyrilidae) *dulcella* Zeller,1848 05 16 42 46 47 51
- 1030) **Trachycera legatella (Haworth,[1811])** (Pyrilidae) *legatella* Haworth,[1811]; *legatella* Hübner,1796 *nec* [Den. & Schiff.],1775; *legatalis* Hübner,[1825] 05 16 42 46 58
- 1031) **Trachycera marmorea (Haworth,[1811])** (Pyrilidae) *marmorea* Haworth,[1811]; *epelydella* Zeller,1839; *marmorella* Doubleday,1859 05 16 46
- 1032) **Udea ferrugalis (Hübner,1796)** (Pyrilidae) *ferruginalis* Rossi,1794; *ferrugalis* Hübner,1796; *#ferugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879 03 05 06 07 14 16 17 31 32 33 34 35 38 42 44 46 58 65 71
- 1033) **Udea fimbriatralis (Duponchel,1834)** (Pyrilidae) *fimbriatralis* Duponchel,1834 01 05 06 16 31 38 42 46 76
- 1034) **Udea fulvalis (Hübner,[1809])** (Pyrilidae) *fulvalis* Hübner,[1809]; *pronoidalis* Staudinger,1879 05 14 16 71
- 1035) **Udea numeralis (Hübner,1796)** (Pyrilidae) *numeralis* Hübner,1796; *simplicella* La Harpe,1861 16 45
- 1036) **Uresiphita polygonalis ([Denis & Schiffermüller],1775)** (Pyrilidae) *polygonalis* [Denis & Schiffermüller],1775; *#limbalis* [Denis & Schiffermüller],1775; *gilvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadalis* Guenée,1854; *deprivalis* Walker,1859; *virescens* Butler,1881; *ochrocrossa* Clarke,1971 05 16 31 45 46 65 71
- 1037) **Xanthocrambus saxonellus (Zincken,1821)** (Pyrilidae) *saxonellus* Zincken,1821; *chrysellus* Treitschke,1832; *carentellus* Christoph,1888 05 06 16 42 65 76
- 1038) **Saturnia (Heraea) pavonia (Linnaeus,1758)** (Saturniidae) *pavonia* Linnaeus,1758; *pavoniella* Scopoli,1763; *carpini* Denis & Schiffermüller,1775; *pavunculus* Retzius,1783 05 16 25 34
- 1039) **Saturnia (Perisomena) caecigena (Kupido,1825)** (Saturniidae) *caecigena* Kupido,1825; *unicolor* Schultz,1910; *wiskotti* Niepelt,1914; *derosata* Schawerda,1914; *transcaucasica* O.Bang-Haas,1927; *parviocellata* Friedel,1968 04 05 06 07 12 16 22 25 33 35 42 60 71
- 1040) **Saturnia (s.str.) pyri ([Denis & Schiffermüller],1775)** (Saturniidae) *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980. 05 06 07 10 13 15 16 17 19 22 26 28 30 32 33 38 42 44 46 47 50 53 58 64 65 76
- 1041) **Arethusana arethusa ([Denis & Schiffermüller],1775)** (Satyridae) *arethusa* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Koçak,1975 (*sensu* Hesselbarth et al.,1995: 917). 03 04 05 06 07 08 10 11 13 14 16 19 20 22 24 25 26 29 30 32 33 35 36 38 39 42 50 51 53 58 60 65 66 69 70 71 76
- 1042) **Brintesia circe (Fabricius,1775)** (Satyridae) *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladettiae* Varin,1962. 01 03 05 06 07 08 10 11 13 15 16 17 18 20 21 22 24 25 27 29 30 31 32 33 34 35 36 37 39 42 43 45 46 47 48 51 53 56 58 60 62 64 67 70 71 72 73 76
- 1043) **Chazara (Neochazara) anthe (Hoffmannsegg,1804)** (Satyridae) *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807. 01 02 03 04 05 06 07 13 14 16 19 21 23 24 25 26 29 30 33 36 37 38 40 42 43 44 46 47 50 51 58 60 62 65 66 68 70 71 74 75 76 81
- 1044) **Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 46 47 48 49 50 51 53 55 56 58 60 62 63 64 65 66 68 69 70 71 73 74 76 80
- 1045) **Coenonympha arcania (Linnaeus,1761)** (Satyridae) *arcania* Linnaeus,1761; *amyntas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *triumphans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935. 03 05 06 08 10 14 16 17 18 25 26 29 34 36 37 39 42 43 52 55 57 58 60 66 67 75 76 81
- 1046) **Coenonympha leander (Fabricius,1787)** (Satyridae) *#leander* Esper,[1784]; *leander* Fabricius,1787 03 04 05 06 07 08 16 24 25 29 30 36 42 51 60 65 69 76
- 1047) **Coenonympha pamphilus (Linnaeus,1758)** (Satyridae) *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950 01 03 04 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 73 74 75 76 77 81
- 1048) **Erebia ottomana Herrich-Schäffer,[1847]** (Satyridae) *ottomana* Herrich-Schäffer,[1847] 16 25 29 37 52 61
- 1049) **Esperarge (s.str.) clymene (Fabricius,1787)** (Satyridae) *#clymene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819]. 04 05 06 07 08 12 13 16 19 23 24 25 29 30 36 38 40 42 44 46 49 56 58 60 62 65 66 69 71 73 75 76

- 1050) **Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kosswigi* De Lattin,1950. 01 02 03 04 05 06 07 08 09 10 11 16 17 20 21 23 24 25 27 30 31 32 33 34 35 36 39 42 43 44 45 46 48 50 51 57 58 60 62 65 70 71 74 75 77 80
- 1051) **Hipparchia (Neohipparchia) statilinus (Hufnagel,1766)** (Satyridae) *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 *nec* Drury,1773; *allionia* Fabricius,1781; *actaea sensu* Villers,1789; *arachne* Esper,1789 *nec* Denis & Schiff.,1775; *allionii* Hübner,1826, etc. 01 03 05 06 07 08 10 11 13 14 16 17 19 20 22 23 25 26 29 30 33 34 35 36 38 39 41 42 43 46 50 58 60 65 66 67 70 71 76 81
- 1052) **Hipparchia (Parahipparchia) aristaeus (Bonelli,1826)** (Satyridae) *aristaeus* Bonelli,1826; *sardoa* Spuler,1908; *rautheri* Krause,1912; *ichnusa* Hemming,1931; *algorica* auct. 01 03 05 06 07 09 11 14 16 17 18 20 22 26 27 31 32 33 34 35 37 39 40 42 43 45 46 48 51 58 60 66 67 70 71 75 80
- 1053) **Hipparchia (Parahipparchia) mersina (Staudinger,1871)** (Satyridae) *mersina* Staudinger,1871; *malickyi* Kudrna,1977. 01 07 10 16 17 27 31 32 33 34 35 42 45 46 48 51 70 80
- 1054) **Hipparchia (s.str.) syriaca (Staudinger,1871)** (Satyridae) *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959. 01 03 05 06 07 08 09 10 11 12 13 14 15 16 17 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 47 48 51 55 58 60 62 64 65 66 68 71 72 73 74 75 76 77 80
- 1055) **Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) *lupina* Costa,[1836] 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 55 56 58 60 62 63 64 65 66 67 69 70 71 72 73 76 80
- 1056) **Hyponephele (s.str.) lycaon (Rottemburg,1775)** (Satyridae) *lycaon* Rottemburg,1775; *#lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800. 01 02 03 04 07 08 09 11 12 13 14 15 16 20 21 23 24 25 26 27 29 30 32 33 35 36 38 42 43 44 46 47 48 49 50 51 56 60 62 63 65 70 73 75 76
- 1057) **Idata cecilia (Vallantin,1894)** (Satyridae) *ida* Esper,1784 *nec* Cramer,1775; *cecilia* Vallantin,1894; *aphrodite* Hemming,1934. 05 16 34
- 1058) **Kirinia (Melike) roxelana (Cramer,[1777])** (Satyridae) *roxelana* Cramer,[1777] 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 19 20 21 22 23 25 26 27 29 30 31 32 33 34 35 38 39 42 43 44 45 46 47 48 49 51 55 56 59 60 62 65 66 71 72 73
- 1059) **Lasiommata maera (Linnaeus,1758)** (Satyridae) *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 46 47 48 50 51 53 56 57 58 60 61 62 65 66 67 68 71 73 74 76 80
- 1060) **Lasiommata megera (Linnaeus,1767)** (Satyridae) *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923. 01 02 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 26 27 28 30 31 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 67 70 71 72 73 74 76 77 80
- 1061) **Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801. 01 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 74 75 76 77 80 81
- 1062) **Melanargia (s.str.) galathea (Linnaeus,1758)** (Satyridae) *galathea* Linnaeus,1758; *leucomelas* Esper,1783; *leucomelanos* Fourcroy,1785; *galene* Ochsenheimer,1807; *bitorensis* Guillemot,1858; *pygmaea* Fruhstorfer,1916; *malmmediensis* Derenne,1926; *xanthonica* Varin,1948. 05 06 08 10 11 14 16 17 18 19 24 25 26 28 34 36 37 39 43 54 55 58 59 60 61 64 66 67 75 76 81
- 1063) **Pararge aegeria (Linnaeus,1758)** (Satyridae) *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908. 01 05 06 07 08 09 11 13 14 15 16 17 18 20 21 25 27 28 29 30 31 32 33 34 35 38 41 42 44 46 47 48 52 53 55 60 61 67 73 74 77 81
- 1064) **Pseudochazara (Achazara) anthelea (Hübner,[1824])** (Satyridae) *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973. 01 02 03 05 06 07 08 10 11 12 13 14 15 16 18 19 20 21 23 24 25 26 29 31 32 33 35 36 37 38 40 42 43 44 45 46 48 49 50 51 55 56 58 60 62 63 64 65 66 68 69 70 71 72
- 1065) **Pseudochazara (s.str.) beroe (Freyer,[1843])** (Satyridae) *beroe* Freyer,[1843] 01 03 04 06 07 08 13 16 24 25 29 30 32 33 34 36 38 42 44 46 51 53 58 60 65 69 70 76
- 1066) **Pseudochazara (s.str.) lydia (Staudinger,1878)** (Satyridae) *lydia* Staudinger,1878; *neglecta* Gross,1978; *bithyniae* Gross,1978. 01 03 07 15 16 20 32 33 35 42 43 48 64 70
- 1067) **Pseudochazara (s.str.) mnischei (Herrich-Schäffer,[1851])** (Satyridae) *mnischei* Herrich-Schäffer,[1851] 01 03 05 06 07 10 11 14 15 16 19 20 23 24 25 26 28 29 32 33 36 37 38 40 42 43 44 46 48 50 51 58 60 62 66 68 69 70 71 74
- 1068) **Pyronia tithonus (Linnaeus,1771)** (Satyridae) *tithonus* Linnaeus,1771; *tiphon* Kühn,1774; *pilosellae* Fabricius,1775; *herse* Denis & Schiffermüller,1775; *phaedra* Esper,1776; *amaryllis* Fourcroy,1785 *nec* Cramer,1782; *tithone* Hübner,1819; *britanniae* Verity,1914; *bajocassensis* Moulit,1938; *armoricanus* Moulit,1938 03 05 11 14 16 17 19 20 21 34 35 41 42 55 59 60 67
- 1069) **Scythris (aerariella-gr.) aerariella (Herrich-Schäffer,[1854])** (Scythridae) *aerariella* Herrich-Schäffer,[1854] 16 46
- 1070) **Scythris (elegantella-gr.) limbella (Fabricius,1775)** (Scythridae) *limbella* Fabricius,1775; *variella* [Denis & Schiffermüller],1775; *quadriguttella* Thunberg,1794; *chenopodiella* Hübner,[1813]; *obscura* Staudinger,1880. 05 16 33
- 1071) **Scythris (fuscoaenea-gr.) dissimilella (Herrich-Schäffer,1855)** (Scythridae) *dissimilella* Herrich-Schäffer,1855 16
- 1072) **Scythris (fuscoaenea-gr.) tenuivittella (Stainton,1867)** (Scythridae) *tenuivittella* (Stainton,1867 16
- 1073) **Scythris (gravatella-gr.) gravatella (Zeller,1847)** (Scythridae) *gravatella* Zeller,1847; *vagabundella* Herrich-Schäffer,[1854]; *caradjae* Amsel,1939; *flavidella* Passerin d'Entrèves,1986 *nec* Preiss.,1911 05 16 71
- 1074) **Scythris (punctivittella-gr.) punctivittella (Costa,[1836])** (Scythridae) *punctivittella* Costa,[1836] 05 16
- 1075) **Bembecia ichneumoniformis (Denis & Schiffermüller,1775)** (Sesiidae) *#ichneumoniformis* [Denis & Schiffermüller],1775; *rhagioniformis* Hübner,[1806]; *ophioniformis* Hübner,[1813]; *systrophaeiformis* Hübner,[1813]; *palpina* Dalman,1816; *statuiformis* Freyer,1836; *cryptiformis* Walker,1856; *albanica* Rebel,1910 07 16 33 36
- 1076) **Bembecia scopigera (Scopoli,1763)** (Sesiidae) *scopigera* Scopoli,1763; *communis* Le Cerf,1920 06 16 25 36 59
- 1077) **Chamaesphesia albiventris Lederer,1853** (Sesiidae) *albiventris* Lederer,1853 01 05 08 16 42 46
- 1078) **Chamaesphesia alysoniformis (Herrich-Schäffer,1846)** (Sesiidae) *alysoniformis* Herrich-Schäffer,1846 01 05 08 16 33
- 1079) **Chamaesphesia annellata (Zeller,1847)** (Sesiidae) *annellata* Zeller,1847; *ceriaeformis* Lederer,1853 *nec* Luc.,1849; *muscinaeformis* Walker,1856; *ceriiformis* Staudinger,1856; *clermonti* Le Cerf,1914 16 39 42
- 1080) **Chamaesphesia astatiformis (Herrich-Schäffer,1846)** (Sesiidae) *astatiformis* Herrich-Schäffer,1846 13 16 42
- 1081) **Chamaesphesia chalciformis (Esper,[1804])** (Sesiidae) *chalciformis* Esper,[1804] 02 07 16 33 46
- 1082) **Chamaesphesia colpiformis (Staudinger,1856)** (Sesiidae) *colpiformis* Staudinger,1856 10 16 18 34
- 1083) **Chamaesphesia doleriformis (Herrich-Schäffer,1846)** (Sesiidae) *doleriformis* Herrich-Schäffer,1846 16 21
- 1084) **Chamaesphesia elampiformis (Herrich-Schäffer,1851)** (Sesiidae) *elampiformis* Herrich-Schäffer,1851 01 05 16 36
- 1085) **Chamaesphesia empiformis (Esper,[1783])** (Sesiidae) *empiformis* Esper,[1783]; *bombyciformis* Fourcroy,1785; *empinaeformis* Walker,1856 07 16
- 1086) **Chamaesphesia masariformis (Ochsenheimer,1808)** (Sesiidae) *masariformis* Ochsenheimer,1808; *banchiformis* Hübner,[1813]; *allantiformis* Eversmann,1844 *nec* Newm.,1832; *loewii* Zeller,1847; *brandii* Le Cerf,1937; *djakonovi* Popescu-Gorj & Capuse,1966 05 10 16 42

- 1087) **Osminia fenusaeformis** (Herrich-Schäffer,1852) (Sesiidae) *fenusaeformis* Herrich-Schäffer,1852; *fenusiformis* Staudinger,1856
01 09 16 33 35 46
- 1088) **Pennisetia hylaeiformis** (Laspeyres,1801) (Sesiidae) *hylaeiformis* Laspeyres,1801; *anomala* Dehne,1850. 08 16
- 1089) **Pyropteron minianiformis** (Freyer,1843) (Sesiidae) *minianiformis* Freyer,1843 07 10 16 22 32 33 35 39 42 48
- 1090) **Pyropteron triannuliformis** (Freyer,1845) (Sesiidae) *meriaeformis* Assmann,1845 *nec* Bsd.,1840; *triannuliformis* Freyer,1845;
braconiformis Herrich-Schäffer,1846; *philanthiformis* Lederer,1853 *nec* Lasp.,1801; *armeniaca* Bartel,1906; *balcanica* Zukowsky,1929;
ljiljanae Tosevski,1986; *pungeleri* K.Spatenka,1987 01 04 05 06 07 08 13 16 22 25 30 31 34 35 36 39 42 44 46 50 58
- 1091) **Sesia apiformis** (Clerck,1759) (Sesiidae) *apiformis* Clerck,1759; *crabroniformis* [Denis & Schiffermüller],1775; *sireciformis*
Esper,1782; *tenebrioniformis* Esper,1782; *vespa* Retzius,1783 06 16
- 1092) **Synansphecchia leucomelaena** (Zeller,1847) (Sesiidae) *leucomelaena* Zeller,1847 01 05 06 07 16 20 34 48
- 1093) **Synansphecchia mannii** (Lederer,1853) (Sesiidae) *mannii* Lederer,1853 06 14 16 34 39
- 1094) **Synanthedon myopaeformis** (Borkhausen,1789) (Sesiidae) *myopaeformis* Borkhausen,1789; *mutillaeformis* Laspeyres,1801;
luctuosa Lederer,1853; *myopiiformis* Staudinger,1856; *elegans* Lederer,1861. 05 06 16 25 31 32 34 35 42 44 50
- 1095) **Synanthedon vespiformis** (Linnaeus,1761) (Sesiidae) *vespiformis* Linnaeus,1761; *asiliformis* Rottemburg,1775; *oestriformis*
Rottemburg,1775; *cynipiformis* Esper,1783; *chrysorrhoea* Donovan,1795 01 05 06 07 08 15 16 22 25 33 39 42 60 65
- 1096) **Tinthia brosisformis** (Hübner,[1813]) (Sesiidae) *brosisformis* Hübner,[1813] 01 04 05 08 16 25 30 33 38 42 46
- 1097) **Tinthia hoplisiformis** (Mann,1864) (Sesiidae) *hoplisiformis* Mann,1864 01 05 16 46 47 65 73
- 1098) **Tinthia myrmosaeformis** (Herrich-Schäffer,1846) (Sesiidae) *myrmosaeformis* Herrich-Schäffer,1846; *#lucida* Lederer,1853;
myrmosiformis Staudinger,1856. 01 05 06 16 33 36 39 42 46 50
- 1099) **Tinthia tineiformis** (Esper,[1789]) (Sesiidae) *tineiformis* Esper,[1789]; *aselliformis* Rossi,1794. 10 16 35 46 65
- 1100) **Agrius convolvuli** (Linnaeus,1758) (Sphingidae) *convolvuli* Linnaeus,1758; *abadonna* Fabricius,1798; *pseudofasciatus*
Koch,1865; *pseudoconvolvuli* Schaufuss,1870; *orientalis* Butler,1876; *distans* Butler,1876; *batatae* Christ,1882; *nigricans* Cannaviello,1900;
ichangensis Tutt,1904; *javanensis* Tutt,1904; *tahitiensis* Tutt,1904; *indica* Skell,1913; *marshallensis* Clark,1922; *aksuensis* O.Bang-Haas,1927
05 06 10 16 42 44 60
- 1101) **Deilephila porcellus** (Linnaeus,1758) (Sphingidae) *porcellus* Linnaeus,1758 05 06 16 33 35 45 58 60 71
- 1102) **Hemaris (Cochrania) croatica** (Esper,[1779]) (Sphingidae) *croatica* Esper,[1779]; *sesia* Hübner,[1806]; *#obscurata* Closs,1911;
#rangnowi Closs,1911. 05 06 13 16 30 33 42 44 45 46 50 60 65 71
- 1103) **Hemaris (Eitschbergera) tityus** (Linnaeus,1758) (Sphingidae) *tityus* Linnaeus,1758; *bombyliformis* Linnaeus,1758; *knautiae*
Zeller,1869; *scabiosae* Zeller,1869; *alaiana* Rothschild & Jordan,1903; *karaugomica* Wojtusiak & Niesiolowski,1946; *saldaitisi* Eitschberger,
Danner & Surholt,1998 05 16 20 36 60 76
- 1104) **Hemaris (s.str.) syra** (Daniel,1939) (Sphingidae) *syra* Daniel,1939; *#syriaca* Müller, Kravchenko, Li, Eitschberger, Hausmann,
Miller, Orlova, Ortal, Speidel, Witt,2005 05 12 16 30 36 46 60
- 1105) **Hyles conspicua** (Rothschild & Jordan,1903) (Sphingidae) *conspicua* Rothschild & Jordan,1903. 01 05 06 07 09 10 13 14 15
16 17 20 24 25 30 32 33 35 36 42 45 46 47 50 51 58 60 63 65 73 76
- 1106) **Hyles livornica** (Esper,[1780]) (Sphingidae) *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae*
Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998. 01 05 06 07 09 16 17 19
23 30 33 34 35 36 45 46 47 53 58 60 61 63 73
- 1107) **Hyles vespertilio** (Esper,[1780]) (Sphingidae) *vespertilio* Esper,[1780]. 16 30
- 1108) **Macroglossum stellatarum** (Linnaeus,1758) (Sphingidae) *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892. 01 05 06 09 10
11 14 16 17 21 25 33 35 36 38 45 46 55 58 60 65 71
- 1109) **Neopterodonta gorgoniades** (Hübner,[1819]) (Sphingidae) *gorgon* Esper,[1804] (*praeocc.*); *gorgoniades* Hübner,[1819];
chloroptera von Mentzer,1974. 05 16 33 46 50 60
- 1110) **Smerinthus ocellatus** (Linnaeus,1758) (Sphingidae) *ocellatus* Linnaeus,1758 05 16 32 36 42 58 60
- 1111) **Sphinx ligustri** Linnaeus,1758 (Sphingidae) *ligustri* Linnaeus,1758; *spiraeae* Esper,1800; *amurensis* Oberthür,1886; *nisseni*
Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger &
Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998 06 16 25 36 42 60
- 1112) **Theretra alecto** (Linnaeus,1758) (Sphingidae) *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica*
O.Bang-Haas,1927; *intermissa* Gehlen,1941. 07 10 16 33 34 35 46
- 1113) **Thaumatopoea (Traumatocampa) pityocampa** (Denis & Schiffermüller,1775) (Thaumatopoeidae) *#pityocampa* [Denis &
Schiffermüller],1775; *ceballosi* Agenjo,1941 01 05 07 10 16 19 31 33 34 42 55 59 60
- 1114) **Thaumatopoea (s.str.) solitaria** (Freyer,[1838]) (Thaumatopoeidae) *solitaria* Freyer,[1838] 05 07 16 27 31 33 34 35 42 45 46
60 63
- 1115) **Thyris fenestrella** (Scopoli,1763) (Thyridae) *fenestrella* Scopoli,1763; *fenestrina* [Denis & Schiffermüller],1775; *marica*
Cyrillo,1792; *pyralidiformis* Hübner,1796; *fenestrata* Schrank,1801; *nevadae* Oberthür,1888; *nigra* A.Bang-Haas,1910. 05 16 33 34 46 60
- 1116) **Euplocamus anthracinalis** (Scopoli,1763) (Tineidae) *anthracinalis* Scopoli,1763; *anthracinella* [Denis & Schiffermüller],1775;
fuesslinella Sulzer,1776; *guttella* Fabricius,1781; *anthracina* Borkhausen,1793; *fuesslinaria* Esper,[1801]; *guttatus* Latreille,1809; *amanalis*
Osthelder,1935. 05 16 33 35 46 61
- 1117) **Euplocamus ophius** (Cramer,[1779]) (Tineidae) *ophius* Cramer,[1779] 05 14 16
- 1118) **Fermocelina latiusculella** (Stainton,1867) (Tineidae) *latiusculella* Stainton,1867 16 33 38 42 46
- 1119) **Hapsifera luridella** Zeller,1847 (Tineidae) *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 *nec*
Zell.,1852; *eburnea* Butler,1881; *palaestinensis* Rebel,1901; *kerbelella* Amsel,1949 01 05 06 16 22 27 31 42 46 65 71 76
- 1120) **Monopis imella** (Hübner,[1813]) (Tineidae) *imella* Hübner,[1813]; *nitidella* Zaguljaev,1960. 05 16 35 46 76
- 1121) **Monopis laevigella** ([Denis & Schiffermüller],1775) (Tineidae) *laevigella* [Denis & Schiffermüller],1775; *rusticella* Hübner,1796;
rustica Haworth,[1828]; *saturella* Haworth,[1828]. 16 35
- 1122) **Monopis obviella** ([Denis & Schiffermüller],1775) (Tineidae) *obviella* [Denis & Schiffermüller],1775; *ferruginella* Hübner,[1813]
nec Thunberg,1788; *splendella* Hübner,[1813] *nec* [Denis & Schiffermüller],1775. 16
- 1123) **Morophaga (morella-gr.) morella** (Duponchel,1838) (Tineidae) *morella* Duponchel,1838; *#fungicolella* Dumont,1930 16
- 1124) **Nemapogon granella** (Linnaeus,1758) (Tineidae) *granella* Linnaeus,1758; *domesticella* Scopoli,1763; *fenestrella* Scopoli,1763
(*praeocc.*); *nebulosella* Fourcroy,1785; *tesserella* Fabricius,1794; *costotristrigella* Chambers,1873; *marmorella* Chambers,1873;
fuscomaculella Chambers,1875; *mancuniella* Hodgkinson,1880; *nigroatomella* Dietz,1905; *fuscomella* Wörz,1958 05 16 46
- 1125) **Nemapogon quercicolella** (Zeller,1852) (Tineidae) *quercicolellus* Zeller,1852 06 16 42 61
- 1126) **Nemapogon ruricolella** (Stainton,1859) (Tineidae) *ruricolella* Stainton,1859; *cochylidella* Stainton,1854. 06 16
- 1127) **Nemapogon signatella** G.Petersen,1957 (Tineidae) *signatellus* G.Petersen,1957 05 06 14 16 33 71
- 1128) **Niditinea fuscella** (Linnaeus,1758) (Tineidae) *fuscella* Linnaeus,1758; *spretella* [Denis & Schiffermüller],1775; *crinitella*
Schrank,1802; *fuscipunctella* Haworth,[1828]; *nubilipennella* Clemens,1859; *abligatella* Walker,1863; *eurinella* Zaguljaev,1952; *distans*
Gozmany,1959. 05 16 35 44 76
- 1129) **Perissomastix (s.str.) crassicornella** (Zeller,1847) (Tineidae) *crassicornella* Zeller,1847 05 16 76

- 1130) **Tinea pelliella** Linnaeus, 1758 (Tineidae) *pellionella* Linnaeus, 1758; *zoolegella* Scopoli, 1763; *albella* Costa, [1836] *nec* Thunberg, 1788; *demiurga* Meyrick, 1920; *gerasimovi* Zaguljaev, 1978. 05 16 46 48 76
- 1131) **Tinea trinitella** Thunberg, 1794 (Tineidae) *trinitella* Thunberg, 1794; *ganomella* Treitschke, 1833; *lappella* auct. 05 16
- 1132) **Trioxomera parasitella** (Hübner, 1796) (Tineidae) *parasitella* Hübner, 1796 16
- 1133) **Trichopha tapetzella** (Linnaeus, 1758) (Tineidae) *tapetzella* Linnaeus, 1758; *pulchella* Fabricius, 1794; *pulchana* Fabricius, 1798; *#tapezana* Fabricius, 1798; *#apetiella* Zeller, 1839; *palaestrica* Butler, 1877 05 16
- 1134) **Emmetia angusticollis** (Duponchel, 1843) (Tischeriidae) *angusticollis* Duponchel, 1843; *aurifrontella* Ragonot, 1874. 05 16
- 1135) **Emmetia gaunacella** (Duponchel, 1843) (Tischeriidae) *gaunacella* Duponchel, 1843 16
- 1136) **Emmetia marginata** (Haworth, [1828]) (Tischeriidae) *marginata* Haworth, [1828] 16
- 1137) **Tischeria ekebladella** (Bjerkander, 1795) (Tischeriidae) *ekebladella* Bjerkander, 1795; *complanella* Hübner, [1817]. 05 16
- 1138) **Acleris kochiella** (Goeze, 1783) (Tortricidae) *kochiella* Goeze, 1783; *ternatella* Fourcroy, 1785; *boscana* Fabricius, 1794; *cerusana* Hübner, [1799]; *ulmana* Duponchel, 1836; *parisiana* Guenée, 1845. 05 06 15 16
- 1139) **Acleris permutana** (Duponchel, 1836) (Tortricidae) *permutana* Duponchel, 1836; *permutatana* Herrich-Schäffer, 1851. 16 46
- 1140) **Acleris quercinana** (Zeller, 1849) (Tortricidae) *quercinana* Zeller, 1849; ? *mucidana* Peyerimhoff, 1874 05 16 44
- 1141) **Acleris variegana** (Denis & Schiffermüller, 1775) (Tortricidae) *variegana* [Denis & Schiffermüller], 1775; *asperana* Fabricius, 1777; *osbeckiana* Thunberg, 1784; *nyctemerana* Hübner, [1817]; *blandiana* Charpentier, 1821; *blandana* Hübner, [1825]; *cirrana* Curtis, 1835; *albana* Humpreys & Westwood, 1845; *insignana* Herrich-Schäffer, 1851. 05 06 15 16 32 35 42 44 46 61
- 1142) **Aethes francillana** (Fabricius, 1794) (Tortricidae) *francillana* Fabricius, 1794; *francillonana* Humpreys & Westwood, 1845; *ferulae* Müller-Rutz, 1920. 05 06 16 33 42 45
- 1143) **Aethes hartmanniana** (Clerck, 1759) (Tortricidae) ? *lyonetella* Linnaeus, 1758; *#hartmanniana* Clerck, 1759; *wiedemannella* Müller, 1764; *baumanniana* [Denis & Schiffermüller], 1775; *allioniana* De Villers, 1789; *avellana* Hübner, 1822; *subbaumanniana* Wilkinson, 1859; *permana* Caradja, 1916; *excelsior* Schawerda, 1920. 14 16
- 1144) **Aethes margaritana** (Haworth, [1811]) (Tortricidae) *margaritana* Haworth, [1811]; *dipoltella* Hübner, [1813]. 16
- 1145) **Aethes margarotana** (Duponchel, 1836) (Tortricidae) *margarotana* Duponchel, 1836; *maritimana* Guenée, 1845; *scabidulana* Lederer, 1855; *capnospila* Meyrick, 1912; *parallelana* Kennel, 1913; *edrisitana* Chrétien, 1922; *paronyma* Meyrick, 1932. 05 06 16 31 35 42 46 54 71
- 1146) **Aethes moribundana** (Staudinger, 1859) (Tortricidae) *moribundana* Staudinger, 1859; *respirantana* Staudinger, 1879; *dispersana* Kennel, 1899; *dilutana* Kennel, 1899; *helvolana* Kennel, 1900; *lanceolata* Filipjev, 1924. 05 16 46 65 71
- 1147) **Aethes sanguinana** (Treitschke, 1830) (Tortricidae) *sanguinana* Treitschke, 1830; *#sanguinea* Humpreys & Westwood, 1845; *#sanguinella* Bradley, Tremewan & Smith, 1973 16
- 1148) **Aethes smeathmanniana** (Fabricius, 1781) (Tortricidae) *smeathmanniana* Fabricius, 1781; *fabriciana* Hübner, [1799]; *biviana* Duponchel, 1842; *stachydana* Herrich-Schäffer, 1851; *scissana* Walker, 1863. 16 42 46
- 1149) **Aethes tesserana** ([Denis & Schiffermüller], 1775) (Tortricidae) *tesserana* [Denis & Schiffermüller], 1775; *aleella* Sulzer, 1776; *heiserana* Fabricius, 1787; *groendalana* Thunberg, 1791. 05 06 16 40
- 1150) **Aethes tornella** (Walsingham, 1898) (Tortricidae) *tornella* Walsingham, 1898 05 06 16 46
- 1151) **Aethes williana** (Brahm, 1791) (Tortricidae) *williana* Brahm, 1791; *cembrana* Hübner, [1825]; *zephyrana* Treitschke, 1830; *dubrisana* Curtis, 1834; *marmoratana* Curtis, 1834; *luteolana* Stephens, 1834; *virginana* Guenée, 1845; *loriculana* Guenée, 1849; *costignata* Filipjev, 1926. 05 16 35 42 46
- 1152) **Agapeta hamana** (Linnaeus, 1758) (Tortricidae) *hamana* Linnaeus, 1758; *trigonana* [Denis & Schiffermüller], 1775; *citrinella* Fourcroy, 1785; *cruciana* Fabricius, 1787; *diversana* Hübner, 1793 06 14 16
- 1153) **Agapeta zoegana** (Linnaeus, 1767) (Tortricidae) *zoegana* Linnaeus, 1767; *cincta* Fourcroy, 1785; *flavella* Villers, 1789; *ferrugana* Haworth, [1811] *nec* [Denis & Schiff.], 1775; *#zaegana* Staudinger, 1879 16
- 1154) **Aleimma loeflingianum** (Linnaeus, 1758) (Tortricidae) *loeflingiana* Linnaeus, 1758; *mixtana* Fabricius, 1794; *plumbana* Hübner, [1799]; *ectypa* Hübner, [1800]; *plumbeolana* Haworth, 1811 05 06 16 17 22 32 42 46 71 81
- 1155) **Ancylis achatana** ([Denis & Schiffermüller], 1775) (Tortricidae) *achatana* [Denis & Schiffermüller], 1775; *inarmorana* Hübner, [1799]; *stevani* Portchinskij, 1888 05 14 16
- 1156) **Ancylis apicella** ([Denis & Schiffermüller], 1775) (Tortricidae) *apicella* [Denis & Schiffermüller], 1775; *leeana* Fabricius, 1777; *plumbana* Fabricius, 1787; *siculana* Hübner, [1799]; *alpina* Weber, 1936 05 16
- 1157) **Ancylis badiana** ([Denis & Schiffermüller], 1775) (Tortricidae) *badiana* [Denis & Schiffermüller], 1775; *lundana* Fabricius, 1777. 16
- 1158) **Ancylis comptana** (Frölich, 1828) (Tortricidae) *comptana* Frölich, 1828; *conflexana* Walker, 1863; *pulchellana* Clemens, 1864; *lamiana* Clemens, 1864; *fragariae* Walsh & Riley, 1869; *floridana* Zeller, 1875; *amblygona* Zeller, 1875; *cometana* Walsingham, 1879; *sculpta* Meyrick, 1922 05 06 16
- 1159) **Ancylis obtusana** (Haworth, [1811]) (Tortricidae) *obtusana* Haworth, [1811]; *consobrinana* Curtis, 1831; *distortana* Guenée, 1845; *segmentana* Herrich-Schäffer, 1851 16
- 1160) **Ancylis unculana** (Haworth, [1811]) (Tortricidae) *unculana* Haworth, [1811]; *derasana* Hübner, [1813]. 16
- 1161) **Aphelia (Zelotheres) ochreana** (Hübner, [1799]) (Tortricidae) *ferugana* Hübner, 1793 (homonym); *ochreana* Hübner, [1799]; *shaqlawana* Amsel, 1955; *chretieni* Obratzov, 1957 05 16 30 42 46 65 71
- 1162) **Archips podanus** (Scopoli, 1763) (Tortricidae) *podana* Scopoli, 1763; *fulvana* [Denis & Schiffermüller], 1775; *pyrastrana* Hübner, [1799]; *congenerana* Hübner, [1824]; *sauberiana* Sørhagen, 1882; *vulpeculana* Fuchs, 1903. 01 05 14 16 17 25 34 39 41 42 46 71 81
- 1163) **Archips rosanus** (Linnaeus, 1758) (Tortricidae) *rosana* Linnaeus, 1758; *avellana* Linnaeus, 1758; *ameriana* Linnaeus, 1758; *laevigana* [Denis & Schiffermüller], 1775; *oxycanthana* Hübner, [1799]; *acerana* Hübner, [1799]; *nebulana* Stephens, 1834 03 05 06 07 08 14 15 16 17 18 22 24 25 32 34 42 51
- 1164) **Archips xylosteanus** (Linnaeus, 1758) (Tortricidae) *xylosteana* Linnaeus, 1758; *obliquana* Fabricius, 1781; *westriniana* Thunberg, 1784; *densata* Fourcroy, 1785; *densana* Villers, 1789; *characterana* Hübner, 1793; *hybnerana* Fabricius, 1794; *pallens* Kennel, 1901 16 18 24 34 41
- 1165) **Bactra (s.str.) lancealana** (Hübner, [1799]) (Tortricidae) *lancealana* Hübner, [1799]; *#lanceolana* Hübner, [1822]; *egestana* Haworth, 1811; *plagana* Haworth, 1811; *dibeliana* Hübner, [1819]; *rufana* Stephens, 1834; *nigrovittana* Stephens, 1852 05 06 16 34 46
- 1166) **Cacoecimorpha pronubana** (Hübner, [1799]) (Tortricidae) *pronubana* Hübner, [1799]; *ambustana* Frölich, 1830; *herminiana* Treitschke, 1835; *insolatana* Lucas, 1848; *perochreana* Herrich-Schäffer, 1856; *obsoletana* Strand, 1901 16 34 35
- 1167) **Celypha aurofasciana** (Haworth, [1811]) (Tortricidae) *aurofasciana* Haworth, [1811]; *venustana* Frölich, 1828; *dormoyana* Duponchel, 1835; *grapholitana* Guenée, 1845; *implicana* Offmann, 1850; *paleana* Caradja, 1916 16
- 1168) **Celypha cespitana** (Hübner, [1817]) (Tortricidae) ? *umbriana* Scopoli, 1763; *cespitana* Hübner, [1817]; *gramineana* Curtis, 1831; *poana* Zeller, 1875 05 16
- 1169) **Celypha flavipalpana** (Herrich-Schäffer, [1851]) (Tortricidae) *flavipalpana* Herrich-Schäffer, [1851] 16
- 1170) **Celypha rivulana** (Scopoli, 1763) (Tortricidae) *rivulana* Scopoli, 1763; *rivellana* Fabricius, 1775; *fasciella* Goeze, 1783; *undulatella* Fourcroy, 1785; *conchana* Hübner, [1799] 05 14 16

- 1171) **Celypha rurestrana (Duponchel,1843)** (Tortricidae) *rurestrana* Duponchel,1843; *lucivagana* Lienig & Zeller,1846; *#ruepestrana* Staudinger,1879; *kemnerana* Benander,1943. 16
- 1172) **Celypha striana ([Denis & Schiffermüller],1775)** (Tortricidae) *striana* [Denis & Schiffermüller],1775; *rusticana* Hübner,[1799]; *biliturana* Donovan,1806; *fasciolana* Hübner,[1817]. 05 16
- 1173) **Choristoneura diversana (Hübner,[1817])** (Tortricidae) *diversana* Hübner,[1817]; *viduana* Frölich,1828; *transitana* Guenée,1845; *alfredana* Duponchel,1846 16
- 1174) **Choristoneura hebenstreitella (Müller,1764)** (Tortricidae) *hebenstreitella* Müller,1764; *pyrana* Villers,1789; *sorbiana* Hübner,[1799] 05 16 34
- 1175) **Clepsis consimilana (Hübner,[1817])** (Tortricidae) *consimilana* Hübner,[1817]; *unifasciana* Duponchel,1843; *productana* Zeller,1847; *obliterana* Herrich-Schäffer,1851; *peregrinana* Stephens,1852; *eatoniana* Ragonot,1881; *semiana* Chrétien,1915; *acclivana* Zerny,1933; *placida* Diakonoff,1948 05 16
- 1176) **Clepsis dumicolana (Zeller,1847)** (Tortricidae) *dumicolana* Zeller,1847; *austriaca* Amsel,1952 16
- 1177) **Clepsis rurinana (Linnaeus,1758)** (Tortricidae) *rurinana* Linnaeus,1758; *moderiana* Linnaeus,1761; *angulosa* Fourcroy,1785; *semialbana* Guenée,1845; *idana* Kennel,1919; *liotoma* Meyrick,1935. 05 14 16
- 1178) **Cnephasia (s.str.) cupressivorana (Staudinger,1871)** (Tortricidae) *cupressivorana* Staudinger,1871; *appenicola* Obratzov,1950; *orthoxyana* Réal,1951; *confluentana* Réal,1951 16 39 46
- 1179) **Cnephasia (s.str.) longana (Haworth,[1811])** (Tortricidae) *longana* Haworth,[1811]; *egenana* Haworth,[1811]; *expallidana* Haworth,[1811]; *ictericana* Haworth,[1811]; *lutosana* Hübner,[1813]; *capillana* Guenée,1845; *stratana* Zeller,1847; *loeviana* Zeller,1847; *luridalbana* Herrich-Schäffer,1851; *insolatana* Herrich-Schäffer,1851; *gratana* Laharpe,1860; *#ongana* Meyrick,1912; *cadizensis* Razowski,1959 16
- 1180) **Cnephasia (s.str.) oxyacanthana (Herrich-Schäffer,[1851])** (Tortricidae) *oxyacanthana* (Herrich-Schäffer,[1851]). 16
- 1181) **Cnephasia (s.str.) pasiuana (Hübner,[1799])** (Tortricidae) *pasiuana* Hübner,[1799]; *obsoletana* Stephens,1835; *pumicana* Zeller,1847; *#pasivana* Staudinger,1879; *crassifasciana* Joannis,1920; *linophagana* Rebel,1939; *pyrophagana* Rebel,1939; *cleuana* Réal,1952; *pseudotypica* Réal,1952; *algerana* Réal,1953; *blezynskii* Toll,1953; *hagiosana* Razowski,1959 05 16 34 35
- 1182) **Cochylidia heydeniana (Herrich-Schäffer,[1851])** (Tortricidae) *heydeniana* Herrich-Schäffer,[1851]; *pudorana* Staudinger,1859; *erigenana* Walsingham,1891; *sabulicola* Walsingham,1900; *almana* Kennel,1919; *obraztsovi* Amsel,1951; *amseli* Obratzov,1956. 16
- 1183) **Cochylimorpha decolorella (Zeller,1839)** (Tortricidae) *decolorella* Zeller,1839; *chamomillana* Herrich-Schäffer,[1851]; *pentactinana* Mann,1855. 16
- 1184) **Cochylimorpha elongana (Fischer v. Röslerstamm,1839)** (Tortricidae) *elongana* Fischer v. Röslerstamm,1839; *impurana* Mann,1855; *favillana* Staudinger,1859; *tetricana* Mann,1864 16 71
- 1185) **Cochylimorpha hilarana (Herrich-Schäffer,[1851])** (Tortricidae) *hilarana* Herrich-Schäffer,[1851]; *rheticana* LaHarpe,1864; *dilutana* Caradja,1916. 16 42
- 1186) **Cochylimorpha straminea (Haworth,[1811])** (Tortricidae) *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosana* Kennel,1900; *lenticinosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954. 05 06 16 33 35 46
- 1187) **Cochylis pallidana Zeller,1847** (Tortricidae) *pallidana* Zeller,1847 06 16
- 1188) **Cochylis posterana Zeller,1847** (Tortricidae) *posterana* Zeller,1847; *nubivagana* Zerny,1935; *hyrcana* Toll,1947. 01 05 14 15 16 38 42 46
- 1189) **Cochylis salebrana (Mann,1862)** (Tortricidae) *salebrana* Mann,1862; *millierana* Peyerimhoff,1877. 14 16
- 1190) **Croesia holmiana (Linnaeus,1758)** (Tortricidae) *holmiana* Linnaeus,1758; *stellata* Fourcroy,1785; *stellatella* Villers,1789. 05 16
- 1191) **Cryptocochylis conjunctana (Mann,1864)** (Tortricidae) *conjunctana* Mann,1864; *grapholitana* Kennel,1913. 16 42
- 1192) **Cydia inquinatana (Hübner,[1799])** (Tortricidae) *inquinatana* Hübner,[1799] 16
- 1193) **Cydia pomonella (Linnaeus,1758)** (Tortricidae) *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859 01 05 08 16 24 25 27 32 34 36 42 45 46 51 65 71
- 1194) **Cydia succedana ([Denis & Schiffermüller],1775)** (Tortricidae) *succedana* [Denis & Schiffermüller],1775; *asseclana* Hübner,[1800] *nec* [Den. & Schiff.],1775; *griseana* Osthelder,1938 05 14 16 48 71
- 1195) **Cydia triangulella (Goeze,1783)** (Tortricidae) *triangulella* Goeze,1783; *bicolorata* Fourcroy,1785; *splendana* Hübner,[1799]; *glandella* Schrank,1802; *reaurumana* Heyden,1860 14 16 34 42 71 81
- 1196) **Diceratura ostrinana (Guenée,1845)** (Tortricidae) *ostrinana* Guenée,1845; *purpuratana* Herrich-Schäffer,[1851]. 16 46
- 1197) **Diceratura roseofasciana (Mann,1855)** (Tortricidae) *roseofasciana* Mann,1855; *aequana* Caradja,1916; *keredjana* Razowski,1963. 01 05 06 16 42 46
- 1198) **Dichrorampha acuminatana (Lienig & Zeller,1846)** (Tortricidae) *acuminatana* Lienig & Zeller,1846; *cochylana* Peyerimhoff,1863; *graminana* Peyerimhoff,1870 16
- 1199) **Dichrorampha petiverella (Linnaeus,1758)** (Tortricidae) *petiverella* Linnaeus,1758; *albinella* Linnaeus,1758; *dorsana* Fabricius,1775; *jacquiniana* [Denis & Schiffermüller],1775; *petiverana* Haworth,1809; *stelliferana* Curtis,1831; *gigantana* Staudinger,1879 05 16 35 48
- 1200) **Dichrorampha plumbana (Scopoli,1763)** (Tortricidae) *plumbana* Scopoli,1763; *saturnana* Guenée,1845; *ulicana* Guenée,1845; *blepharana* Herrich-Schäffer,1851; *relectana* La Harpe,1858; *resplendana* Heinemann,1863 16
- 1201) **Ditula angustiorana (Haworth,[1811])** (Tortricidae) *angustiorana* Haworth,[1811]; *rotundana* Haworth,[1811]; *dumeriliana* Duponchel,1836 16
- 1202) **Endothenia ericetana (Humphreys & Westwood,1845)** (Tortricidae) *ericetana* Humphreys & Westwood,1845; *trifoliana* Herrich-Schäffer,[1851]. 16
- 1203) **Endothenia gentianaeana (Hübner,[1799])** (Tortricidae) ? *bidella* Fourcroy,1785; *gentianaeana* Hübner,[1799]; *gentianana* Hübner,[1825]; *oblongana* Haworth,[1811]; *sellana* Frölich,1828; *desertana* Staudinger,1879; *adelana* Rebel,1892. 05 16 51
- 1204) **Endothenia lapideana (Herrich-Schäffer,[1851])** (Tortricidae) *lapideana* Herrich-Schäffer,[1851]; *digitaliana* Mühlig,1863 16
- 1205) **Endothenia oblongana (Haworth,[1811])** (Tortricidae) *oblongana* Haworth,[1811]; *sellana* Frölich,1828. 16 42 46
- 1206) **Epagoge grotiana (Fabricius,1781)** (Tortricidae) *grotiana* Fabricius,1781; *flavana* Hübner,[1799]; *ochreana* Hübner,[1799]; *artificana* Herrich-Schäffer,1851; *amasiana* Caradja,1916. 03 05 16 34 38
- 1207) **Epiblema costipunctana (Haworth,[1811])** (Tortricidae) *costipunctana* Haworth,[1811]; *argyrana* Stephens,1829; *trigeminana* Stephens,1834; *poecilana* Guenée,1845; *ravulana* Herrich-Schäffer,1851 16 71
- 1208) **Epiblema hepaticana (Treitschke,1835)** (Tortricidae) *hepaticana* Treitschke,1835; *senecionana* Staudinger,1871; *tristana* Hauser,1918 16
- 1209) **Epiblema scutulana ([Denis & Schiffermüller],1775)** (Tortricidae) *scutulana* [Denis & Schiffermüller],1775; *luctuosana* Duponchel,1836; *novana* Guenée,1845; *alsaticana* Peyerimhoff,1872 16 51

- 1210) **Epinotia brunnichiana** (Linnaeus,1767) (Tortricidae) *brunnichiana* Linnaeus,1767; *sinuana* [Denis & Schiffermüller],1775; *rhenana* Thunberg & Becklin,1791 16
- 1211) **Epinotia festivana** (Hübner,[1799]) (Tortricidae) *festivana* Hübner,[1799] 05 06 14 16 46 65 71
- 1212) **Epinotia kochiana** Herrich-Schäffer,[1851] (Tortricidae) *kochiana* Herrich-Schäffer,[1851] 05 16
- 1213) **Epinotia thapsiana** (Zeller,1847) (Tortricidae) *thapsiana* Zeller,1847 03 05 16 35 45 46 71
- 1214) **Eucosma conformana** (Mann,1872) (Tortricidae) *conformana* Mann,1872; *umbratana* Staudinger,1880; *significatana* Kennel,1901. 05 15 16 21 32
- 1215) **Eugnosta lathoniana** (Hübner,[1800]) (Tortricidae) *lathoniana* Hübner,[1800] 06 16 31 42
- 1216) **Eupoecilia ambiguella** (Hübner,1796) (Tortricidae) *ambiguella* Hübner,1796; *omphaciella* Faure-Bignot de Simonest,1801; *roseana* Frölich,1828; *turbinaris* Meyrick,1928 05 16
- 1217) **Eupoecilia angustana** (Hübner,[1799]) (Tortricidae) *angustana* Hübner,[1799]; *fasciella* Donovan,1808 *nec* Goeze,1783; *cruentana* Herrich-Schäffer,[1851]. 16
- 1218) **Grapholita caecana** (Schläger,1847) (Tortricidae) *caecana* Schläger,1847; *obcaecana* Ragonot,1876 05 16 42 46 71
- 1219) **Grapholita compositella** (Fabricius,1775) (Tortricidae) *compositella* Fabricius,1775; *quadrella* Goeze,1783; *quadratella* Fourcroy,1785; *composana* Fabricius,1798; *gundiana* Hübner,[1799]; *compositana* Haworth,1802; *simillimana* Toll,1953 05 06 16
- 1220) **Grapholita delineana** (Walker,1863) (Tortricidae) *delineana* Walker,1863; *apicatana* Walker,1863; *sinana* Felder,1874; *tetragrammana* Staudinger,1879; *mundana* Christoph,1881; *terstrigana* Ragonot,1894; *quadrstrana* Walsingham,1900. 16
- 1221) **Grapholita funebrana** (Treitschke,1835) (Tortricidae) *funebrana* Treitschke,1835; *cerasana* Kozhantschikov,1953 16
- 1222) **Grapholita gemmiferana** (Treitschke,1835) (Tortricidae) *gemmiferana* Treitschke,1835; *olbiana* Guenée,1845 16
- 1223) **Grapholita janthinana** (Duponchel,1843) (Tortricidae) *janthinana* Duponchel,1843; *incisana* Herrich-Schäffer,1851 16
- 1224) **Grapholita jungiella** (Linnaeus,1761) (Tortricidae) *#jungella* Clerck,1759; *jungiella* Linnaeus,1761; *perlepidana* Haworth,[1811]; *jungiana* Fröhlich,1828; *schränkiana* Fröhlich,1828; *albisecundella* Bruand,1850. 16
- 1225) **Grapholita orobana** (Treitschke,1830) (Tortricidae) *orobana* Treitschke,1830; *strandiana* Fuhcs,1901; *persicana* Osthelder,1938 05 06 16 35 49
- 1226) **Grapholita pallifrontana** (Lienig & Zeller,1846) (Tortricidae) ? *elegantana* Fröhlich,1828; *pallifrontana* Lienig & Zeller,1846; *filana* Herrich-Schäffer,1851 05 16
- 1227) **Gynnidomorpha permixtana** ([Denis & Schiffermüller],1775) (Tortricidae) *permixtana* [Denis & Schiffermüller],1775; *antennana* Frölich,1828; *mussehliana* Treitschke,1835; *dymotana* Treitschke,1835. 16
- 1228) **Hedya ochroleucana** (Frölich,1828) (Tortricidae) *ochroleucana* Frölich,1828; *nibatana* Clemens,1860; *contrariana* Walker,1863; *consanguinana* Walsingham,1879 16
- 1229) **Hedya pruniana** (Hübner,[1799]) (Tortricidae) *pruniana* Hübner,[1799]; *pruneticolana* Zeller,1849 03 05 14 16 27 33 42 45 46 71 81
- 1230) **Hysterothra maculosana** (Haworth,[1811]) (Tortricidae) *maculosana* Haworth,[1811]; *purgatana* Treitschke,1835; *porculana* Mann,1862. 05 16 71
- 1231) **Isotrias hybridana** (Hübner,[1817]) (Tortricidae) *cingulana* Scopoli,1772; *hybridana* Hübner,[1817]; *puellana* Frölich,1828; *pedemontana* Staudinger,1871; *figalana* Millièr,1884; *castiliana* Ragonot,1894 06 16
- 1232) **Lathronympha strigana** (Fabricius,1775) (Tortricidae) *strigana* Fabricius,1775; *politana* [Denis & Schiffermüller],1775; *hypericana* Hübner,[1799]. 14 16 33 38
- 1233) **Lobesia (s.str.) artemisiana** (Zeller,1847) (Tortricidae) *artemisiana* Zeller,1847; *trifasciana* Herrich-Schäffer,1851; *amaryllana* Millièr,1876 05 16
- 1234) **Lobesia (s.str.) quaggana** (Mann,1855) (Tortricidae) *quaggana* Mann,1855; *restinctana* Turati,1913. 16
- 1235) **Lozotaeniodes cupressana** (Duponchel,1836) (Tortricidae) *cupressana* Duponchel,1836 16
- 1236) **Notocelia cynosbatella** (Linnaeus,1758) (Tortricidae) *cynosbatella* Linnaeus,1758; *cynosbana* Fabricius,1775; *tripunctana* [Denis & Schiffermüller],1775; *#cynobatella* Razowski,1966; *damascena* Tuleskov & Nikolova,1967. 05 14 16 42
- 1237) **Notocelia trimaculana** (Haworth,[1811]) (Tortricidae) *trimaculana* Haworth,[1811]; *suffusana* Duponchel,1843. 03 06 14 16 46
- 1238) **Notocelia uddmanniana** (Linnaeus,1758) (Tortricidae) *uddmanniana* Linnaeus,1758 01 05 06 14 16 21 46 53 81
- 1239) **Olethreutes (Argyroproct) lacunana** ([Denis & Schiffermüller],1775) (Tortricidae) *lacunana* [Denis & Schiffermüller],1775; *herbana* Guenée,1845 14 16 81
- 1240) **Olethreutes (s.str.) arcuana** (Linnaeus,1761) (Tortricidae) *#arcuella* Clerck,1759; *arcuana* Linnaeus,1761; *lambergiana* Scopoli,1763. 14 16 34 52 81
- 1241) **Olethreutes (s.str.) umbrosana** (Freyer,1842) (Tortricidae) *umbrosana* Freyer,1842 16
- 1242) **Orthotaenia undulana** ([Denis & Schiffermüller],1775) (Tortricidae) *undulana* [Denis & Schiffermüller],1775; *urticana* Hübner,1796; *campestrana* Zeller,1875; *dilutifusca* Walsingham,1879 16
- 1243) **Pammene insulana** (Guenée,1845) (Tortricidae) *insulana* Guenée,1845; *motacillana* Zeller,1847; *stragulana* Tengström,1848; *ovulana* Tengström,1848. 16
- 1244) **Pammene mariana** (Zerny,1920) (Tortricidae) *mariana* Zerny,1920; *pontica* Obratsov,1960 16 71
- 1245) **Pammene nigritana** (Mann,1862) (Tortricidae) *nigritana* Mann,1862 16
- 1246) **Pammene ochenheimeriana** (Lienig & Zeller,1846) (Tortricidae) ? *panzerana* Frölich,1828; *ochenheimeriana* Lienig & Zeller,1846; *loxiana* Herrich-Schäffer,1851; *luctiferana* Herrich-Schäffer,1851 16
- 1247) **Pammene rhediella** (Linnaeus,1761) (Tortricidae) *#rhediella* Clerck,1759; *rhediella* Linnaeus,1761; *daldorfana* Fabricius,1787; *dimidiana* Donovan,[1804]; *rhediana* Hübner,[1825]; *parvulana* Frölich,1828 05 16
- 1248) **Pandemis cerasana** (Hübner,1786) (Tortricidae) *cerasana* Hübner,1786 14 16 81
- 1249) **Pelochrista agrestana** (Treitschke,1830) (Tortricidae) *agrestana* Treitschke,1830; *fultana* Zeller,1847 16
- 1250) **Pelochrista caecimaculana** (Hübner,[1799]) (Tortricidae) *caecimaculana* Hübner,[1799]; *kollariana* Herrich-Schäffer,[1851] 14 16 42
- 1251) **Pelochrista hepaticaria** (Herrich-Schäffer,[1851]) (Tortricidae) *hepaticaria* Herrich-Schäffer,[1851]; *obnuptana* Herrich-Schäffer,[1851] 05 16
- 1252) **Pelochrista medullana** (Staudinger,1880) (Tortricidae) *medullana* Staudinger,1880 01 05 14 16 33 35 46
- 1253) **Pelochrista modicana** (Zeller,1847) (Tortricidae) *modicana* Zeller,1847; *definitana* Kennel,1901; *hinnebergiana* Fuchs,1902; *modestana* Herrich-Schäffer,[1851] 05 16
- 1254) **Periclepsis cinctana** ([Denis & Schiffermüller],1775) (Tortricidae) *cinctana* [Denis & Schiffermüller],1775 16
- 1255) **Phalonidia contractana** (Zeller,1847) (Tortricidae) *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925. 05 06 15 16 42 46 71
- 1256) **Phalonidia manniana** (Fischer v. Röslerstamm,1839) (Tortricidae) *manniana* Fischer v. Röslerstamm,1839; *notulana* Zeller,1847; *udana* Guenée,1845; *tolli* Razowski,1960. 16 35 42 46
- 1257) **Philedone gerningana** ([Denis & Schiffermüller],1775) (Tortricidae) *gerningana* [Denis & Schiffermüller],1775; *pectinana* Hübner,[1799]. 16 41

- 1258) **Phtheochroa duponchelana** (Duponchel,1843) (Tortricidae) *duponchelana* Duponchel,1843; *duponcheliana* Costa,1847; *gloriosana* Herrich-Schäffer,1851; *syriaca* Walsingham,1900 01 06 16 31 42 65
- 1259) **Phtheochroa purana** (Guenée,1845) (Tortricidae) *purana* Guenée,1845; *limbatana* Herrich-Schäffer,[1851]. 16
- 1260) **Phtheochroa schreibersiana** (Frölich,1828) (Tortricidae) *schreibersiana* Frölich,1828 16
- 1261) **Pristerognatha fuligana** ([Denis & Schiffermüller],1775) (Tortricidae) *fuligana* [Denis & Schiffermüller],1775 16
- 1262) **Propiromorpha rhodophana** (Herrich-Schäffer,[1851]) (Tortricidae) *rhodophana* Herrich-Schäffer,[1851] 16
- 1263) **Pseudargyrotoza conwagana** (Fabricius,1775) (Tortricidae) *montana* Scopoli,1763; *conwagana* Fabricius,1775; *hofmannseggana* Hübner,[1799]; *spixiana* Frölich,1828; *subaurantiana* Stephens,1834; *graphitana* Eversmann,1844; *#conwajana* Staudinger,1879. 16
- 1264) **Rhopobota myrtillana** (Humphreys & Westwood,1845) (Tortricidae) *myrtillana* Humphreys & Westwood,1845; *vacciniana* Lienig & Zeller,1846; *latifasciana* Peyerimhoff,1863. 16
- 1265) **Rhopobota stagnana** ([Denis & Schiffermüller],1775) (Tortricidae) *stagnana* [Denis & Schiffermüller],1775; *fractifasciana* Haworth,[1811]; *cuphana* Duponchel,1843; *beroliensis* Amsel,1932 16
- 1266) **Selania leplastriana** (Curtis,1831) (Tortricidae) *leplastriana* Curtis,1831; *gueriniana* Duponchel,1836; *maderae* Wollaston,1858; *vana* Kennel,1901; *malcolmae* Walsingham,1903; *decoratana* Chrétien,1915; *extinctana* Chrétien,1915 16
- 1267) **Sparganothis pilleriana** ([Denis & Schiffermüller],1775) (Tortricidae) *pilleriana* [Denis & Schiffermüller],1775 01 05 16 32 33 46 48 50
- 1268) **Spilonota ocellana** ([Denis & Schiffermüller],1775) (Tortricidae) *ocellana* [Denis & Schiffermüller],1775; *luscana* Fabricius,1794; *comitana* Hübner,[1799]; *pyrifoliana* Clemens,1860; *occulana* Harris,1862; *zellerana* Borgmann,1895; *centralasiae* Obratzsov,1949 05 06 14 15 16 18 25 34 61 71 81
- 1269) **Strophedra nitidana** (Fabricius,1794) (Tortricidae) *nitidana* Fabricius,1794; *redimitana* Guenée,1845; *flexana* Zeller,1849; *vigeliana* Herrich-Schäffer,1853. 16
- 1270) **Thiodia citrana** (Hübner,[1799]) (Tortricidae) *citrana* Hübner,[1799]; *libanicolana* Obratzsov,1964. 05 16 65
- 1271) **Thiodia trochilana** (Frölich,1828) (Tortricidae) *trochilana* Frölich,1828; *delitana* Fischer v. Rösslerstamm,[1839] 05 16
- 1272) **Tortrix viridana** (Linnaeus,1758) (Tortricidae) *viridana* Linnaeus,1758; *suttneriana* [Denis & Schiffermüller],1775; *flavipes* Fourcroy,1785; *flavana* Zincken,1821 nec Hübner,[1799]; *coeruleana* Sorhagen,1881. 03 05 06 10 12 13 16 17 34 39 42 45 50 65 71 76
- 1273) **Argyresthia (s.str.) abdominalis** Zeller,1839 (Yponomeutidae) *abdominalis* Zeller,1839; *abdominalella* Duponchel,[1845]; *inauratella* Tengström,1848; *abdominella* Herrich-Schäffer,1855; *helvetica* Heinemann,[1876] 16
- 1274) **Argyresthia (s.str.) pruniella** (Clerck,1759) (Yponomeutidae) *#pruniella* Clerck,1759; *comella* Scopoli,1763; *ephippella* Fabricius,1777; *ephippium* Fabricius,1798; *pruni* Haworth,[1828]; *#ephippiella* Staudinger,1879. 16
- 1275) **Argyresthia (s.str.) spinosella** Stainton,1849 (Yponomeutidae) *mendica* auct; *spinosella* Stainton,1849. 16 42 46
- 1276) **Atemelia torquatella** (Lienig & Zeller,1846) (Yponomeutidae) *torquatella* Lienig & Zeller,1846; *fuscifrontella* Stainton,1849 05 16 46
- 1277) **Digitivalva reticulella** (Hübner,1796) (Yponomeutidae) *reticulella* Hübner,1796; *cariosella* Treitschke,1835. 16
- 1278) **Eidophasia messingiella** (Fischer v. Röslerstamm,1840) (Yponomeutidae) *messingiella* Fischer v. Röslerstamm,1840; *transversella* Stephens,1841; *mullerella* Rougemont,1903 16
- 1279) **Eidophasia syenitella** (Heydenreich,1851) (Yponomeutidae) *syenitella* Heydenreich,1851 16
- 1280) **Prays oleae** (Bernard,1788) (Yponomeutidae) *oleae* Bernard,1788; *oleellus* Fabricius,1794; *oliviella* Boyer,1837; *adspersella* Heydenreich,1851; *adspersigriseella* Bruand,1859 16
- 1281) **Pseudosammerdamia combinella** (Hübner,1786) (Yponomeutidae) *combinella* Hübner,1786 06 16
- 1282) **Yponomeuta irrorellus** (Hübner,1796) (Yponomeutidae) *irrorellus* Hübner,1796; *irrorea* Haworth,1828; *huebneri* Koçak,1982. 16
- 1283) **Ypsolopha asperella** (Linnaeus,1761) (Yponomeutidae) *asperella* Linnaeus,1761; *clairvillella* Fabricius,1798; *falcateella* Donovan,1801 16
- 1284) **Ypsolopha mucronella** (Scopoli,1763) (Yponomeutidae) *mucronella* Scopoli,1763; *caudella* Linnaeus,1767; *panzerella* Donovan,1794; *cultrella* Hübner,1796; *acinacidella* Hübner,1796; *mucronatus* Fabricius,1798; *helwigella* Fabricius,1798; *acinacidea* Haworth,1828 16
- 1285) **Ypsolopha persicella** (Fabricius,1787) (Yponomeutidae) *persicella* Fabricius,1787; *sulphurella* Hübner,1793; *#persicellume* Noack,1960. 01 05 06 16 24 35
- 1286) **Ypsolopha sequella** (Clerck,1759) (Yponomeutidae) *#sequella* Clerck,1759; *nyctemerella* [Denis & Schiffermüller],1775; *nyctemerus* Fabricius,1798; *leucophaea* Zeller,1839 16
- 1287) **Ypsolopha vittella** (Linnaeus,1758) (Yponomeutidae) *vittella* Linnaeus,1758; *sisymbrella* Denis & Schiffermüller,[1775]; *lanceolata* Fabricius,1777; *lancea* Borkhausen,1792; *dorsella* Fabricius,1794; *dorsatus* Fabricius,1798; *#vitellum* Noack,1960. 06 16
- 1288) **Zelleria hepariella** Stainton,1849 (Yponomeutidae) *hepariella* Stainton,1849 16
- 1289) **Adscita (s.str.) obscura** (Zeller,1847) (Zygaenidae) *obscura* Zeller,1847; *anceps* Staudinger,1862. 05 06 12 16 31 33 35 36 38 42 46 50 51 63 65 71 80
- 1290) **Jordanita (s.str.) chloros** (Hübner,[1813]) (Zygaenidae) *chloros* Hübner,[1813]; *sepium* Boisduval,1834. 05 06 16 23 24 25 30 42 69
- 1291) **Jordanita (s.str.) globulariae** (Hübner,1793) (Zygaenidae) *globulariae* Hübner,1793 16 34
- 1292) **Theresimima ampelophaga** (Bayle-Barelle,1808) (Zygaenidae) *ampelophaga* Bayle-Barelle,1808; *#ampelophaga* Staudinger,1878. 07 16 35 46
- 1293) **Zygaena (Agrumenia) carniolica** (Scopoli,1763) (Zygaenidae) *carniolica* Scopoli,1763 01 04 05 06 08 13 14 16 22 23 24 25 29 30 31 33 34 35 36 37 38 41 42 43 46 58 60 65 71 76 77
- 1294) **Zygaena (Mesembrynus) corycia** Staudinger,1878 (Zygaenidae) *corycia* Staudinger,1878 01 16 33 45 80
- 1295) **Zygaena (Mesembrynus) laeta** (Hübner,1790) (Zygaenidae) *laeta* Hübner,1790 05 06 11 13 16 25 38 42 46 58 66
- 1296) **Zygaena (Mesembrynus) purpuralis** (Brünnich,1763) (Zygaenidae) *purpuralis* Brünnich,1763; *pythia* Fabricius,1777; *scabiosae* Scheven,1777; *pilosellae* Esper,1780; *pluto* Ochsenheimer,1808; *pasiphae* Meigen,[1829]; *tatvanica* Reiss & Reiss,1973. 04 05 06 08 13 14 16 23 25 29 30 31 34 36 38 42 44 58 61 62 65 69 71 75 76
- 1297) **Zygaena (s.str.) filipendulae** (Linnaeus,1758) (Zygaenidae) *filipendulae* Linnaeus,1758; *aries* Retzius,1783 01 05 06 08 11 13 14 16 18 22 24 25 28 29 30 31 34 36 37 42 43 44 49 50 53 58 60 61 62 65 66 69 70 75 76
- 1298) **Zygaena (s.str.) loniceriae** (Scheven,1777) (Zygaenidae) *loniceriae* Scheven,1777; *graminis* Villers,1789; *rechei* Dujardin,1965; *microdoxa* Dujardin,1965 05 06 08 13 14 16 24 25 29 36 42 55 58 62 76

Priamus⁴**ISSN 1015-8243**

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara, and appears in volumes at irregular intervals. Each volume is composed of four or six parts.

The serial serves as a refereed publication outlet and accepts original manuscripts of the researchers of the Cesa. Articles accepted deal with the Insect taxonomy, nomenclature, morphology, bibliography, check-list, fauna, biodiversity, distribution, biogeography, ecology, insect-plant interactions, bionomy, and behaviour. The Cesa is a non-profit organization, no royalties will be paid to the authors of contributions. Papers accepted become the copyright of the journal. The publication languages are Turkish, English, German, Uighur language, and Chinese.

Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)⁵, Miscellaneous Papers (ISSN 1015-8235)⁶, Memoirs (ISSN-8227)⁷ DVD Films⁸, Iconographia Insectorum⁹

Owner / Sahibi - Editor / Yayıncı: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistents: Yrd. Doç. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Yrd. Doç. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrečki (Connecticut University, U.S.A.), Yrd. Doç. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Yrd. Doç. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Yrd. Doç. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to:

Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey.

e-mail: cesa_tr@yahoo.com.tr

Yüzüncü Yıl Üniversitesi Matbaasında bastırılmıştır.

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org

⁴ <http://www.cesa-tr.org/Priamus.htm>

⁵ <http://www.members.tripod.com/entcesa/Pri.htm>

⁶ <http://www.cesa-tr.org/Miscell.htm>

⁷ <http://www.cesa-tr.org/Memoirs.htm>

⁸ <http://www.cesa-tr.org/CDF.htm>

⁹ <http://www.cesa-tr.org/Icon.htm>